# EMP amplitude scales with laser energy on target

A worked example of the CETAL slide template

Presenter Name, Co-author Name
CETAL, National Institute for Laser, Plasma and Radiation Physics (INFLPR), Măgurele, Romania

Group meeting · 2026-10-14

Institutul Național pentru
**Fizica Laserilor, Plasmei și Radiației**

01

# Setup

# Three probes sample the field at increasing distance

| Probe | Distance / m | Band / GHz |
|---|---|---|
| A | 0.5 | 0.1–6 |
| B | 1.0 | 0.1–6 |
| C | 2.0 | 0.1–3 |

**Shots**

2–20 J on target, 10 shots per energy, **same target type** throughout.

**Caveat**


Probe C saturates above 18 J.

Synthetic example values.

02

# Results

# Peak field grows linearly with energy on all three probes




- One message per slide, written as the title
- Figures made at final size, text close to the slide text
- Lines differ by marker as well as colour
- Units as quantity / unit: $E$ / (kV m$^{-1}$)

Synthetic example data. Real sources: Author et al., *Journal* **12**, 345 (2026).

# Summary comes before the acknowledgements

1. First conclusion, with its number
2. Second conclusion
3. What happens next

## Acknowledgements

This work was supported by the Romanian Ministry of Research, Innovation and Digitalization through the INFLPR Core Programme LAPLAS VII, contract 30N/2023.

presenter@inflpr.ro · cetal.inflpr.ro

Institutul Național pentru
**Fizica Laserilor, Plasmei și Radiației**