EMP amplitude scales with laser energy on target

A worked example of the CETAL slide template

Presenter Name, Co-author Name

CETAL, National Institute for Laser, Plasma and Radiation Physics (INFLPR), Măgurele, Romania

Group meeting · 2026-10-14

Institutul Național pentru
Fizica Laserilor, Plasmei și Radiației

01

Setup

Three probes sample the field at increasing distance

Probe	Distance / m	Band / GHz
A	0.5	0.1–6
B	1.0	0.1–6
C	2.0	0.1–3

Shots

2–20 J on target, 10 shots per energy, **same target type** throughout.

Caveat


Probe C saturates above 18 J.

Synthetic example values.

02

Results

Peak field grows linearly with energy on all three probes



- One message per slide, written as the title
- Figures from `cetal.mplstyle`, made at final size
- Lines differ by marker as well as colour
- Linear fit $E_{\mathrm{pk}} = aW + b$ for each probe
- Units as quantity / unit: E / (kV m^{-1})

Synthetic example data. Real sources: Author et al., *Journal* **12**, 345 (2026).

One style file sets fonts and colours for every figure

```
import matplotlib.pyplot as plt

plt.style.use("cetal.mplstyle")  # fonts, colours, ticks
fig, ax = plt.subplots(figsize=(2.85, 2.0))
for name, y in series.items():
    ax.errorbar(energy, y, yerr=3, label=name)
ax.set_xlabel("Laser energy on target / J")
fig.savefig("example-figure.pdf")
```

- Size the figure for its slot; leave fonts and colours to the style

Summary comes before the acknowledgements

1. First conclusion, with its number
2. Second conclusion
3. What happens next

Acknowledgements

This work was supported by the Romanian Ministry of Research, Innovation and Digitalization through the INFLPR Core Programme LAPLAS VII, contract 30N/2023.

presenter@inflpr.ro · cetal.inflpr.ro



Institutul Național pentru
Fizica Laserilor, Plasmei și Radiației

