

ICPSR 36422

Stroke Recovery in Underserved Populations 2005-2006 [United States]

Glenn Ostir

University of Texas Medical Branch

Kenneth Ottenbacher

University of Texas Medical Branch

Yong Fang Kuo

University of Texas Medical Branch

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36422/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR CODEBOOK NOTES FOR #36422

Stroke Recovery in Underserved Populations 2005-2006 [United States]

1. Please note that this data collection contains duplicate records. ICPSR created a **CASEID** variable which is a unique case identifier. Variable **PAT_ID** accounts for the duplicate records, while variable **CASEID** allows data users to analyze the data for each case.
2. To preserve respondent confidentiality, ICPSR performed the following steps to the data collection:
 - a. Values for variable **PAT_ID** have been recoded to new values in numeric order.
 - b. Value labels for variable **NEWFAC_NUM** were relabeled to remove identifying information.
 - c. The following date variables were recoded to the YYYYMM format:

DISC_DATE
ADM_DATE
INTERVIEWDATE_D
INTERVIEWDATE_F
INTERVIEWDATE_Y

- d. The following variables were top and/or bottom coded:

AGE
SCHOOL
INTERVIEWDATE_D
INTERVIEWDATE_F
INTERVIEWDATE_Y

- e. The **MARITAL** variable was recoded to combined 5 cases of individuals who stated they were separated into the divorced category. This category was relabeled "Divorced or separated."
3. ICPSR recoded blanks in numeric variables to -9 and labeled them "Blank (recoded by ICPSR)."
4. Because Stata does not permit value labels to be attached to noninteger values, values in the **DIAG_IG** variable were recoded as follows:
 - 1.1 became 1
 - 1.2 became 2
 - 1.3 became 3
 - 1.4 became 4

ICPSR 36422

Stroke Recovery in Underserved Populations 2005-2006 [United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: ICPSR CASE IDENTIFICATION NUMBER

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

NEWFAC_NUM: REHABILITATION FACILITY CODE

Value	Label	Unweighted Frequency	%
1	Rehab Facility 1 in New Jersey	64	5.3 %
2	Rehab Facility 2 in New York State	292	24.0 %
3	Rehab Facility 3 in Iowa	90	7.4 %
4	Rehab Facility 4 in California	60	4.9 %
5	Rehab Facility 5 in Illinois	34	2.8 %
6	Rehab Facility 6 in Texas	16	1.3 %
7	Rehab Facility 7 in Washington-Arlington-Alexandria	235	19.3 %
8	Rehab Facility 8 in New York State	105	8.6 %
9	Rehab Facility 9 in Texas	218	17.9 %
10	Rehab Facility 10 in Kentucky	91	7.5 %
11	Rehab Facility 11 in Florida	14	1.1 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 5-6 (width: 2; decimal: 0)

Variable Type: numeric

PAT_ID: PATIENT ID NUMBER

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 7-10 (width: 4; decimal: 0)

Variable Type: numeric

DISC_DATE: DISCHARGE DATE [YYYYMM]

Value	Label	Unweighted Frequency	%
200505	-	2	0.2 %
200506	-	29	2.4 %
200507	-	37	3.0 %
200508	-	38	3.1 %
200509	-	15	1.2 %
200510	-	70	5.7 %
200511	-	67	5.5 %
200512	-	112	9.2 %

Value	Label	Unweighted Frequency	%
200601	-	66	5.4 %
200602	-	94	7.7 %
200603	-	121	9.9 %
200604	-	87	7.1 %
200605	-	79	6.5 %
200606	-	87	7.1 %
200607	-	87	7.1 %
200608	-	91	7.5 %
200609	-	81	6.6 %
200610	-	56	4.6 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 11-16 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ADM_DATE: ADMISSION DATE [YYYYMM]

Value	Label	Unweighted Frequency	%
200504	-	1	0.1 %
200505	-	19	1.6 %
200506	-	43	3.5 %
200507	-	39	3.2 %
200508	-	16	1.3 %
200509	-	59	4.8 %
200510	-	56	4.6 %
200511	-	96	7.9 %
200512	-	92	7.5 %
200601	-	78	6.4 %
200602	-	104	8.5 %
200603	-	110	9.0 %
200604	-	75	6.2 %
200605	-	78	6.4 %
200606	-	96	7.9 %
200607	-	87	7.1 %
200608	-	89	7.3 %
200609	-	65	5.3 %
200610	-	15	1.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Blank (recoded by ICPSR)	1	0.1 %
	Total	1,219	100%

Based upon 1,218 valid cases out of 1,219 total cases.

Location: 17-22 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOS: LENGTH OF STAY (CONTINUOUS IN DAYS)

Based upon 1,218 valid cases out of 1,219 total cases.

- Mean: 20.45
- Median: 19.00
- Mode: 15.00
- Minimum: 2.00
- Maximum: 89.00
- Standard Deviation: 11.30

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

AGE: AGE (CONTINUOUS IN YEARS)

Value	Label	Unweighted Frequency	%
40	40 and younger	47	3.9 %
41	-	11	0.9 %
42	-	5	0.4 %
43	-	4	0.3 %
44	-	7	0.6 %
45	-	8	0.7 %
46	-	11	0.9 %
47	-	17	1.4 %
48	-	13	1.1 %
49	-	16	1.3 %
50	-	10	0.8 %
51	-	13	1.1 %
52	-	10	0.8 %
53	-	20	1.6 %
54	-	15	1.2 %
55	-	16	1.3 %
56	-	24	2.0 %
57	-	27	2.2 %
58	-	24	2.0 %

Value	Label	Unweighted Frequency	%
59	-	26	2.1 %
60	-	22	1.8 %
61	-	23	1.9 %
62	-	22	1.8 %
63	-	22	1.8 %
64	-	24	2.0 %
65	-	30	2.5 %
66	-	23	1.9 %
67	-	23	1.9 %
68	-	35	2.9 %
69	-	26	2.1 %
70	-	24	2.0 %
71	-	34	2.8 %
72	-	36	3.0 %
73	-	32	2.6 %
74	-	35	2.9 %
75	-	40	3.3 %
76	-	44	3.6 %
77	-	32	2.6 %
78	-	41	3.4 %
79	-	39	3.2 %
80	-	40	3.3 %
81	-	36	3.0 %
82	-	30	2.5 %
83	-	24	2.0 %
84	-	32	2.6 %
85	-	37	3.0 %
86	-	17	1.4 %
87	-	8	0.7 %
88	-	16	1.3 %
89	-	14	1.1 %
	Missing Data		
-9	Blank (recoded by ICPSR)	3	0.2 %
	Total	1,219	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,216 valid cases out of 1,219 total cases.

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SCHOOL: YEARS OF SCHOOL

What is the highest grade of school that you have finished?

Value	Label	Unweighted Frequency	%
3	Three years or fewer	20	1.6 %
4	-	11	0.9 %
5	-	10	0.8 %
6	-	21	1.7 %
7	-	11	0.9 %
8	-	56	4.6 %
9	-	26	2.1 %
10	-	37	3.0 %
11	-	40	3.3 %
12	Diploma or equivalent from high school	401	32.9 %
13	Some college	248	20.3 %
16	4-year college degree	125	10.3 %
17	Any graduate education	115	9.4 %
Missing Data			
-9	Blank (recoded by ICPSR)	98	8.0 %
Total		1,219	100%

Based upon 1,121 valid cases out of 1,219 total cases.

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

AGE_CAT: AGE CATEGORIES

Value	Label	Unweighted Frequency	%
1	54 and below	207	17.0 %
2	55 thru 64	230	18.9 %
3	65 thru 74	298	24.4 %
4	75 thru 84	358	29.4 %
5	85 and above	123	10.1 %
Missing Data			
-9	Blank (recoded by ICPSR)	3	0.2 %
Total		1,219	100%

Based upon 1,216 valid cases out of 1,219 total cases.

Location: 29-30 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FEMALE: FEMALE

Value	Label	Unweighted Frequency	%
0	No	592	48.6 %
1	Yes	624	51.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	3	0.2 %
	Total	1,219	100%

Based upon 1,216 valid cases out of 1,219 total cases.

Location: 31-32 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RACE: ETHNICITY/RACE

Value	Label	Unweighted Frequency	%
1	White	918	75.3 %
2	Black	200	16.4 %
3	Hispanic	74	6.1 %
4	Other	27	2.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RACE_WHITE: RACE: WHITE

Value	Label	Unweighted Frequency	%
0	No	300	24.6 %
1	Yes	919	75.4 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MARITAL: MARITAL STATUS

Value	Label	Unweighted Frequency	%
1	Never Married	205	16.8 %
2	Married	634	52.0 %
3	Widowed	264	21.7 %
4	Divorced or separated	106	8.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	10	0.8 %
	Total	1,219	100%

Based upon 1,209 valid cases out of 1,219 total cases.

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MARRIED: MARRIED

Value	Label	Unweighted Frequency	%
0	No	585	48.0 %
1	Yes	634	52.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ADMITFROM: ADMITTED TO REHAB FROM

Value	Label	Unweighted Frequency	%
1	Home	1159	95.1 %
2	Skilled nursing facility	60	4.9 %
3	Acute	0	0.0 %
4	Other medical (i.e.,subacute, chronic hosp)	0	0.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVSETTING_A: PRE-HOSPITAL LIVING SETTING

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Home	1186	97.3 %
2	Other	33	2.7 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVewith_A: PRE-HOSPITAL LIVING WITH

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Alone	271	22.2 %
2	Family	882	72.4 %
3	Other	66	5.4 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

VOCCATEGORY_A: PRE-HOSPITAL VOCATIONAL CATEGORY

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Employed	258	21.2 %
2	Sheltered	0	0.0 %
3	Student	9	0.7 %
4	Homemaker	32	2.6 %
5	Not Working	92	7.5 %
6	Retired - Age	762	62.5 %
7	Retired - Disability	58	4.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	8	0.7 %
	Total	1,219	100%

Based upon 1,211 valid cases out of 1,219 total cases.

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

VOCEFFORT_A: PRE-HOSPITAL VOCATIONAL EFFORT

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Full-time	246	20.2 %
2	Part-time	44	3.6 %
3	Adjusted Workload	6	0.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	923	75.7 %
	Total	1,219	100%

Based upon 296 valid cases out of 1,219 total cases.

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PAYPRIME: PRIMARY PAYER

Value	Label	Unweighted Frequency	%
1	Blue Cross	76	6.2 %
2	Medicare	760	62.3 %
3	Medicaid	73	6.0 %
4	Commercial Insurance	88	7.2 %
5	Managed Care	180	14.8 %
6	Other	38	3.1 %
7	None	4	0.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PAYSECOND: SECONDARY PAYER

Value	Label	Unweighted Frequency	%
1	Blue Cross	213	17.5 %
2	Medicare	33	2.7 %
3	Medicaid	79	6.5 %
4	Commercial Insurance	258	21.2 %
5	Managed Care	76	6.2 %
6	Other	87	7.1 %
7	None	473	38.8 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DIAG_MAIN: DIAGNOSIS GROUPS FROM ICD-9 CODE

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Hemorrhagic stroke	207	17.0 %
2	Ischemic stroke	891	73.1 %
3	Other stroke (transient, ill-defined, late effects)	76	6.2 %
4	Other circulatory disease	5	0.4 %
5	Other medical condition	40	3.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DIAG_IG: IMPAIRMENT GROUP

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Left-body stroke	506	41.5 %
2	Right-body stroke	484	39.7 %
3	Bilateral stroke	43	3.5 %
4	No Paresis stroke	112	9.2 %
5	Other stroke	74	6.1 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DIAG_TIA: TRANSIENT ISCHEMIC ATTACK

Value	Label	Unweighted Frequency	%
0	No	1210	99.3 %

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	7	0.6 %
	Total	1,219	100%

Based upon 1,212 valid cases out of 1,219 total cases.

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_ARTHRITIS: ARTHRITIS (INCLUDES RHEUMATOID & OSTEOARTHRITIS) [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	1061	87.0 %
1	Yes	158	13.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_CANCER: CANCER [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	1176	96.5 %
1	Yes	43	3.5 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_RESPIRATORY: RESPIRATORY DISEASES INCL. COPD & ASTHMA [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	1005	82.4 %
1	Yes	214	17.6 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

COMORB_DIABETES: DIABETES [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	790	64.8 %
1	Yes	429	35.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

COMORB_HTN: HYPERTENSION [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	318	26.1 %
1	Yes	901	73.9 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

COMORB_HEART: HEART DISEASE, HEART ATTACKS, ETC. [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	654	53.7 %
1	Yes	565	46.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

COMORB_OTHER_CIRC: OTHER CIRCULATORY DISEASES INCL. STROKE, ATHEROSCLEROSIS, THROMBOSIS [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	925	75.9 %
1	Yes	294	24.1 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_KIDNEY: KIDNEY DISEASES [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	1144	93.8 %
1	Yes	75	6.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_OBESITY: OBESITY - DEFINED IN ICD-9 AS BMI >=30 [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	1127	92.5 %
1	Yes	92	7.5 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_MENTAL: ALL MENTAL DISORDERS [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	627	51.4 %
1	Yes	592	48.6 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORB_FRACTURES: FRACTURES [COMORBIDITY]

Value	Label	Unweighted Frequency	%
0	No	1208	99.1 %
1	Yes	11	0.9 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMORBIDSUM: SUM OF COMORBIDITIES

Based upon 1,219 valid cases out of 1,219 total cases.

- Mean: 2.77
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 1.27

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPL_ACUTERESPIR: ACUTE RESPIRATORY INFECTIONS INCLUDING PNEUMONIA & INFLUENZA [COMPLICATION]

Value	Label	Unweighted Frequency	%
0	No	1168	95.8 %
1	Yes	51	4.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPL_INFECTIOUS: INFECTIOUS DISEASES [COMPLICATION]

Value	Label	Unweighted Frequency	%
0	No	941	77.2 %
1	Yes	278	22.8 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPL_BEDSORES: BEDSORES (DECUBITUS ULCER) [COMPLICATION]

Value	Label	Unweighted Frequency	%
0	No	1169	95.9 %
1	Yes	50	4.1 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPL_INFECT_KIDNEY: INFECTIONS OF KIDNEY, URINARY TRACT, ETC. [COMPLICATION]

Value	Label	Unweighted Frequency	%
0	No	782	64.2 %
1	Yes	437	35.8 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPL_DEHYDRATION: DEHYDRATION [COMPLICATION]

Value	Label	Unweighted Frequency	%
0	No	1185	97.2 %
1	Yes	34	2.8 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPLICSUM: SUM OF MEDICAL COMPLICATIONS

Based upon 1,219 valid cases out of 1,219 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.84

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

STROKESYM_HEMIP: HEMIPLEGIA & HEMIPARESIS -- PARALYSIS OR WEAKNESS ON ONE SIDE OF THE BODY [STROKE SYMPTOM]

Value	Label	Unweighted Frequency	%
0	No	798	65.5 %
1	Yes	421	34.5 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

STROKESYM_PARALYSIS: PARALYSIS [STROKE SYMPTOM]

Value	Label	Unweighted Frequency	%
0	No	1212	99.4 %
1	Yes	7	0.6 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

STROKESYM_APHASIA: APHASIA AND SPEECH DIFFICULTIES [STROKE SYMPTOM]

Value	Label	Unweighted Frequency	%
0	No	679	55.7 %
1	Yes	540	44.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

STROKESYM_DYSPHAGIA: DYSPHAGIA AND SWALLOWING DIFFICULTIES [STROKE SYMPTOM]

Value	Label	Unweighted Frequency	%
0	No	823	67.5 %
1	Yes	396	32.5 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STROKESYM_NEUROMUSC: NEUROMUSCULAR SYMPTOMS SUCH AS DIFFICULTY WITH GAIT, COORDINATION [STROKE SYMPTOM]

Value	Label	Unweighted Frequency	%
0	No	836	68.6 %
1	Yes	383	31.4 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STROKESYMSUM: SUM OF STROKE SYMPTOMS

Based upon 1,219 valid cases out of 1,219 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.05

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVSETTING_D: DISCHARGE LIVING SETTING

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Home	902	74.0 %
2	Skilled nursing facility	119	9.8 %
3	Acute	78	6.4 %
4	Other (i.e.,assisted living, subacute)	120	9.8 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

HOMEHEALTH_D: DISCHARGED WITH HOME HEALTH

Value	Label	Unweighted Frequency	%
0	No	720	59.1 %
1	Yes	499	40.9 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

LIVewith_D: DISCHARGE LIVING WITH

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Alone	74	6.1 %
2	Family	780	64.0 %
3	Friends	48	3.9 %
4	Attendant	317	26.0 %
5	Other	0	0.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FALLS_D: TOTAL FALLS DURING STAY

IRF-PAI Coding Sheet Instrument Variable

Based upon 241 valid cases out of 1,219 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.44

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

SIGNS_OF_DEHYDRATION_A: CLINICAL SIGNS OF DEHYDRATION [AT ADMISSION]

Value	Label	Unweighted Frequency	%
0	No	308	25.3 %
1	Yes	44	3.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	867	71.1 %
	Total	1,219	100%

Based upon 352 valid cases out of 1,219 total cases.

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DISTANCE_WALKED_A: ADMISSION FUNCITON MODIFIER - DISTANCE WALKED [AT ADMISSION]

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
0	Activity Does Not Occur	292	24.0 %
1	<50 Feet	418	34.3 %
2	50-149 Feet	261	21.4 %
3	150+ Feet	244	20.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	4	0.3 %
	Total	1,219	100%

Based upon 1,215 valid cases out of 1,219 total cases.

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SHORT_BREATH_EXERTION_A: ADMISSION QUALITY INDICATORS - SHORTNESS OF BREATH WITH EXERTION [AT ADMISSION]

Value	Label	Unweighted Frequency	%
0	No	309	25.3 %
1	Yes	43	3.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	867	71.1 %
	Total	1,219	100%

Based upon 352 valid cases out of 1,219 total cases.

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SHORT_BREATH_REST_A: ADMISSION QUALITY INDICATORS - SHORTNESS OF BREATH AT REST [AT ADMISSION]

Value	Label	Unweighted Frequency	%
0	No	329	27.0 %
1	Yes	23	1.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	867	71.1 %
	Total	1,219	100%

Based upon 352 valid cases out of 1,219 total cases.

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PAIN_A: PAIN [AT ADMISSION] (SCORED 1-10 WITH 10 HIGHEST PAIN)

Pain Level

IRF-PAI Coding Sheet Instrument Variable

Based upon 644 valid cases out of 1,219 total cases.

- Mean: 2.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 3.28

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STANDING_PROBLEM_A: ADMISSION QUALITY INDICATORS - BALANCE PROBLEM [AT ADMISSION]

Value	Label	Unweighted Frequency	%
0	No	91	7.5 %
1	Yes	29	2.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	1099	90.2 %
	Total	1,219	100%

Based upon 120 valid cases out of 1,219 total cases.

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SIGNS_OF_DEHYDRATION_D: CLINICAL SIGNS OF DEHYDRATION [AT DISCHARGE]

Value	Label	Unweighted Frequency	%
0	No	342	28.1 %
1	Yes	10	0.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	867	71.1 %
	Total	1,219	100%

Based upon 352 valid cases out of 1,219 total cases.

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DISTANCE_WALKED_D: ADMISSION FUNCTIONAL MODIFIER - DISTANCE WALKED [AT DISCHARGE]

Value	Label	Unweighted Frequency	%
0	Activity Does Not Occur	82	6.7 %
1	<50 Feet	179	14.7 %
2	50-149 Feet	129	10.6 %
3	150+ Feet	797	65.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	32	2.6 %
	Total	1,219	100%

Based upon 1,187 valid cases out of 1,219 total cases.

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SHORT_BREATH_EXERTION_D: ADMISSION QUALITY INDICATORS - SHORTNESS OF BREATH WITH EXERTION [AT DISCHARGE]

Value	Label	Unweighted Frequency	%
0	No	325	26.7 %
1	Yes	27	2.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	867	71.1 %
	Total	1,219	100%

Based upon 352 valid cases out of 1,219 total cases.

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SHORT_BREATH_REST_D: ADMISSION QUALITY INDICATORS - SHORTNESS OF BREATH AT REST [AT DISCHARGE]

Value	Label	Unweighted Frequency	%
0	No	342	28.1 %
1	Yes	10	0.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	867	71.1 %
	Total	1,219	100%

Based upon 352 valid cases out of 1,219 total cases.

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PAIN_D: PAIN [AT DISCHARGE] (SCORED 1-10 WITH 10 HIGHEST PAIN)

Pain Level

Based upon 645 valid cases out of 1,219 total cases.

- Mean: 1.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.94

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STANDING_PROBLEM_D: ADMISSION QUALITY INDICATORS - BALANCE PROBLEM [AT DISCHARGE]

Value	Label	Unweighted Frequency	%
0	No	106	8.7 %
1	Yes	11	0.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	1102	90.4 %
	Total	1,219	100%

Based upon 117 valid cases out of 1,219 total cases.

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVSETTING_F: FOLLOW-UP LIVING SETTING

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Home	957	78.5 %
2	Skilled nursing facility	1	0.1 %
3	Acute	0	0.0 %
4	Intermediate Care	0	0.0 %
5	Skilled Nursing Facility	70	5.7 %
8	Chronic Hospital	1	0.1 %
9	Rehabilitation Facility	19	1.6 %
10	Other	2	0.2 %
11	Undocument	30	2.5 %
12	Alternate Level of Care Unit	1	0.1 %
13	Subacute Setting	0	0.0 %
14	Assisted Living Residence	18	1.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	120	9.8 %
	Total	1,219	100%

Based upon 1,099 valid cases out of 1,219 total cases.

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVewith_F: FOLLOW-UP LIVING WITH

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Alone	162	13.3 %
2	Family	761	62.4 %
3	Friends	11	0.9 %
4	Attendant	21	1.7 %
5	Other	2	0.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	262	21.5 %
	Total	1,219	100%

Based upon 957 valid cases out of 1,219 total cases.

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

VOCEFFORT_F: FOLLOW-UP VOCATIONAL EFFORT

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Full-time	31	2.5 %
2	Part-time	12	1.0 %
3	Adjusted Workload	10	0.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	1166	95.7 %
	Total	1,219	100%

Based upon 53 valid cases out of 1,219 total cases.

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

VOCCATEGORY_F: FOLLOW-UP VOCATIONAL CATEGORY

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Employed	40	3.3 %
2	Sheltered	0	0.0 %
3	Student	7	0.6 %
4	Homemaker	6	0.5 %
5	Not Working	184	15.1 %
6	Retired - Age	788	64.6 %
7	Retired - Disability	44	3.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HLTHMAINTPRIME_F: HEALTH MAINTENANCE PRIMARY

Value	Label	Unweighted Frequency	%
1	Own care	947	77.7 %
2	Unpaid person or family	39	3.2 %
3	Paid person	83	6.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HLTHMAINTSECOND_F: HEALTH MAINTENANCE SECONDARY

Value	Label	Unweighted Frequency	%
1	Own care	595	48.8 %
2	Unpaid person or family	347	28.5 %
3	Paid person	127	10.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

POSTDCCARE_NOW_F: THERAPY CURRENTLY

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	None	544	44.6 %
2	Outpatient	297	24.4 %
3	Home based	149	12.2 %
4	Both 2 & 3	0	0.0 %
5	Inpatient hospital	15	1.2 %
6	Long-term care	64	5.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

POSTDCCARE_ANY_F: THERAPY ANY

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	None	117	9.6 %

Value	Label	Unweighted Frequency	%
2	Outpatient	480	39.4 %
3	Home based	344	28.2 %
4	Both 2 & 3	26	2.1 %
5	Inpatient hospital	23	1.9 %
6	Long-term care	79	6.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

POSTDC_HOSP: POST DISCHARGE HOSPITALIZATION

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	None	870	71.4 %
2	Med/surgery	115	9.4 %
3	Rehab	50	4.1 %
4	Both	34	2.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PAIN_F: PAIN [AT 3 MONTH FU] (SCORED 1-10 WITH 10 HIGHEST PAIN)

Pain Level IRF-PAI Coding Sheet Instrument Variable

Based upon 1,056 valid cases out of 1,219 total cases.

- Mean: 1.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.19

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FALLS_F: NUMBER OF FALLS AT FU (CONTINUOUS)

IRF-PAI Coding Sheet Instrument Variable

Based upon 1,058 valid cases out of 1,219 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.02

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SATISOVERALL_F: OVERALL SATISFACTION

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Very dissatisfied	11	0.9 %
2	Somewhat dissatisfied	13	1.1 %
3	Somewhat satisfied	103	8.4 %
4	Very satisfied	890	73.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	202	16.6 %
	Total	1,219	100%

Based upon 1,017 valid cases out of 1,219 total cases.

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SATISQOL_F: QUALITY OF LIFE SATISFACTION

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Very dissatisfied	48	3.9 %
2	Somewhat dissatisfied	112	9.2 %
3	Somewhat satisfied	574	47.1 %
4	Very satisfied	279	22.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	206	16.9 %
	Total	1,219	100%

Based upon 1,013 valid cases out of 1,219 total cases.

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

SATISGOAL_F: SATISFACTION WITH GOALS ATTAINED

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Very dissatisfied	24	2.0 %
2	Somewhat dissatisfied	104	8.5 %
3	Somewhat satisfied	576	47.3 %
4	Very satisfied	312	25.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	203	16.7 %
	Total	1,219	100%

Based upon 1,016 valid cases out of 1,219 total cases.

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

SATISCOMPAR_F: SATISFACTION WITH COMMUNITY PARTICIPATION

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Very dissatisfied	46	3.8 %
2	Somewhat dissatisfied	182	14.9 %
3	Somewhat satisfied	501	41.1 %
4	Very satisfied	288	23.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	202	16.6 %
	Total	1,219	100%

Based upon 1,017 valid cases out of 1,219 total cases.

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

OPTIMISTIC_Y_N: ARE YOU OPTIMISTIC ABOUT YOUR FUTURE?

Mood/Feelings - Are you optimistic about your future?

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
1	Yes	890	73.0 %
2	No	119	9.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	210	17.2 %
	Total	1,219	100%

Based upon 1,009 valid cases out of 1,219 total cases.

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DISTANCE_WALKED_F: ADMISSION FUNCITON MODIFIER - DISTANCE WALKED [AT 3 MO FU]

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
0	Activity Does Not Occur	156	12.8 %
1	<50 Feet	23	1.9 %
2	50-149 Feet	162	13.3 %
3	150+ Feet	728	59.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	150	12.3 %
	Total	1,219	100%

Based upon 1,069 valid cases out of 1,219 total cases.

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DISTANCE_WALKED_Y: ADMISSION FUNCITON MODIFIER - DISTANCE WALKED [AT 12 MO FU]

IRF-PAI Coding Sheet Instrument Variable

Value	Label	Unweighted Frequency	%
0	Activity Does Not Occur	115	9.4 %
1	<50 Feet	8	0.7 %
2	50-149 Feet	75	6.2 %
3	150+ Feet	651	53.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	370	30.4 %
	Total	1,219	100%

Based upon 849 valid cases out of 1,219 total cases.

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

INTERVIEWDATE_D: DATE OF DISCHARGE INTERVIEW [YYYYMM]

Value	Label	Unweighted Frequency	%
200506	200505 and 200506	48	3.9 %
200507	-	25	2.1 %
200508	-	35	2.9 %
200509	-	16	1.3 %
200510	-	26	2.1 %
200511	-	14	1.1 %
200512	-	72	5.9 %
200601	-	115	9.4 %
200602	-	87	7.1 %
200603	-	94	7.7 %
200604	-	119	9.8 %
200605	-	83	6.8 %
200606	-	76	6.2 %
200607	-	80	6.6 %
200608	-	93	7.6 %
200609	-	92	7.5 %
200610	-	64	5.3 %
200611	-	80	6.6 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 177-182 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

INTERVIEWDATE_F: DATE OF FOLLOW-UP ASSESSMENT [YYYYMM]

Value	Label	Unweighted Frequency	%
200509	200508 and 200509	23	1.9 %
200510	-	29	2.4 %
200511	-	28	2.3 %
200512	-	13	1.1 %
200601	-	59	4.8 %
200602	-	57	4.7 %
200603	-	102	8.4 %

Value	Label	Unweighted Frequency	%
200604	-	64	5.3 %
200605	-	86	7.1 %
200606	-	111	9.1 %
200607	-	82	6.7 %
200608	-	35	2.9 %
200609	-	74	6.1 %
200610	-	82	6.7 %
200611	-	109	8.9 %
200612	-	76	6.2 %
200701	-	66	5.4 %
200702	200702 and 200703	8	0.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	115	9.4 %
	Total	1,219	100%

Based upon 1,104 valid cases out of 1,219 total cases.

Location: 183-188 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

INTERVIEWDATE_Y: DATE OF 12 MONTH F-U ASSESSMENT [YYYYMM]

Value	Label	Unweighted Frequency	%
200606	200605 and 200606	19	1.6 %
200607	-	27	2.2 %
200608	-	23	1.9 %
200609	-	10	0.8 %
200610	-	46	3.8 %
200611	-	45	3.7 %
200612	-	83	6.8 %
200701	-	49	4.0 %
200702	-	80	6.6 %
200703	-	96	7.9 %
200704	-	66	5.4 %
200705	-	47	3.9 %
200706	-	63	5.2 %
200707	-	62	5.1 %
200708	-	70	5.7 %
200709	-	69	5.7 %
200710	-	51	4.2 %

Value	Label	Unweighted Frequency	%
200711	-	5	0.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	308	25.3 %
	Total	1,219	100%

Based upon 911 valid cases out of 1,219 total cases.

Location: 189-194 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

INPERSON_INTERVIEW: INTERVIEW CONDUCTED IN PERSON

Value	Label	Unweighted Frequency	%
0	No	993	81.5 %
1	Yes	226	18.5 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SOCIALSUPP1_D: EPESE SOCIAL SUPPORT QUESTION #1 [AT DISCHARGE] (SCORED 1-3 WITH 3 HIGHEST SOCIAL SUPPORT)

In times of trouble, can you count on at least some of your family or friends most of the time, some of the time, or hardly ever?

Value	Label	Unweighted Frequency	%
1	Most of the time	256	21.0 %
2	Some of the time	17	1.4 %
3	Hardly ever	5	0.4 %
4	Don't know/Refused	2	0.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	939	77.0 %
	Total	1,219	100%

Based upon 280 valid cases out of 1,219 total cases.

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SOCIALSUPP2_D: EPESE SOCIAL SUPPORT QUESTION #2 [AT DISCHARGE] (SCORED 1-3 WITH 3 HIGHEST SOCIAL SUPPORT)

Can you talk about your deepest problems with at least some of your family or friends most of the time, some of the time, or hardly ever?

Value	Label	Unweighted Frequency	%
1	Most of the time	230	18.9 %
2	Some of the time	33	2.7 %
3	Hardly ever	14	1.1 %
4	Don't know/Refused	3	0.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	939	77.0 %
	Total	1,219	100%

Based upon 280 valid cases out of 1,219 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

SOCIALSUPP1_F: EPESE SOCIAL SUPPORT QUESTION #1 [AT 3 MO FU] (SCORED 1-3 WITH 3 HIGHEST SOCIAL SUPPORT)

In times of trouble, can you count on at least some of your family or friends most of the time, some of the time, or hardly ever?

Value	Label	Unweighted Frequency	%
1	Most of the time	80	6.6 %
2	Some of the time	9	0.7 %
3	Hardly ever	0	0.0 %
4	Don't know/Refused	0	0.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	1130	92.7 %
	Total	1,219	100%

Based upon 89 valid cases out of 1,219 total cases.

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

SOCIALSUPP2_F: EPESE SOCIAL SUPPORT QUESTION #2 [AT 3 MO FU] (SCORED 1-3 WITH 3 HIGHEST SOCIAL SUPPORT)

Can you talk about your deepest problems with at least some of your family or friends most of the time, some of the time, or hardly ever?

Value	Label	Unweighted Frequency	%
1	Most of the time	71	5.8 %
2	Some of the time	13	1.1 %
3	Hardly ever	5	0.4 %

Value	Label	Unweighted Frequency	%
4	Don't know/Refused	0	0.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	1130	92.7 %
	Total	1,219	100%

Based upon 89 valid cases out of 1,219 total cases.

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DUKE_D: DUKE-UNC FUNCTIONAL SUPPORT AT DISCHARGE (SCORED 11-55 (ELEVEN ITEM SCALE) WITH 55 HIGHEST SOCIAL SUPPORT)

Based upon 925 valid cases out of 1,219 total cases.

- Mean: 50.25
- Median: 53.00
- Mode: 55.00
- Minimum: 14.00
- Maximum: 55.00
- Standard Deviation: 7.05

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DUKE_F: DUKE-UNC FUNCTIONAL SUPPORT AT 3 MO FU (SCORED 11-55 (ELEVEN ITEM SCALE) WITH 55 HIGHEST SOCIAL SUPPORT)

Based upon 952 valid cases out of 1,219 total cases.

- Mean: 50.57
- Median: 55.00
- Mode: 55.00
- Minimum: 12.00
- Maximum: 55.00
- Standard Deviation: 7.31

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DUKE_Y: DUKE-UNC FUNCTIONAL SUPPORT AT 12 MO FU (SCORED 11-55 (ELEVEN ITEM SCALE) WITH 55 HIGHEST SOCIAL SUPPORT)

Based upon 843 valid cases out of 1,219 total cases.

- Mean: 50.75
- Median: 55.00
- Mode: 55.00
- Minimum: 12.00
- Maximum: 55.00

- Standard Deviation: 6.92

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE4_D: FELT JUST AS GOOD AS OTHERS [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	161	13.2 %
1	Some or little of the time (1-2 days)	117	9.6 %
2	Occasionally or a moderate amount of time (3-4 days)	157	12.9 %
3	Most or all of the time (5-7 days)	784	64.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE8_D: FELT HOPEFUL ABOUT FUTURE [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	111	9.1 %
1	Some or little of the time (1-2 days)	133	10.9 %
2	Occasionally or a moderate amount of time (3-4 days)	194	15.9 %
3	Most or all of the time (5-7 days)	781	64.1 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE12_D: HAPPY [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was happy

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	96	7.9 %
1	Some or little of the time (1-2 days)	171	14.0 %
2	Occasionally or a moderate amount of time (3-4 days)	244	20.0 %
3	Most or all of the time (5-7 days)	708	58.1 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE16_D: ENJOYED LIFE [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	120	9.8 %
1	Some or little of the time (1-2 days)	144	11.8 %
2	Occasionally or a moderate amount of time (3-4 days)	195	16.0 %
3	Most or all of the time (5-7 days)	760	62.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE4_F: FELT JUST AS GOOD AS OTHERS [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	115	9.4 %
1	Some or little of the time (1-2 days)	84	6.9 %
2	Occasionally or a moderate amount of time (3-4 days)	141	11.6 %
3	Most or all of the time (5-7 days)	705	57.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE8_F: FELT HOPEFUL ABOUT FUTURE [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	97	8.0 %
1	Some or little of the time (1-2 days)	117	9.6 %
2	Occasionally or a moderate amount of time (3-4 days)	159	13.0 %
3	Most or all of the time (5-7 days)	672	55.1 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

CESDPOSITIVE12_F: HAPPY [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was happy

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	54	4.4 %
1	Some or little of the time (1-2 days)	137	11.2 %
2	Occasionally or a moderate amount of time (3-4 days)	202	16.6 %
3	Most or all of the time (5-7 days)	652	53.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

CESDPOSITIVE16_F: ENJOYED LIFE [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	65	5.3 %
1	Some or little of the time (1-2 days)	93	7.6 %
2	Occasionally or a moderate amount of time (3-4 days)	211	17.3 %
3	Most or all of the time (5-7 days)	676	55.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE4_Y: FELT JUST AS GOOD AS OTHERS [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	77	6.3 %
1	Some or little of the time (1-2 days)	46	3.8 %
2	Occasionally or a moderate amount of time (3-4 days)	96	7.9 %
3	Most or all of the time (5-7 days)	625	51.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE8_Y: FELT HOPEFUL ABOUT FUTURE [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	65	5.3 %
1	Some or little of the time (1-2 days)	69	5.7 %

Value	Label	Unweighted Frequency	%
2	Occasionally or a moderate amount of time (3-4 days)	115	9.4 %
3	Most or all of the time (5-7 days)	595	48.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE12_Y: HAPPY [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was happy

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	41	3.4 %
1	Some or little of the time (1-2 days)	91	7.5 %
2	Occasionally or a moderate amount of time (3-4 days)	139	11.4 %
3	Most or all of the time (5-7 days)	573	47.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVE16_Y: ENJOYED LIFE [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST POSITIVE AFFECT)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	37	3.0 %
1	Some or little of the time (1-2 days)	74	6.1 %
2	Occasionally or a moderate amount of time (3-4 days)	129	10.6 %
3	Most or all of the time (5-7 days)	604	49.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVESUM_D: SUM OF POSITIVE AFFECT CESD ITEMS AT DISCHARGE (SCORED 0-12 WITH 12 HIGHEST POSITIVE AFFECT)

Based upon 1,219 valid cases out of 1,219 total cases.

- Mean: 9.22
- Median: 10.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.19

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVESUM_F: SUM OF POSITIVE AFFECT CESD ITEMS AT 3 MO FU (SCORED 0-12 WITH 12 HIGHEST POSITIVE AFFECT)

Based upon 1,045 valid cases out of 1,219 total cases.

- Mean: 9.54
- Median: 11.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.10

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDPOSITIVESUM_Y: SUM OF POSITIVE AFFECT CESD ITEMS AT 12 MO FU (SCORED 0-12 WITH 12 HIGHEST POSITIVE AFFECT)

Based upon 844 valid cases out of 1,219 total cases.

- Mean: 9.99

- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.88

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD1_D: BOTHERED BY THINGS [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was bothered by things that usually don't bother me

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	633	51.9 %
1	Some or little of the time (1-2 days)	322	26.4 %
2	Occasionally or a moderate amount of time (3-4 days)	147	12.1 %
3	Most or all of the time (5-7 days)	117	9.6 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD2_D: DID NOT FEEL LIKE EATING [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	877	71.9 %
1	Some or little of the time (1-2 days)	149	12.2 %
2	Occasionally or a moderate amount of time (3-4 days)	70	5.7 %
3	Most or all of the time (5-7 days)	123	10.1 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD3_D: COULD NOT SHAKE OFF THE BLUES [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I could not shake off the blues even with help from my family & friends

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	780	64.0 %
1	Some or little of the time (1-2 days)	216	17.7 %
2	Occasionally or a moderate amount of time (3-4 days)	126	10.3 %
3	Most or all of the time (5-7 days)	97	8.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD4_D: FELT JUST AS GOOD AS OTHERS [AT DISCHARGE] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	784	64.3 %
1	Occasionally or a moderate amount of time (3-4 days)	157	12.9 %
2	Some or little of the time (1-2 days)	117	9.6 %
3	Rarely or none of the time (Less than 1 day)	161	13.2 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD5_D: HAD TROUBLE FOCUSING [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	655	53.7 %
1	Some or little of the time (1-2 days)	287	23.5 %
2	Occasionally or a moderate amount of time (3-4 days)	134	11.0 %
3	Most or all of the time (5-7 days)	143	11.7 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD6_D: FELT DEPRESSED [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt depressed

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	709	58.2 %
1	Some or little of the time (1-2 days)	267	21.9 %
2	Occasionally or a moderate amount of time (3-4 days)	132	10.8 %
3	Most or all of the time (5-7 days)	111	9.1 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD7_D: FELT EVERYTHING WAS AN EFFORT [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	551	45.2 %
1	Some or little of the time (1-2 days)	268	22.0 %
2	Occasionally or a moderate amount of time (3-4 days)	142	11.6 %
3	Most or all of the time (5-7 days)	258	21.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD8_D: FELT HOPEFUL ABOUT THE FUTURE [AT DISCHARGE] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	781	64.1 %
1	Occasionally or a moderate amount of time (3-4 days)	194	15.9 %
2	Some or little of the time (1-2 days)	133	10.9 %
3	Rarely or none of the time (Less than 1 day)	111	9.1 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD9_D: THOUGHT LIFE HAD BEEN A FAILURE [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I thought my life had been a failure

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	996	81.7 %
1	Some or little of the time (1-2 days)	134	11.0 %
2	Occasionally or a moderate amount of time (3-4 days)	43	3.5 %
3	Most or all of the time (5-7 days)	46	3.8 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD10_D: FELT FEARFUL [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt fearful

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	832	68.3 %
1	Some or little of the time (1-2 days)	196	16.1 %
2	Occasionally or a moderate amount of time (3-4 days)	106	8.7 %
3	Most or all of the time (5-7 days)	85	7.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD11_D: SLEEP WAS RESTLESS [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

My sleep was restless

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	714	58.6 %
1	Some or little of the time (1-2 days)	221	18.1 %
2	Occasionally or a moderate amount of time (3-4 days)	117	9.6 %
3	Most or all of the time (5-7 days)	167	13.7 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD12_D: WAS HAPPY [AT DISCHARGE] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was happy

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	708	58.1 %
1	Occasionally or a moderate amount of time (3-4 days)	244	20.0 %
2	Some or little of the time (1-2 days)	171	14.0 %
3	Rarely or none of the time (Less than 1 day)	96	7.9 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD13_D: TALKED LESS THAN USUAL [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

It seemed that I talked less than usual

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	799	65.5 %
1	Some or little of the time (1-2 days)	184	15.1 %
2	Occasionally or a moderate amount of time (3-4 days)	98	8.0 %
3	Most or all of the time (5-7 days)	138	11.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD14_D: FELT LONELY [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt lonely

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	852	69.9 %
1	Some or little of the time (1-2 days)	200	16.4 %
2	Occasionally or a moderate amount of time (3-4 days)	90	7.4 %
3	Most or all of the time (5-7 days)	77	6.3 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD15_D: PEOPLE WERE UNFRIENDLY [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

People were unfriendly

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	1109	91.0 %
1	Some or little of the time (1-2 days)	59	4.8 %
2	Occasionally or a moderate amount of time (3-4 days)	27	2.2 %
3	Most or all of the time (5-7 days)	24	2.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD16_D: ENJOYED LIFE [AT DISCHARGE] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	760	62.3 %
1	Occasionally or a moderate amount of time (3-4 days)	195	16.0 %
2	Some or little of the time (1-2 days)	144	11.8 %
3	Rarely or none of the time (Less than 1 day)	120	9.8 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD17_D: HAD CRYING SPELLS [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I had crying spells

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	935	76.7 %
1	Some or little of the time (1-2 days)	158	13.0 %
2	Occasionally or a moderate amount of time (3-4 days)	87	7.1 %
3	Most or all of the time (5-7 days)	39	3.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD18_D: FELT SAD [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt sad

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	721	59.1 %
1	Some or little of the time (1-2 days)	280	23.0 %
2	Occasionally or a moderate amount of time (3-4 days)	133	10.9 %
3	Most or all of the time (5-7 days)	85	7.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD19_D: FELT PEOPLE DISLIKED ME [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that people disliked me

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	1098	90.1 %
1	Some or little of the time (1-2 days)	71	5.8 %
2	Occasionally or a moderate amount of time (3-4 days)	27	2.2 %
3	Most or all of the time (5-7 days)	23	1.9 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD20_D: COULD NOT GET GOING [AT DISCHARGE] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I could not get going

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	708	58.1 %
1	Some or little of the time (1-2 days)	280	23.0 %
2	Occasionally or a moderate amount of time (3-4 days)	133	10.9 %
3	Most or all of the time (5-7 days)	98	8.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD1_F: BOTHERED BY THINGS [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements,

please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was bothered by things that usually don't bother me

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	574	47.1 %
1	Some or little of the time (1-2 days)	298	24.4 %
2	Occasionally or a moderate amount of time (3-4 days)	96	7.9 %
3	Most or all of the time (5-7 days)	78	6.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD2_F: DID NOT FEEL LIKE EATING [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	859	70.5 %
1	Some or little of the time (1-2 days)	108	8.9 %
2	Occasionally or a moderate amount of time (3-4 days)	33	2.7 %
3	Most or all of the time (5-7 days)	46	3.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD3_F: COULD NOT SHAKE OFF THE BLUES [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I could not shake off the blues even with help from my family & friends

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	734	60.2 %
1	Some or little of the time (1-2 days)	181	14.8 %
2	Occasionally or a moderate amount of time (3-4 days)	70	5.7 %
3	Most or all of the time (5-7 days)	61	5.0 %
Missing Data			
-9	Blank (recoded by ICPSR)	173	14.2 %
Total		1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD4_F: FELT JUST AS GOOD AS OTHERS [AT 3 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	705	57.8 %
1	Occasionally or a moderate amount of time (3-4 days)	141	11.6 %
2	Some or little of the time (1-2 days)	84	6.9 %
3	Rarely or none of the time (Less than 1 day)	115	9.4 %
Missing Data			
-9	Blank (recoded by ICPSR)	174	14.3 %
Total		1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD5_F: HAD TROUBLE FOCUSING [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	118	9.7 %
1	Some or little of the time (1-2 days)	88	7.2 %
2	Occasionally or a moderate amount of time (3-4 days)	139	11.4 %
3	Most or all of the time (5-7 days)	701	57.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD6_F: FELT DEPRESSED [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt depressed

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	665	54.6 %
1	Some or little of the time (1-2 days)	227	18.6 %
2	Occasionally or a moderate amount of time (3-4 days)	84	6.9 %
3	Most or all of the time (5-7 days)	70	5.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD7_F: FELT EVERYTHING WAS AN EFFORT [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	569	46.7 %
1	Some or little of the time (1-2 days)	247	20.3 %
2	Occasionally or a moderate amount of time (3-4 days)	80	6.6 %
3	Most or all of the time (5-7 days)	150	12.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD8_F: FELT HOPEFUL ABOUT THE FUTURE [AT 3 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	672	55.1 %
1	Occasionally or a moderate amount of time (3-4 days)	159	13.0 %
2	Some or little of the time (1-2 days)	117	9.6 %
3	Rarely or none of the time (Less than 1 day)	97	8.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD9_F: THOUGHT LIFE HAD BEEN A FAILURE [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I thought my life had been a failure

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	899	73.7 %
1	Some or little of the time (1-2 days)	90	7.4 %
2	Occasionally or a moderate amount of time (3-4 days)	33	2.7 %
3	Most or all of the time (5-7 days)	24	2.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD10_F: FELT FEARFUL [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt fearful

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	816	66.9 %
1	Some or little of the time (1-2 days)	142	11.6 %

Value	Label	Unweighted Frequency	%
2	Occasionally or a moderate amount of time (3-4 days)	48	3.9 %
3	Most or all of the time (5-7 days)	40	3.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD11_F: SLEEP WAS RESTLESS [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

My sleep was restless

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	727	59.6 %
1	Some or little of the time (1-2 days)	158	13.0 %
2	Occasionally or a moderate amount of time (3-4 days)	79	6.5 %
3	Most or all of the time (5-7 days)	82	6.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD12_F: WAS HAPPY [AT 3 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was happy

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	652	53.5 %
1	Occasionally or a moderate amount of time (3-4 days)	202	16.6 %
2	Some or little of the time (1-2 days)	137	11.2 %
3	Rarely or none of the time (Less than 1 day)	54	4.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD13_F: TALKED LESS THAN USUAL [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

It seemed that I talked less than usual

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	795	65.2 %
1	Some or little of the time (1-2 days)	119	9.8 %
2	Occasionally or a moderate amount of time (3-4 days)	60	4.9 %
3	Most or all of the time (5-7 days)	72	5.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD14_F: FELT LONELY [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt lonely

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	798	65.5 %
1	Some or little of the time (1-2 days)	142	11.6 %
2	Occasionally or a moderate amount of time (3-4 days)	53	4.3 %
3	Most or all of the time (5-7 days)	53	4.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD15_F: PEOPLE WERE UNFRIENDLY [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

People were unfriendly

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	970	79.6 %
1	Some or little of the time (1-2 days)	36	3.0 %
2	Occasionally or a moderate amount of time (3-4 days)	19	1.6 %
3	Most or all of the time (5-7 days)	21	1.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD16_F: ENJOYED LIFE [AT 3 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7

days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	676	55.5 %
1	Occasionally or a moderate amount of time (3-4 days)	211	17.3 %
2	Some or little of the time (1-2 days)	93	7.6 %
3	Rarely or none of the time (Less than 1 day)	65	5.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

NEWCESD17_F: HAD CRYING SPELLS [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I had crying spells

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	857	70.3 %
1	Some or little of the time (1-2 days)	119	9.8 %
2	Occasionally or a moderate amount of time (3-4 days)	50	4.1 %
3	Most or all of the time (5-7 days)	20	1.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

NEWCESD18_F: FELT SAD [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements,

please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt sad

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	673	55.2 %
1	Some or little of the time (1-2 days)	245	20.1 %
2	Occasionally or a moderate amount of time (3-4 days)	71	5.8 %
3	Most or all of the time (5-7 days)	57	4.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD19_F: FELT PEOPLE DISLIKED ME [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that people disliked me

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	977	80.1 %
1	Some or little of the time (1-2 days)	37	3.0 %
2	Occasionally or a moderate amount of time (3-4 days)	18	1.5 %
3	Most or all of the time (5-7 days)	14	1.1 %
	Missing Data		
-9	Blank (recoded by ICPSR)	173	14.2 %
	Total	1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD20_F: COULD NOT GET GOING [AT 3 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I could not get going

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	666	54.6 %
1	Some or little of the time (1-2 days)	221	18.1 %
2	Occasionally or a moderate amount of time (3-4 days)	86	7.1 %
3	Most or all of the time (5-7 days)	73	6.0 %
Missing Data			
-9	Blank (recoded by ICPSR)	173	14.2 %
Total		1,219	100%

Based upon 1,046 valid cases out of 1,219 total cases.

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD1_Y: BOTHERED BY THINGS [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was bothered by things that usually don't bother me

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	531	43.6 %
1	Some or little of the time (1-2 days)	211	17.3 %
2	Occasionally or a moderate amount of time (3-4 days)	58	4.8 %
3	Most or all of the time (5-7 days)	44	3.6 %
Missing Data			
-9	Blank (recoded by ICPSR)	375	30.8 %
Total		1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD2_Y: DID NOT FEEL LIKE EATING [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	728	59.7 %
1	Some or little of the time (1-2 days)	61	5.0 %
2	Occasionally or a moderate amount of time (3-4 days)	16	1.3 %
3	Most or all of the time (5-7 days)	39	3.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD3_Y: COULD NOT SHAKE OFF THE BLUES [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I could not shake off the blues even with help from my family & friends

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	650	53.3 %
1	Some or little of the time (1-2 days)	123	10.1 %
2	Occasionally or a moderate amount of time (3-4 days)	34	2.8 %
3	Most or all of the time (5-7 days)	37	3.0 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD4_Y: FELT JUST AS GOOD AS OTHERS [AT 12 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	625	51.3 %
1	Occasionally or a moderate amount of time (3-4 days)	96	7.9 %
2	Some or little of the time (1-2 days)	46	3.8 %
3	Rarely or none of the time (Less than 1 day)	77	6.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD5_Y: HAD TROUBLE FOCUSING [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	80	6.6 %
1	Some or little of the time (1-2 days)	47	3.9 %

Value	Label	Unweighted Frequency	%
2	Occasionally or a moderate amount of time (3-4 days)	94	7.7 %
3	Most or all of the time (5-7 days)	623	51.1 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD6_Y: FELT DEPRESSED [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt depressed

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	595	48.8 %
1	Some or little of the time (1-2 days)	170	13.9 %
2	Occasionally or a moderate amount of time (3-4 days)	37	3.0 %
3	Most or all of the time (5-7 days)	42	3.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD7_Y: FELT EVERYTHING WAS AN EFFORT [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	530	43.5 %
1	Some or little of the time (1-2 days)	168	13.8 %
2	Occasionally or a moderate amount of time (3-4 days)	47	3.9 %
3	Most or all of the time (5-7 days)	99	8.1 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD8_Y: FELT HOPEFUL ABOUT THE FUTURE [AT 12 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	595	48.8 %
1	Occasionally or a moderate amount of time (3-4 days)	115	9.4 %
2	Some or little of the time (1-2 days)	69	5.7 %
3	Rarely or none of the time (Less than 1 day)	65	5.3 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD9_Y: THOUGHT LIFE HAD BEEN A FAILURE [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I thought my life had been a failure

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	748	61.4 %
1	Some or little of the time (1-2 days)	60	4.9 %
2	Occasionally or a moderate amount of time (3-4 days)	16	1.3 %
3	Most or all of the time (5-7 days)	20	1.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

NEWCESD10_Y: FELT FEARFUL [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt fearful

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	722	59.2 %
1	Some or little of the time (1-2 days)	80	6.6 %
2	Occasionally or a moderate amount of time (3-4 days)	19	1.6 %
3	Most or all of the time (5-7 days)	23	1.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

NEWCESD11_Y: SLEEP WAS RESTLESS [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of

the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

My sleep was restless

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	602	49.4 %
1	Some or little of the time (1-2 days)	127	10.4 %
2	Occasionally or a moderate amount of time (3-4 days)	44	3.6 %
3	Most or all of the time (5-7 days)	71	5.8 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD12_Y: WAS HAPPY [AT 12 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I was happy

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	573	47.0 %
1	Occasionally or a moderate amount of time (3-4 days)	139	11.4 %
2	Some or little of the time (1-2 days)	91	7.5 %
3	Rarely or none of the time (Less than 1 day)	41	3.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD13_Y: TALKED LESS THAN USUAL [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

It seemed that I talked less than usual

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	688	56.4 %
1	Some or little of the time (1-2 days)	86	7.1 %
2	Occasionally or a moderate amount of time (3-4 days)	27	2.2 %
3	Most or all of the time (5-7 days)	43	3.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD14_Y: FELT LONELY [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt lonely

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	687	56.4 %
1	Some or little of the time (1-2 days)	99	8.1 %
2	Occasionally or a moderate amount of time (3-4 days)	31	2.5 %
3	Most or all of the time (5-7 days)	27	2.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

NEWCESD15_Y: PEOPLE WERE UNFRIENDLY [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

People were unfriendly

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	797	65.4 %
1	Some or little of the time (1-2 days)	23	1.9 %
2	Occasionally or a moderate amount of time (3-4 days)	14	1.1 %
3	Most or all of the time (5-7 days)	10	0.8 %
Missing Data			
-9	Blank (recoded by ICPSR)	375	30.8 %
Total		1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD16_Y: ENJOYED LIFE [AT 12 MO FU] (REVERSE LABELED - 0 IS MOST POSITIVE)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Most or all of the time (5-7 days)	604	49.5 %
1	Occasionally or a moderate amount of time (3-4 days)	129	10.6 %
2	Some or little of the time (1-2 days)	74	6.1 %
3	Rarely or none of the time (Less than 1 day)	37	3.0 %
Missing Data			
-9	Blank (recoded by ICPSR)	375	30.8 %
Total		1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD17_Y: HAD CRYING SPELLS [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I had crying spells

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	723	59.3 %
1	Some or little of the time (1-2 days)	75	6.2 %
2	Occasionally or a moderate amount of time (3-4 days)	33	2.7 %
3	Most or all of the time (5-7 days)	13	1.1 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD18_Y: FELT SAD [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt sad

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	596	48.9 %
1	Some or little of the time (1-2 days)	178	14.6 %
2	Occasionally or a moderate amount of time (3-4 days)	39	3.2 %
3	Most or all of the time (5-7 days)	31	2.5 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD19_Y: FELT PEOPLE DISLIKED ME [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I felt that people disliked me

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	807	66.2 %
1	Some or little of the time (1-2 days)	23	1.9 %
2	Occasionally or a moderate amount of time (3-4 days)	6	0.5 %
3	Most or all of the time (5-7 days)	8	0.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NEWCESD20_Y: COULD NOT GET GOING [AT 12 MO FU] (SCORED 0-3 WITH 3 MOST DEPRESSION)

Now I have some questions about your feelings during the past week. For each of the following statements, please tell me if you felt that way in the past week rarely or none of the time (less than 1 day), some or a little of the time (1 to 2 days), occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)? [Interviewer can use the provided show card to assist respondent with 4 choices.]

I could not get going

Value	Label	Unweighted Frequency	%
0	Rarely or none of the time (Less than 1 day)	578	47.4 %
1	Some or little of the time (1-2 days)	183	15.0 %
2	Occasionally or a moderate amount of time (3-4 days)	36	3.0 %
3	Most or all of the time (5-7 days)	47	3.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDNEGATIVESUM_D: SUBTOTAL OF NEGATIVE CESD ITEMS [AT DISCHARGE] (SCORED 0-48 WITH 48 MOST NEGATIVE)

Based upon 1,219 valid cases out of 1,219 total cases.

- Mean: 9.36
- Median: 7.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 46.00
- Standard Deviation: 9.36

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDNEGATIVESUM_F: SUBTOTAL OF NEGATIVE CESD ITEMS [AT 3 MO FU] (SCORED 0-48 WITH 48 MOST NEGATIVE)

Based upon 1,046 valid cases out of 1,219 total cases.

- Mean: 8.78
- Median: 6.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 7.60

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDNEGATIVESUM_Y: SUBTOTAL OF NEGATIVE CESD ITEMS [AT 12 MO FU] (SCORED 0-48 WITH 48 MOST NEGATIVE)

Based upon 844 valid cases out of 1,219 total cases.

- Mean: 7.52
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 6.78

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDTOTAL_D: SUM TOTAL FOR CESD INSTRUMENT [AT DISCHARGE] (SCORED 0-60 WITH 60 HIGHEST SYMPTOMS OF DEPRESSION)

Based upon 1,219 valid cases out of 1,219 total cases.

- Mean: 12.14
- Median: 9.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 11.47

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDTOTAL_F: SUM TOTAL FOR CESD INSTRUMENT [AT 3 MO FU] (SCORED 0-60 WITH 60 HIGHEST SYMPTOMS OF DEPRESSION)

Based upon 1,045 valid cases out of 1,219 total cases.

- Mean: 11.24
- Median: 7.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 57.00
- Standard Deviation: 9.92

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDTOTAL_Y: SUM TOTAL FOR CESD INSTRUMENT [AT 12 MO FU] (SCORED 0-60 WITH 60 HIGHEST SYMPTOMS OF DEPRESSION)

Based upon 844 valid cases out of 1,219 total cases.

- Mean: 9.53
- Median: 6.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 8.84

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CESDDEPRESSED_D: CESD CUT-OFF SCORE FOR DEPRESSION 16 OR ABOVE [AT DISCHARGE]

Cut-off score is 16 or greater

Value	Label	Unweighted Frequency	%
0	No	827	67.8 %

Value	Label	Unweighted Frequency	%
1	Yes	392	32.2 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

CESDDEPRESSED_F: CESD CUT-OFF SCORE FOR DEPRESSION 16 OR ABOVE [AT 3 MO FU]

Cut-off score is 16 or greater

Value	Label	Unweighted Frequency	%
0	No	780	64.0 %
1	Yes	265	21.7 %
	Missing Data		
-9	Blank (recoded by ICPSR)	174	14.3 %
	Total	1,219	100%

Based upon 1,045 valid cases out of 1,219 total cases.

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

CESDDEPRESSED_Y: CESD CUT-OFF SCORE FOR DEPRESSION 16 OR ABOVE [AT 12 MO FU]

Cut-off score is 16 or greater

Value	Label	Unweighted Frequency	%
0	No	695	57.0 %
1	Yes	149	12.2 %
	Missing Data		
-9	Blank (recoded by ICPSR)	375	30.8 %
	Total	1,219	100%

Based upon 844 valid cases out of 1,219 total cases.

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

COMPAR_SOCIALOUT_F: COMMUNITY PARTICIPATION - SOCIALIZING OUTSIDE HOME [3 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Socializing outside the home

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	32	2.6 %
2	Participated monthly (Once every 3-4 weeks)	21	1.7 %
3	Participated bi-weekly (Once every 2 weeks)	60	4.9 %
4	Participated weekly (1-4 days per week)	141	11.6 %
5	Participated daily/Almost daily (5 or more days per week)	439	36.0 %
Missing Data			
-9	Blank (recoded by ICPSR)	526	43.2 %
Total		1,219	100%

Based upon 693 valid cases out of 1,219 total cases.

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_SOCIALIN_F: COMMUNITY PARTICIPATION - SOCIALIZING INSIDE HOME [3 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Socializing inside the home

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	124	10.2 %
2	Participated monthly (Once every 3-4 weeks)	59	4.8 %
3	Participated bi-weekly (Once every 2 weeks)	87	7.1 %
4	Participated weekly (1-4 days per week)	165	13.5 %
5	Participated daily/Almost daily (5 or more days per week)	258	21.2 %
Missing Data			
-9	Blank (recoded by ICPSR)	526	43.2 %
Total		1,219	100%

Based upon 693 valid cases out of 1,219 total cases.

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_HOBBY_F: COMMUNITY PARTICIPATION - HOBBIES/ARTS & CRAFTS [3 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Recreation and leisure (such as hobbies, sports, movies, theater)

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	173	14.2 %
2	Participated monthly (Once every 3-4 weeks)	58	4.8 %
3	Participated bi-weekly (Once every 2 weeks)	114	9.4 %
4	Participated weekly (1-4 days per week)	159	13.0 %
5	Participated daily/Almost daily (5 or more days per week)	189	15.5 %
Missing Data			
-9	Blank (recoded by ICPSR)	526	43.2 %
Total		1,219	100%

Based upon 693 valid cases out of 1,219 total cases.

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_RELIGIOUS_F: COMMUNITY PARTICIPATION - RELIGIOUS/SPIRITUAL ACTIVITIES [3 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Religious / spiritual activities

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	182	14.9 %
2	Participated monthly (Once every 3-4 weeks)	51	4.2 %
3	Participated bi-weekly (Once every 2 weeks)	84	6.9 %
4	Participated weekly (1-4 days per week)	209	17.1 %
5	Participated daily/Almost daily (5 or more days per week)	167	13.7 %
Missing Data			
-9	Blank (recoded by ICPSR)	526	43.2 %
Total		1,219	100%

Based upon 693 valid cases out of 1,219 total cases.

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_SOCIALOUT_Y: COMMUNITY PARTICIPATION - SOCIALIZING OUTSIDE HOME [12 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Socializing outside the home

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	33	2.7 %
2	Participated monthly (Once every 3-4 weeks)	45	3.7 %
3	Participated bi-weekly (Once every 2 weeks)	73	6.0 %
4	Participated weekly (1-4 days per week)	129	10.6 %
5	Participated daily/Almost daily (5 or more days per week)	566	46.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	373	30.6 %
	Total	1,219	100%

Based upon 846 valid cases out of 1,219 total cases.

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_SOCIALIN_Y: COMMUNITY PARTICIPATION - SOCIALIZING INSIDE HOME [12 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Socializing inside the home

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	96	7.9 %
2	Participated monthly (Once every 3-4 weeks)	45	3.7 %
3	Participated bi-weekly (Once every 2 weeks)	133	10.9 %
4	Participated weekly (1-4 days per week)	244	20.0 %
5	Participated daily/Almost daily (5 or more days per week)	328	26.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	373	30.6 %

Value	Label	Unweighted Frequency	%
	Total	1,219	100%

Based upon 846 valid cases out of 1,219 total cases.

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_HOBBY_Y: COMMUNITY PARTICIPATION - HOBBIES/ARTS & CRAFTS [12 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Recreation and leisure (such as hobbies, sports, movies, theater)

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	138	11.3 %
2	Participated monthly (Once every 3-4 weeks)	55	4.5 %
3	Participated bi-weekly (Once every 2 weeks)	156	12.8 %
4	Participated weekly (1-4 days per week)	253	20.8 %
5	Participated daily/Almost daily (5 or more days per week)	243	19.9 %
	Missing Data		
-9	Blank (recoded by ICPSR)	374	30.7 %
	Total	1,219	100%

Based upon 845 valid cases out of 1,219 total cases.

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_RELIGIOUS_Y: COMMUNITY PARTICIPATION - RELIGIOUS/SPIRITUAL ACTIVITIES [12 MO FU] (SCORE 1-5 WITH 5 HIGHEST PARTICIPATION)

I have some questions about degree of participation in some activities during the past two weeks.

Please listen carefully. For each of the following activities, please answer based on [the choices provided]

Religious / spiritual activities

Value	Label	Unweighted Frequency	%
1	Did not participate in this life situation	194	15.9 %
2	Participated monthly (Once every 3-4 weeks)	43	3.5 %

Value	Label	Unweighted Frequency	%
3	Participated bi-weekly (Once every 2 weeks)	106	8.7 %
4	Participated weekly (1-4 days per week)	325	26.7 %
5	Participated daily/Almost daily (5 or more days per week)	178	14.6 %
	Missing Data		
-9	Blank (recoded by ICPSR)	373	30.6 %
	Total	1,219	100%

Based upon 846 valid cases out of 1,219 total cases.

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_SUM_F: COMMUNITY PARTICIPATION SUMMARY SCORE (FROM PAR-PRO) AT 3 MONTH FU (SCORE 4-20)

Based upon 693 valid cases out of 1,219 total cases.

- Mean: 14.26
- Median: 14.00
- Mode: 20.00
- Minimum: 4.00
- Maximum: 20.00
- Standard Deviation: 4.25

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

COMPAR_SUM_Y: COMMUNITY PARTICIPATION SUMMARY SCORE (FROM PAR-PRO) AT 12 MONTH FU (SCORE 4-20)

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 14.92
- Median: 15.00
- Mode: 17.00
- Minimum: 4.00
- Maximum: 20.00
- Standard Deviation: 3.86

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SLFCAR_A: SELF-CARE -- SUBSCALE FOR FIM [AT ADMISSION] (CODED VALUES: 6-42)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

-Eating

-Grooming

- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 17.50
- Median: 17.00
- Mode: 6.00
- Minimum: 6.00
- Maximum: 40.00
- Standard Deviation: 7.08

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SPHCTR_A: SPHINCTER -- SUBSCALE FOR FIM [AT ADMISSION] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 6.83
- Median: 7.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.97

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_TRANSFER_A: TRANSFER -- SUBSCALE FOR FIM [AT ADMISSION] (CODED VALUES: 3-21)

MOTOR (Min 13 - Max 91)

Transfer (3-21)

- Bed, chair, wheelchair
- Toilet
- Tub, shower

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 7.41
- Median: 7.00

- Mode: 3.00
- Minimum: 3.00
- Maximum: 18.00
- Standard Deviation: 3.52

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_LOCOM_A: LOCOMOTION -- SUBSCALE FOR FIM [AT ADMISSION] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Locomotion (2-14)

-Walk/wheelchair

-Stairs

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 3.36
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 1.90

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_COMMUNICATION_A: COMMUNICATION -- SUBSCALE FOR FIM [AT ADMISSION] (CODED VALUES: 2-14)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

-Comprehension

-Expression

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 8.60
- Median: 9.00
- Mode: 10.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.48

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SOCIAL_A: SOCIAL COGNITION -- SUBSCALE FOR FIM [AT ADMISSION] (CODED VALUES: 3-21)

COGNITIVE (Min 5 - Max 35)

Social Cognition (3-21)

- Social interaction
- Problem solving
- Memory

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 12.11
- Median: 12.00
- Mode: 15.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 5.05

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMMOTOR_A: FIM SUBSCALE -- MOTOR [AT ADMISSION] (CODED VALUES: MIN 13-MAX 91)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

- Eating
- Grooming
- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Transfer (3-21)

- Bed, chair, wheelchair
- Toilet
- Tub, shower

Locomotion (2-14)

- Walk/wheelchair
- Stairs

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 35.09
- Median: 35.00
- Mode: 13.00

- Minimum: 13.00
- Maximum: 78.00
- Standard Deviation: 14.39

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMCOGN_A: FIM SUBSCALE -- COGNITIVE [AT ADMISSION] (CODED VALUES: MIN 5-MAX 35)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

-Comprehension

-Expression

Social Cognition (3-21)

-Social interaction

-Problem solving

-Memory

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 20.71
- Median: 21.00
- Mode: 22.00
- Minimum: 5.00
- Maximum: 35.00
- Standard Deviation: 8.22

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMTOTAL_A: FIM TOTAL [AT ADMISSION] (CODED VALUES: MIN 18-MAX 126)

Total for MOTOR (Min 13 - Max 91) and COGNITIVE (Min 5 - Max 35)

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 55.80
- Median: 57.00
- Mode: 73.00
- Minimum: 18.00
- Maximum: 107.00
- Standard Deviation: 19.79

Location: 415-417 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SLFCAR_D: SELF-CARE -- SUBSCALE FOR FIM [AT DISCHARGE] (CODED VALUES: 6-42)

MOTOR (Min 13 - Max 91)

Self-care (6-42)
-Eating
-Grooming
-Bathing
-Dressing upper body
-Dressing lower body
-Toileting

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 27.01
- Median: 28.00
- Mode: 31.00
- Minimum: 6.00
- Maximum: 42.00
- Standard Deviation: 8.80

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SPHCTR_D: SPHINCTER -- SUBSCALE FOR FIM [AT DISCHARGE] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Sphincter control (2-14)

-Bladder Mgmt (lower of Bladder Assist & Accidents)
-Bowel Mgmt (lower of Bowel Assist & Accidents)

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 9.31
- Median: 11.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.96

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_TRANSFER_D: TRANSFER -- SUBSCALE FOR FIM [AT DISCHARGE] (CODED VALUES: 3-21)

MOTOR (Min 13 - Max 91)

Transfer (3-21)

-Bed, chair, wheelchair
-Toilet
-Tub, shower

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 12.80
- Median: 14.00
- Mode: 15.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 4.51

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_LOCOM_D: LOCOMOTION -- SUBSCALE FOR FIM [AT DISCHARGE] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Locomotion (2-14)

-Walk/wheelchair

-Stairs

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 7.44
- Median: 8.00
- Mode: 10.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.32

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_COMMUNICATION_D: COMMUNICATION -- SUBSCALE FOR FIM [AT DISCHARGE] (CODED VALUES: 2-14)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

-Comprehension

-Expression

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 10.18
- Median: 11.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.08

Location: 426-427 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

FIM_SOCIAL_D: SOCIAL COGNITION -- SUBSCALE FOR FIM [AT DISCHARGE] (CODED VALUES: 3-21)

COGNITIVE (Min 5 - Max 35)

Social Cognition (3-21)

- Social interaction
- Problem solving
- Memory

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 14.54
- Median: 15.00
- Mode: 21.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 4.65

Location: 428-429 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

FIMMOTOR_D: FIM SUBSCALE -- MOTOR [AT DISCHARGE] (CODED VALUES: MIN 13-MAX 91)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

- Eating
- Grooming
- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Transfer (3-21)

- Bed, chair, wheelchair
- Toilet
- Tub, shower

Locomotion (2-14)

- Walk/wheelchair
- Stairs

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 56.57

- Median: 61.00
- Minimum: 13.00
- Maximum: 90.00
- Standard Deviation: 18.83

Location: 430-431 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMCOGN_D: FIM SUBSCALE -- COGNITIVE [AT DISCHARGE] (CODED VALUES: MIN 5-MAX 35)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

-Comprehension

-Expression

Social Cognition (3-21)

-Social interaction

-Problem solving

-Memory

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 24.72
- Median: 26.00
- Mode: 35.00
- Minimum: 5.00
- Maximum: 35.00
- Standard Deviation: 7.44

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMTOTAL_D: FIM TOTAL [AT DISCHARGE] (CODED VALUES: MIN 18-MAX 126)

Total for MOTOR (Min 13 - Max 91) and COGNITIVE (Min 5 - Max 35)

Based upon 1,215 valid cases out of 1,219 total cases.

- Mean: 81.29
- Median: 86.00
- Mode: 102.00
- Minimum: 18.00
- Maximum: 122.00
- Standard Deviation: 23.97

Location: 434-436 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SLFCAR_F: SELF-CARE -- SUBSCALE FOR FIM [AT 3 MONTH FU] (CODED VALUES: 6-42)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

- Eating
- Grooming
- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 34.39
- Median: 40.00
- Mode: 41.00
- Minimum: 6.00
- Maximum: 42.00
- Standard Deviation: 9.45

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SPHCTR_F: SPHINCTER -- SUBSCALE FOR FIM [AT 3 MONTH FU] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 12.21
- Median: 14.00
- Mode: 14.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.40

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_TRANSFER_F: TRANSFER -- SUBSCALE FOR FIM [AT 3 MONTH FU] (CODED VALUES: 3-21)

MOTOR (Min 13 - Max 91)

Transfer (3-21)

- Bed, chair, wheelchair
- Toilet

-Tub, shower

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 16.28
- Median: 18.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 4.47

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_LOCOM_F: LOCOMOTION -- SUBSCALE FOR FIM [AT 3 MONTH FU] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Locomotion (2-14)

-Walk/wheelchair

-Stairs

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 8.72
- Median: 9.00
- Mode: 13.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.94

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_COMMUNICATION_F: COMMUNICATION -- SUBSCALE FOR FIM [AT 3 MONTH FU] (CODED VALUES: 2-14)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

-Comprehension

-Expression

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 12.77
- Median: 14.00
- Mode: 14.00
- Minimum: 2.00

- Maximum: 14.00
- Standard Deviation: 1.94

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SOCIAL_F: SOCIAL COGNITION -- SUBSCALE FOR FIM [AT 3 MONTH FU] (CODED VALUES: 3-21)

COGNITIVE (Min 5 - Max 35)

Social Cognition (3-21)

- Social interaction
- Problem solving
- Memory

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 19.22
- Median: 21.00
- Mode: 21.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 2.98

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMMOTOR_F: FIM SUBSCALE -- MOTOR [AT 3 MONTH FU] (CODED VALUES: MIN 13-MAX 91)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

- Eating
- Grooming
- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Transfer (3-21)

- Bed, chair, wheelchair
- Toilet
- Tub, shower

Locomotion (2-14)

- Walk/wheelchair
- Stairs

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 71.61
- Median: 79.00
- Mode: 88.00
- Minimum: 13.00
- Maximum: 91.00
- Standard Deviation: 19.61

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMCOGN_F: FIM SUBSCALE -- COGNITIVE [AT 3 MONTH FU] (CODED VALUES: MIN 5-MAX 35)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

-Comprehension

-Expression

Social Cognition (3-21)

-Social interaction

-Problem solving

-Memory

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 31.99
- Median: 34.00
- Mode: 35.00
- Minimum: 5.00
- Maximum: 35.00
- Standard Deviation: 4.82

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMTOTAL_F: FIM TOTAL [AT 3 MO FU] (CODED VALUES: MIN 18-MAX 126)

Total for MOTOR (Min 13 - Max 91) and COGNITIVE (Min 5 - Max 35)

Based upon 1,069 valid cases out of 1,219 total cases.

- Mean: 103.60
- Median: 113.00
- Mode: 123.00
- Minimum: 18.00
- Maximum: 126.00
- Standard Deviation: 22.70

Location: 453-455 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SLFCAR_Y: SELF-CARE -- SUBSCALE FOR FIM [AT 12 MONTH FU] (CODED VALUES: 6-42)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

- Eating
- Grooming
- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 35.51
- Median: 40.00
- Mode: 41.00
- Minimum: 6.00
- Maximum: 42.00
- Standard Deviation: 8.67

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SPHCTR_Y: SPHINCTER -- SUBSCALE FOR FIM [AT 12 MONTH FU] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 12.67
- Median: 14.00
- Mode: 14.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.06

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_TRANSFER_Y: TRANSFER -- SUBSCALE FOR FIM [AT 12 MONTH FU] (CODED VALUES: 3-21)

MOTOR (Min 13 - Max 91)

Transfer (3-21)
-Bed, chair, wheelchair
-Toilet
-Tub, shower

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 16.95
- Median: 18.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 4.06

Location: 460-461 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FIM_LOCOM_Y: LOCOMOTION -- SUBSCALE FOR FIM [AT 12 MONTH FU] (CODED VALUES: 2-14)

MOTOR (Min 13 - Max 91)

Locomotion (2-14)
-Walk/wheelchair
-Stairs

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 9.37
- Median: 11.00
- Mode: 13.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 3.69

Location: 462-463 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

FIM_COMMUNICATION_Y: COMMUNICATION -- SUBSCALE FOR FIM [AT 12 MONTH FU] (CODED VALUES: 2-14)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)
-Comprehension
-Expression

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 12.95

- Median: 14.00
- Mode: 14.00
- Minimum: 2.00
- Maximum: 14.00
- Standard Deviation: 1.88

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIM_SOCIAL_Y: SOCIAL COGNITION -- SUBSCALE FOR FIM [AT 12 MONTH FU] (CODED VALUES: 3-21)

COGNITIVE (Min 5 - Max 35)

Social Cognition (3-21)

- Social interaction
- Problem solving
- Memory

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 19.47
- Median: 21.00
- Mode: 21.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 2.84

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMMOTOR_Y: FIM SUBSCALE -- MOTOR [AT 12 MONTH FU] (CODED VALUES: MIN 13-MAX 91)

MOTOR (Min 13 - Max 91)

Self-care (6-42)

- Eating
- Grooming
- Bathing
- Dressing upper body
- Dressing lower body
- Toileting

Sphincter control (2-14)

- Bladder Mgmt (lower of Bladder Assist & Accidents)
- Bowel Mgmt (lower of Bowel Assist & Accidents)

Transfer (3-21)

- Bed, chair, wheelchair
- Toilet
- Tub, shower

Locomotion (2-14)

- Walk/wheelchair
- Stairs

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 74.51
- Median: 81.00
- Mode: 88.00
- Minimum: 13.00
- Maximum: 91.00
- Standard Deviation: 17.87

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMCOGN_Y: FIM SUBSCALE -- COGNITIVE [AT 12 MONTH FU] (CODED VALUES: MIN 5-MAX 35)

COGNITIVE (Min 5 - Max 35)

Communication (2-14)

- Comprehension
- Expression

Social Cognition (3-21)

- Social interaction
- Problem solving
- Memory

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 32.42
- Median: 34.00
- Mode: 35.00
- Minimum: 5.00
- Maximum: 35.00
- Standard Deviation: 4.63

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FIMTOTAL_Y: FIM TOTAL [AT 12 MO FU] (CODED VALUES: MIN 18-MAX 126)

Total for MOTOR (Min 13 - Max 91) and COGNITIVE (Min 5 - Max 35)

Based upon 845 valid cases out of 1,219 total cases.

- Mean: 106.92
- Median: 115.00
- Mode: 123.00
- Minimum: 18.00
- Maximum: 126.00

- Standard Deviation: 20.95

Location: 472-474 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STATUS_D_TO_F: STATUS OF R01 INTERVIEW FROM DISCHARGE TO 3 MO FU

Value	Label	Unweighted Frequency	%
1	Re-interviewed patient	641	52.6 %
2	Re-interviewed proxy	404	33.1 %
3	Deceased	29	2.4 %
4	Refused	47	3.9 %
5	Unable to locate	98	8.0 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STATUS_F_TO_Y: STATUS OF R01 INTERVIEW FROM 3 MO FU TO 12 MO FU

Value	Label	Unweighted Frequency	%
1	Re-interviewed patient	493	40.4 %
2	Re-interviewed proxy	352	28.9 %
3	Deceased	63	5.2 %
4	Refused	46	3.8 %
5	Unable to locate	236	19.4 %
	Missing Data		
-9	Blank (recoded by ICPSR)	29	2.4 %
	Total	1,219	100%

Based upon 1,190 valid cases out of 1,219 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

STATUS_D_TO_Y: STATUS OF R01 INTERVIEW FROM DISCHARGE TO 12 MO FU

Value	Label	Unweighted Frequency	%
1	Re-interviewed patient	493	40.4 %
2	Re-interviewed proxy	352	28.9 %
3	Deceased	92	7.5 %
4	Refused	46	3.8 %

Value	Label	Unweighted Frequency	%
5	Unable to locate	236	19.4 %
	Total	1,219	100%

Based upon 1,219 valid cases out of 1,219 total cases.

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9