

```
\vspace*{\baselineskip}
\vspace*{\baselineskip}
\noindent\includegraphics[width=\textwidth]
{\detokenize{/workspaces/BriteTest/docs/md/branding/Documentation_Guide.png}}

\vspace{\baselineskip}
\vspace{\baselineskip}
\noindent Document Version: 1.0\
\noindent Runner Version: 1.0.0\
\noindent Test Version: 1.0.0\
```

This document is a guide to the BriteTest documentation and repository layout.

```
\vfill
```

Copyright (c) 2026 Paul Sinclair

License

SPDX-License-Identifier: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
\clearpage
\ltsetrunninghead{Preface}
\global\ltaftertocrue
```

Preface

This document is for users and contributors who need a guide to the documentation and repository layout.

A printer-friendly PDF file for this document is available in docs/pdf/.

Document Version History

Document	Runner	Test	Date	Comment	Author/Editor
1.0	1.0.0	1.0.0	2026-06-11	Initial version.	Paul Sinclair

- The **Document** column records the document's version with the format `M.u` (Major, update).
- The **Runner** column records the Runner API version current when this document was released and is defined by its `RA_VERSION` macro.
- The **Test** column records the Test API version current when this document was released and is defined by its `TA_VERSION` macro.
- Both the Runner API and Test API use the version format "`M.m.p`" (Major, minor, patch).
- `M` is the same for the Document, Runner, and Test versions.

The document's update version tracks released updates to this document and does not correspond to a minor or patch version. u increments when document changes are released without a change to M , and it resets to 0 when M is incremented.

```
\clearpage
\ltsetrunninghead{Table of Contents}
\global\ltaftertoctrue
```

Table of Contents

```
\noindent\hyperref[introduction]{\textcolor{ltlinkblue}
{Introduction}}\nobreak\hspace{0.5em}\leaders\hbox{.}\hfill\hspace{0.5em}\hyperref[introduction]
{\textcolor{ltlinkblue}{\pageref*{introduction}}}\par

\noindent\hyperref[documents]{\textcolor{ltlinkblue}
{Documents}}\nobreak\hspace{0.5em}\leaders\hbox{.}\hfill\hspace{0.5em}\hyperref[documents]
{\textcolor{ltlinkblue}{\pageref*{documents}}}\par

\noindent\hyperref[repository-layout]{\textcolor{ltlinkblue}{Repository
Layout}}\nobreak\hspace{0.5em}\leaders\hbox{.}\hfill\hspace{0.5em}\hyperref[repository-layout]
{\textcolor{ltlinkblue}{\pageref*{repository-layout}}}\par

\clearpage
\pagenumbering{arabic}
\setcounter{page}{1}
\phantomsection
\label{introduction}
\ltsetrunninghead{1. Introduction}
\global\ltaftertoctrue
```

1. Introduction

The documentation consists of documents for:

- **Users:** Public-facing framework and API documents.
- **Contributors;** Guide and API internal documents.

Document types:

- **README:** Introduction or description.
- **Guide:** Usage information.
- **Reference:** Reference companion to a guide.

Document formats:

- **.md:** Markdown documentation format for online viewing.
- **.pdf:** Portable Document Format for printing. A BriteTest .pdf file is generated from a BriteTest .md file using genpdf in the scripts directory of the repository root.

```
\clearpage
\phantomsection
\label{documents}
\ltsetrunninghead{2. Documents}
\global\ltaftertoctrue
```

2. Documents

The following are the user and contributor documents.

User documentation:

- **README.md** — Introduction to BriteTest.
- **Documentation_Guide.md:** A guide to documents and the repository layout.

- **Glossary_Reference.md**: An alphabetically ordered list of terms generally used in the documentation (emphasizing their specific meaning in BriteTest) and terms often used in the testing domain.
- **Runner_Guide.md**: Concepts, usage, and examples for the Runner Framework and API.
- **Runner_Reference.md**: Reference document for the Runner API.
- **Test_Guide.md**: Concepts, usage, and examples for the Test API.
- **Test_Reference.md**: Reference document for the Test API.

Contributor documentation:

- **README.md**: Directory description, one for each subdirectory.
- **Contributor_Guide.md**: Versioning, documentation/coding guidelines, branching, testing, and CI/release checklists.
- **Runner_Internal_Guide.md**: Implementation concepts, architecture, and high-level design for the Runner API.
- **Runner_Internal_Reference.md**: Reference for the implementation of the Runner API.
- **Test_Internal_Guide.md**: Implementation concepts, architecture, and high-level design for the Test API.
- **Test_Internal_Reference.md**: Reference for the implementation of the Test API.

```
\clearpage
\phantomsection
\label{repository-layout}
\ltsetrunninghead{3. Repository Layout}
\global\ltaftertocrtrue
```

3. Repository Layout

The following shows the layout of the GitHub repository (core files and directories):

```
.github/workflows/ci.yml
.vscode/
.gitignore
build_test_runner.ps1
LICENSE
Makefile
README.md
build/                # Build outputs and related artifacts.
config/               # Repository configuration files.
  contributors.md      # List of authorized contributors.
  markdownlint.json    # Customize lint behavior.
docs/                 # User and contributor documentation.
  branding/            # Monograms, logos, and document logos.
  md/                  # `*.md` files (base documentation).
  pdf/                 # `*.pdf` files generated from `*.md` files.
  docx/                # `*.docx` files generated from `*.pdf` files.
examples/             # Usage examples.
include/              # Public API `.h` headers.
  runnerapi.h          # Declare Runner API
  testapi.h            # Declare Test API
reports/              # Generated report files.
scripts/              # Automation script assets.
  bin/                 # Scripts (e.g., gendocs, mkbranch)
  helpers/             # Helper scripts for bin/scripts/*.
  genpdf               #
  test_genpdf.sh
src/                  # API `.c` sources.
  runnerapi.c          # Definition of Runner API.
  testapi.c            # Definition of Test API.
tests/                # Testing assets.
  golden/              # Golden/baseline files for comparison.
```

include/	# Test `.h` headers.
input/	# Test input files.
output/	# Captured test outputs to compare against golden/.
src/	# Test `.c` source files.
tmp/	# Temporary test outputs.