



BriteTest

Documentation Guide

Document Version: 1.0
Runner Version: 1.0.0
Test Version: 1.0.0

This document is a guide to the BriteTest documentation and the BriteTest repository layout.

Copyright (c) 2026 Paul Sinclair

License SPDX-License-Identifier: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Preface

This document is for BriteTest users and contributors who need a guide to the BriteTest documentation and the BriteTest repository layout.

A printer-friendly PDF file for this document is available in `docs/pdf/`,

Document Version History

Document	Runner	Test	Date	Comment	Author/Editor
1.0	1.0.0	1.0.0	2026-06-11	Initial version.	Paul Sinclair

- The **Document** column records the document's version with the format `M.u` (Major, update).
- The **Runner** column records the BriteTest Runner API version current at the time this document version was published and is defined by its `LT_RUNNER_VERSION` macro.
- The **Test** column records the BriteTest Test API version current at the time this document version was published and is defined by its `LT_TEST_VERSION` macro.
- Both Runner and Test use the version format "`M.m.p`" (Major, minor, patch).
- `M` is the same for the Document, Runner, and Test versions.

The document's update version tracks released updates to this document and does not correspond to a minor or patch version. `u` increments when document changes are published in a release without a change to `M`, and it resets to `0` when `M` is incremented.

Table of Contents

1. Introduction	1
2. BriteTest Documents	2
3. BriteTest Repository Layout	3

1. Introduction

The BriteTest documentation consists of documents for:

- **Users:** Public-facing framework and API documents.
- **Contributors;** Guide and API internal documents.

Document types:

- **README:** Introduction or description.
- **Guide:** Usage information.
- **Reference:** Reference companion to a guide.

Document formats:

- **.md:** Markdown documentation format for online viewing.
- **.pdf:** Portable Document Format for printing. A BriteTest .pdf file is generated from a BriteTest .md file using genpdf in the scripts directory of the repository root.

2. BriteTest Documents

The following are the BriteTest user and contributor documents.

User documentation:

- **README.md** — Introduction to BriteTest.
- **BriteTest_Documentation_Guide.md**: A guide to BriteTest documents and the repository layout.
- **BriteTest_Glossary_Reference.md**: An alphabetically ordered list of terms generally used in BriteTest (emphasizing their specific meaning in BriteTest) and terms often used in the testing domain.
- **BriteTest_Runner_Guide.md**: Concepts, usage, and examples for the BriteTest Runner framework and API.
- **BriteTest_Runner_Reference.md**: Reference document for the BriteTest Runner API.
- **BriteTest_Test_Guide.md**: Concepts, usage, and examples for the BriteTest Test API.
- **BriteTest_Test_Reference.md**: Reference document for the BriteTest Test API.

Contributor documentation:

- **README.md**: Directory description, one for each subdirectory.
- **BriteTest_Contributor_Guide.md**: Versioning, documentation/coding guidelines, branching, testing, and CI/release checklists.
- **BriteTest_Runner_Internal_Guide.md**: Implementation concepts, architecture, and high-level design for the Runner API.
- **BriteTest_Runner_Internal_Reference.md**: Reference for the implementation of the Runner API.
- **BriteTest_Test_Internal_Guide.md**: Implementation concepts, architecture, and high-level design for the Test API.
- **BriteTest_Test_Internal_Reference.md**: Reference for the implementation of the Test API.

3. BriteTest Repository Layout

The following shows the layout of the GitHub repository paulsinclair51/BriteTest (core files and directories):

```
.github/workflows/britetest_ci.yml
README.md
LICENSE
.gitignore
Makefile
build_test_britetest.ps1
build/                # Build outputs and related artifacts.
config/               # Repository configuration files.
    markdownlint.json
docs/                 # User and contributor documentation.
    BriteTest_*.md
    pdf/              # Generated BriteTest_*.pdf files.
examples/             # Usage examples.
include/              # Public API .h headers.
    britetest_runner.h
    britetest_test.h
reports/              # Generated report files.
scripts/              # Automation scripts.
    check_directory_readmes.sh
    genpdf
    test_genpdf.sh
src/                  # API .c sources.
    britetest_runner.c
    britetest_test.c
tests/                # Testing assets.
    golden/           # Golden/baseline files for comparison.
    include/          # Test .h headers.
    input/            # Test input files.
    output/           # Captured test outputs to compare against golden/.
    src/              # Test .c source files.
    tmp/              # Temporary test outputs.
```