



# BriteTest

## Test Internal Guide

Document Version: 1.0

Runner Version: 1.0.0

Test Version: 1.0.0

This .

**Copyright (c) 2026 Paul Sinclair**

**License**   SPDX-License-Identifier: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## Preface

This document is intended for contributors who .

For a list of other BriteTest documents and the BriteTest repository layout, see the Documentation Guide.

For a glossary of terms, see the Glossary Reference.

## Document Version History

| Document | Runner | Test  | Date       | Comment          | Author/Editor |
|----------|--------|-------|------------|------------------|---------------|
| 1.0      | 1.0.0  | 1.0.0 | 2026-06-11 | Initial version. | Paul Sinclair |

- The **Document** column records the document's version with the format **M.u** (Major, update).
- The **Runner** column records the BriteTest Runner API version current at the time this document version was published and is defined by its `RA_RUNNER_VERSION` macro.
- The **Test** column records the BriteTest Test API version current at the time this document version was published and is defined by its `RA_TEST_VERSION` macro.
- Both Runner and Test use the version format "**M.m.p**" (Major, minor, patch).
- **M** is the same for the Document, Runner, and Test versions.

The document's update version tracks released updates to this document and does not correspond to a minor or patch version. **u** increments when document changes are published in a release without a change to **M**, and it resets to 0 when **M** is incremented.

# Table of Contents

1. Introduction ..... 1

# 1. Introduction

The