

```
"use client";
```

```
import { useState, useEffect, useRef } from "react";
```

```
const C = {
```

```
  terracotta: "#C4622D",
```

```
  terracottaLight: "#D4784A",
```

```
  ochre: "#D4952A",
```

```
  cream: "#FAF6EF",
```

```
  creamDark: "#F0E8D8",
```

```
  brown: "#3D2314",
```

```
  brownMid: "#6B3D22",
```

```
  olive: "#6B7C3F",
```

```
  white: "#FFFDF9",
```

```
  sand: "#E8D5B0",
```

```
  redEarth: "#9C3D1E",
```

```
};
```

```
const useReveal = () => {
```

```
  const ref = useRef(null);
```

```
  const [v, setV] = useState(false);
```

```
  useEffect(() => {
```

```
    const o = new IntersectionObserver([e] => e.isIntersecting && setV(true), {
```

```
    if (ref.current) o.observe(ref.current);
```

```
    return () => o.disconnect();
```

```
  }, []);
```

```
  return [ref, v];
```

```
};
```

```
const Reveal = ({ children, delay = 0, className = "" }) => {
```

```
  const [ref, v] = useReveal();
```

```
  return (
```

```
    <div ref={ref} className={className} style={{
```

```
      opacity: v ? 1 : 0,
```

```
      transform: v ? "translateY(0)" : "translateY(30px)",
```

```
      transition: `opacity 0.9s cubic-bezier(0.16,1,0.3,1) ${delay}s, transform 0
```

```
    }}>{children}</div>
```

```
  );
```

```
};
```

```
const JeepLogo = ({ color = C.white, size = 28 }) => (
```

```
  <svg width={size} height={size * 0.6} viewBox="0 0 50 30" fill="none" xmlns="ht
```

```
    <path d="M3 18 L3 14 L8 14 L10 9 L32 9 L36 14 L47 14 L47 18 L42 18 M18 18 L13
```

```
    <path d="M14 9 L14 13 M22 9 L22 13 M30 9 L30 13" stroke={color} strokeWidth="
```

```

    </svg>
  );

const Grain = () => (
  <div style={{
    position: "fixed", inset: 0, zIndex: 9999, pointerEvents: "none",
    backgroundImage: `url("data:image/svg+xml,%3Csvg viewBox='0 0 256 256' xmlns=
    opacity: 0.5, mixBlendMode: "multiply",
  }} />
);

const NAV = ["Trip", "Pricing", "Reviews", "Booking", "FAQ"];

export default function WildAlgarve() {
  const [scrolled, setScrolled] = useState(false);
  const [menuOpen, setMenuOpen] = useState(false);
  const [step, setStep] = useState(1);
  const [date, setDate] = useState("");
  const [time, setTime] = useState("");
  const [adults, setAdults] = useState(2);
  const [kids, setKids] = useState(0);
  const [name, setName] = useState("");
  const [confirmed, setConfirmed] = useState(false);
  const [isMobile, setIsMobile] = useState(false);

  useEffect(() => {
    const onScroll = () => setScrolled(window.scrollY > 40);
    const onResize = () => setIsMobile(window.innerWidth < 768);
    onResize();
    window.addEventListener("scroll", onScroll);
    window.addEventListener("resize", onResize);
    return () => {
      window.removeEventListener("scroll", onScroll);
      window.removeEventListener("resize", onResize);
    };
  }, []);

  const total = adults * 59 + kids * 39;
  const totalPeople = adults + kids;

  const goTo = (id) => {
    setMenuOpen(false);
    setTimeout(() => document.getElementById(id)?.scrollIntoView({ behavior: "smo
  });

  const goNext = () => {
    if (step < 3) setStep(step + 1);
  }
}

```

```

    else setConfirmed(true);
};

return (
  <div style={{ fontFamily: "'Lora', Georgia, serif", background: C.cream, color: C.grain }}>

    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@1,900&family=Lora:ital,wght@1,900&display=block');
      * { box-sizing: border-box; margin: 0; padding: 0; -webkit-tap-highlight-color: transparent; }
      html, body { scroll-behavior: smooth; overflow-x: hidden; }

      ::-webkit-scrollbar { width: 5px; }
      ::-webkit-scrollbar-track { background: ${C.cream}; }
      ::-webkit-scrollbar-thumb { background: ${C.terracotta}; }

      .nav-link {
        font-family: 'Lora', serif;
        font-size: 0.78rem;
        letter-spacing: 0.14em;
        text-transform: uppercase;
        cursor: pointer;
        position: relative;
        padding: 6px 0;
      }
      .nav-link::after {
        content: ''; position: absolute; bottom: 0; left: 0;
        width: 0; height: 1px; background: currentColor;
        transition: width 0.3s ease;
      }
      .nav-link:hover::after { width: 100%; }

      .btn {
        background: ${C.terracotta};
        color: ${C.white};
        border: none;
        padding: 18px 36px;
        font-family: 'Lora', serif;
        font-size: 0.85rem;
        font-weight: 600;
        letter-spacing: 0.16em;
        text-transform: uppercase;
        cursor: pointer;
        transition: all 0.3s ease;
        position: relative;
        overflow: hidden;
        display: inline-flex;

```

```

    align-items: center;
    gap: 10px;
    width: 100%;
    max-width: 320px;
    justify-content: center;
}
@media(min-width: 768px) { .btn { width: auto; } }
.btn::before {
    content: ''; position: absolute; inset: 0;
    background: ${C.brown};
    transform: scaleX(0); transform-origin: left;
    transition: transform 0.4s cubic-bezier(0.7,0,0.3,1);
}
.btn:hover::before { transform: scaleX(1); }
.btn:disabled { opacity: 0.4; cursor: not-allowed; }
.btn:disabled::before { display: none; }
.btn span { position: relative; z-index: 1; }

.btn-ghost {
    background: transparent;
    border: 1.5px solid currentColor;
    color: inherit;
}
.btn-ghost::before { background: currentColor; opacity: 0.1; }

.ts {
    padding: 14px;
    border: 1.5px solid ${C.sand};
    background: ${C.white};
    cursor: pointer;
    font-family: 'Lora', serif;
    color: ${C.brown};
    transition: all 0.2s;
    text-align: center;
    font-size: 0.85rem;
    line-height: 1.3;
}
.ts:hover { border-color: ${C.terracotta}; }
.ts.active { background: ${C.terracotta}; color: white; border-color: ${C.terracotta}; }
.ts strong { display: block; font-family: 'Playfair Display', serif; font-size: 1.2rem; }
.ts span { font-size: 0.7rem; opacity: 0.75; letter-spacing: 0.1em; }

.cb {
    width: 38px; height: 38px;
    border: 1px solid ${C.sand}; background: ${C.white};
    cursor: pointer; font-size: 1.2rem; color: ${C.brown};
    display: flex; align-items: center; justify-content: center;

```

```

    transition: all 0.2s;
}
.cb:hover:not(:disabled) { background: ${C.terracotta}; color: white; bor
.cb:disabled { opacity: 0.3; cursor: not-allowed; }

.input {
  border: 1.5px solid ${C.sand};
  background: ${C.white};
  padding: 14px 16px;
  font-family: 'Lora', serif;
  font-size: 0.95rem;
  color: ${C.brown};
  width: 100%;
  outline: none;
  transition: border-color 0.2s;
}
.input:focus { border-color: ${C.terracotta}; }

.marquee {
  display: flex;
  animation: scroll 40s linear infinite;
  white-space: nowrap;
  width: max-content;
}
@keyframes scroll {
  0% { transform: translateX(0); }
  100% { transform: translateX(-50%); }
}

@keyframes fadeInUp {
  from { opacity: 0; transform: translateY(40px); }
  to { opacity: 1; transform: translateY(0); }
}
.fadeIn { animation: fadeInUp 1s cubic-bezier(0.16,1,0.3,1) both; }

@keyframes pulse {
  0%, 100% { opacity: 0.4; }
  50% { opacity: 1; }
}
.pulse { animation: pulse 2s ease-in-out infinite; }

a { color: inherit; text-decoration: none; }

@media (max-width: 767px) {
  .h-stack-mobile { flex-direction: column !important; }
  .grid-mobile { grid-template-columns: 1fr !important; }
}

```

```
`}</style>
```

```
{/* STICKY CTA MOBILE */}
```

```
{!confirmed && (
```

```
  <div style={{
    position: "fixed", bottom: 0, left: 0, right: 0,
    background: C.white,
    padding: "12px 16px",
    borderTop: `1px solid ${C.sand}`,
    zIndex: 998,
    display: isMobile ? "flex" : "none",
    alignItems: "center",
    justifyContent: "space-between",
    gap: "12px",
    boxShadow: "0 -4px 24px rgba(61,35,20,0.1)",
  }}>
```

```
    <div>
```

```
      <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.1"
        <div style={{ fontSize: "0.7rem", color: C.brownMid, letterSpacing: "
      </div>
```

```
    <button onClick={() => goTo("booking")} style={{
      background: C.terracotta, color: "white", border: "none",
      padding: "14px 24px", fontFamily: "'Lora', serif",
      fontSize: "0.8rem", fontWeight: 600, letterSpacing: "0.14em",
      textTransform: "uppercase", cursor: "pointer", flex: "0 0 auto",
    }}>Book Now</button>
```

```
  </div>
```

```
)}
```

```
{/* NAV */}
```

```
<nav style={{
```

```
  position: "fixed", top: 0, left: 0, right: 0, zIndex: 1000,
  padding: scrolled ? "14px 24px" : "22px 24px",
  background: scrolled ? "rgba(250,246,239,0.96)" : "transparent",
  backdropFilter: scrolled ? "blur(14px)" : "none",
  borderBottom: scrolled ? `1px solid ${C.sand}` : "none",
  transition: "all 0.4s ease",
  display: "flex", alignItems: "center", justifyContent: "space-between",
}}>
```

```
  <div onClick={() => window.scrollTo({ top: 0, behavior: "smooth" })} styl
    <JeepLogo color={scrolled ? C.brown : C.white} size={32} />
```

```
    <div style={{
      fontFamily: "'Playfair Display', serif", fontSize: "1.25rem", fontWei
      color: scrolled ? C.brown : C.white,
      letterSpacing: "0.01em",
    }}>
```

```
      Wild<span style={{ color: C.terracotta }}>.</span>Algarve
```

```

    </div>
</div>

{/* Desktop nav */}
<div style={{ display: isMobile ? "none" : "flex", gap: "32px", color: sc
  {NAV.map(i => (
    <span key={i} className="nav-link" onClick={() => goTo(i.toLowerCase(
    ))}
  )}}
</div>

{/* Mobile hamburger */}
<button onClick={() => setMenuOpen(!menuOpen)} style={{
  display: isMobile ? "flex" : "none",
  background: "none", border: "none", cursor: "pointer",
  flexDirection: "column", gap: "5px", padding: "8px",
}}>
  <span style={{ width: "22px", height: "1.5px", background: scrolled ? C
  <span style={{ width: "22px", height: "1.5px", background: scrolled ? C
  <span style={{ width: "22px", height: "1.5px", background: scrolled ? C
</button>
</nav>

{/* MOBILE MENU OVERLAY */}
<div style={{
  position: "fixed", inset: 0, zIndex: 999,
  background: C.brown,
  opacity: menuOpen ? 1 : 0,
  pointerEvents: menuOpen ? "auto" : "none",
  transition: "opacity 0.4s ease",
  display: "flex", flexDirection: "column", justifyContent: "center", align
}}>
  {NAV.map((i, idx) => (
    <span key={i} className="nav-link" style={{
      color: C.white,
      fontFamily: "'Playfair Display', serif",
      fontSize: "2rem",
      fontStyle: "italic",
      fontWeight: 400,
      letterSpacing: "0",
      textTransform: "none",
      opacity: menuOpen ? 1 : 0,
      transform: menuOpen ? "translateY(0)" : "translateY(20px)",
      transition: `all 0.5s ease ${0.1 + idx * 0.06}s`,
    }} onClick={() => goTo(i.toLowerCase())}>{i}</span>
  )}}
  <div style={{ position: "absolute", bottom: "60px", textAlign: "center",
    Albufeira, Portugal

```

```

    </div>
</div>

{/* HERO */}
<section id="hero" style={{
  minHeight: "100vh",
  position: "relative",
  background: `linear-gradient(170deg, ${C.brown} 0%, #5C2F18 35%, ${C.redE
display: "flex",
flexDirection: "column",
justifyContent: "flex-end",
overflow: "hidden",
paddingTop: "100px",
paddingBottom: isMobile ? "100px" : "8%",
}}>
  {/* Atmospheric overlays */}
  <div style={{
    position: "absolute", inset: 0,
    backgroundImage: `radial-gradient(ellipse at 20% 60%, rgba(212,149,42,0
  }} />

  {/* Massive type background */}
  <div style={{
    position: "absolute", bottom: "-3%", left: "-2%", right: "-2%",
    fontFamily: "'Playfair Display', serif",
    fontSize: "clamp(120px, 28vw, 380px)",
    fontWeight: 900, fontStyle: "italic",
    color: "rgba(0,0,0,0.18)",
    lineHeight: 0.85, userSelect: "none", pointerEvents: "none",
    letterSpacing: "-0.04em",
    whiteSpace: "nowrap",
    textAlign: "center",
  }}>
    Algarve
  </div>

  {/* Decorative geometry */}
  <div style={{ position: "absolute", top: "20%", right: "8%", width: "1px"
  <div style={{ position: "absolute", top: "32%", right: "8%", color: "rgba
    Est. Albufeira
  </div>

  <div style={{ position: "relative", zIndex: 2, padding: isMobile ? "0 24p
    <div className="fadeIn" style={{ display: "inline-flex", alignItems: "c
      <div style={{ width: "32px", height: "1px", background: C.ochre }} />
      <span style={{ color: C.ochre, fontSize: "0.7rem", letterSpacing: "0.
        Off-road · Albufeira

```



```

    </span>
  </div>

  <h1 className="fadeIn" style={{
    fontFamily: "'Playfair Display', serif",
    fontSize: "clamp(54px, 11vw, 140px)",
    fontWeight: 900,
    color: C.white,
    lineHeight: 0.92,
    letterSpacing: "-0.025em",
    marginBottom: "32px",
    animationDelay: "0.15s",
  }}>
    Algarve,<br />
    <span style={{ fontStyle: "italic", color: C.ochre, fontWeight: 700 }}
  </h1>

  <p className="fadeIn" style={{
    color: "rgba(255,255,255,0.78)",
    fontSize: isMobile ? "1rem" : "1.1rem",
    lineHeight: 1.7,
    maxWidth: "540px",
    marginBottom: "44px",
    animationDelay: "0.3s",
  }}>
    Skip the tourist traps and hop in our old-school UMM Jeep for a 3-hou
  </p>

  <div className="fadeIn h-stack-mobile" style={{ display: "flex", gap: "
    <button className="btn" onClick={() => goTo("booking")}>
      <span>Book your ride →</span>
    </button>
    <button className="btn btn-ghost" onClick={() => goTo("trip")} style=
      <span>What's it like?</span>
    </button>
  </div>

  {/* Stats */}
  <div className="fadeIn h-stack-mobile" style={{
    display: "flex", gap: isMobile ? "24px" : "56px",
    marginTop: "60px", paddingTop: "36px",
    borderTop: "1px solid rgba(255,255,255,0.15)",
    animationDelay: "0.6s",
  }}>
    {[["3h", "Trip duration"], ["7", "Small group max"], ["€59", "From, p
    <div key={1}>
      <div style={{ fontFamily: "'Playfair Display', serif", fontSize:

```

```

        <div style={{ color: "rgba(255,255,255,0.55)", fontSize: "0.7rem"
        </div>
      )}}
    </div>
  </div>

  { /* Scroll cue */
  {!isMobile && (
    <div className="pulse" style={{ position: "absolute", bottom: "32px", l
      ↓ scroll
    </div>
  )}
</section>

{ /* MARQUEE */
<div style={{ background: C.brown, padding: "20px 0", overflow: "hidden", b
  <div className="marquee">
    {[...Array(2)].map((_, i) => (
      <div key={i} style={{ display: "flex", alignItems: "center", gap: "60
        [{"3h ride", "Old-school UMM Jeep", "Backroads only", "Small group
          <span key={j} style={{ display: "flex", alignItems: "center", gap
            {t}
          <span style={{ color: C.terracotta, fontSize: "1rem" }}>+</span
        </span>
      )}}
    </div>
  )}}
</div>
</div>

{ /* INSIDE THE JEEP */
<section id="trip" style={{ padding: isMobile ? "80px 24px" : "140px 8%", b
  <div style={{ maxWidth: "1200px", margin: "0 auto" }}>
    <Reveal>
      <div style={{ display: "inline-flex", alignItems: "center", gap: "10p
        <div style={{ width: "28px", height: "1px", background: C.terracott
          <span style={{ color: C.terracotta, fontSize: "0.7rem", letterSpacing
        </div>
      <h2 style={{
        fontFamily: "'Playfair Display', serif",
        fontSize: "clamp(40px, 7vw, 84px)",
        fontWeight: 700, lineHeight: 1, marginBottom: "40px",
        color: C.brown, letterSpacing: "-0.02em",
      }}>
        No glass.<br />No roof.<br /><em style={{ color: C.terracotta }}>Ju
      </h2>
    </Reveal>

```

```

<div className="grid-mobile" style={{ display: "grid", gridTemplateColu
  <Reveal>
    <p style={{ fontSize: "1.1rem", lineHeight: 1.8, color: C.brownMid,
      Hop into our UMM – a proper Portuguese 4×4, built tough back in t
    </p>
    <p style={{ fontSize: "1.1rem", lineHeight: 1.8, color: C.brownMid
      You'll feel the wind, smell the wild herbs, and see the bits of t
    </p>
  </Reveal>

  <Reveal delay={0.15}>
    <div style={{
      background: C.white,
      padding: isMobile ? "32px 24px" : "44px 36px",
      position: "relative",
      boxShadow: "0 4px 24px rgba(61,35,20,0.06)",
    }}>
      <div style={{ position: "absolute", top: "-1px", left: 0, width:
        <div style={{ fontSize: "0.7rem", letterSpacing: "0.25em", textTr

        [[
          ["3-hour off-road ride", "From Albufeira into the hills"],
          ["Open-top UMM Jeep", "Authentic Portuguese 4×4"],
          ["Small group, max 7", "No crowds, plenty of room"],
          ["English-speaking guide", "Local stories included"],
          ["Stops & viewpoints", "Plenty of time for photos"],
        ]).map(([t, s], i) => (
          <div key={t} style={{
            display: "flex", alignItems: "flex-start", gap: "16px",
            padding: "18px 0",
            borderBottom: i < 4 ? `1px solid ${C.sand}` : "none",
          }}>
            <div style={{
              width: "26px", height: "26px", flexShrink: 0,
              borderRadius: "50%", background: C.cream,
              display: "flex", alignItems: "center", justifyContent: "cen
              color: C.terracotta, fontSize: "0.75rem", fontWeight: 700,
              fontFamily: "'Playfair Display', serif",
            }}>0{i + 1}</div>
          <div>
            <div style={{ fontFamily: "'Playfair Display', serif", font
              <div style={{ fontSize: "0.85rem", color: C.brownMid, margi
            </div>
          </div>
        </div>
      )))
    </div>

```

```

        </Reveal>
      </div>
    </div>
  </section>

  { /* PRICING */ }
  <section id="pricing" style={{ padding: isMobile ? "80px 24px" : "140px 8%"
    <div style={{ maxWidth: "900px", margin: "0 auto" }}>
      <Reveal>
        <div style={{ textAlign: "center", marginBottom: "56px" }}>
          <div style={{ display: "inline-flex", alignItems: "center", gap: "1"
            <div style={{ width: "28px", height: "1px", background: C.terraco
              <span style={{ color: C.terracotta, fontSize: "0.7rem", letterSpacing
                <div style={{ width: "28px", height: "1px", background: C.terraco
              </div>
            </div>
          <h2 style={{
            fontFamily: "'Playfair Display', serif",
            fontSize: "clamp(36px, 6vw, 68px)",
            fontWeight: 700, color: C.brown, lineHeight: 1, letterSpacing: "-
          }}>
            Two prices.<br /><em>That's it.</em>
          </h2>
        </div>
      </Reveal>

    <div className="grid-mobile" style={{ display: "grid", gridTemplateColu
      {[
        { label: "Adults", price: "€59", desc: "Per person", featured: true
        { label: "Under 12", price: "€39", desc: "Per child", featured: fal
      ]}.map((p, i) => (
        <Reveal key={p.label} delay={i * 0.1}>
          <div style={{
            background: p.featured ? C.terracotta : C.white,
            padding: isMobile ? "36px 28px" : "52px 40px",
            position: "relative",
            boxShadow: p.featured ? "0 20px 50px rgba(196,98,45,0.3)" : "0
            height: "100%",
          }}>
            <div style={{
              fontSize: "0.7rem", letterSpacing: "0.25em", textTransform: "
              color: p.featured ? "rgba(255,255,255,0.75)" : C.terracotta,
            }}>{p.label}</div>
            <div style={{
              fontFamily: "'Playfair Display', serif",
              fontSize: "clamp(56px, 9vw, 84px)",
              fontWeight: 700, lineHeight: 0.95,
              color: p.featured ? C.white : C.brown,

```

```

    >{p.price}</div>
    <div style={{ fontSize: "0.9rem", color: p.featured ? "rgba(255
  </div>
  </Reveal>
  )}}
</div>

<Reveal delay={0.25}>
  <div style={{ marginTop: "32px", padding: "24px", background: C.white
    Max 7 guests per ride. <strong style={{ color: C.brown }}>Not suita
  </div>
  </Reveal>
</div>
</section>

{/* TESTIMONIALS */}
<section id="reviews" style={{ padding: isMobile ? "80px 24px" : "140px 8%"
  <div style={{ position: "absolute", top: 0, right: 0, width: "50%", heigh

  {/* Decorative quote mark */}
  <div style={{
    position: "absolute", top: "60px", right: "5%",
    fontFamily: "'Playfair Display', serif",
    fontSize: "clamp(200px, 35vw, 500px)",
    color: "rgba(255,255,255,0.04)",
    fontWeight: 900, lineHeight: 0.8,
    fontStyle: "italic", pointerEvents: "none", userSelect: "none",
  }}></div>

  <div style={{ maxWidth: "1200px", margin: "0 auto", position: "relative",
    <Reveal>
      <div style={{ display: "inline-flex", alignItems: "center", gap: "10p
        <div style={{ width: "28px", height: "1px", background: C.ochre }}
        <span style={{ color: C.ochre, fontSize: "0.7rem", letterSpacing: "
      </div>
      <h2 style={{
        fontFamily: "'Playfair Display', serif",
        fontSize: "clamp(40px, 7vw, 84px)",
        fontWeight: 700, color: C.white, lineHeight: 1,
        marginBottom: "60px", letterSpacing: "-0.02em",
      }}>
        Word of mouth<br />from <em style={{ color: C.ochre }}>across the p
      </h2>
    </Reveal>

    <div className="grid-mobile" style={{ display: "grid", gridTemplateColu
      {[

```

```

{
  stars: 5,
  title: "Best afternoon of the trip",
  text: "Booked this on a whim and ended up being the highlight of
  name: "Emma R.",
  from: "Manchester",
},
{
  stars: 5,
  title: "Forget the tourist stuff",
  text: "Honestly the only authentic thing we did all week. Bumpy,
  name: "James T.",
  from: "London",
},
{
  stars: 5,
  title: "Took my dad for his birthday",
  text: "Picked us up right in Albufeira, top off the Jeep, and off
  name: "Sarah W.",
  from: "Brighton",
},
{
  stars: 5,
  title: "Proper fun, proper local",
  text: "Was looking for something different from the all-inclusive
  name: "Daniel K.",
  from: "Bristol",
},
{
  stars: 5,
  title: "Cannae recommend enough",
  text: "Booked last minute and so glad we did. The UMM is a beast,
  name: "Fiona M.",
  from: "Edinburgh",
},
{
  stars: 5,
  title: "Worth every euro",
  text: "Everything you want from a tour: small group, no rushing,
  name: "Oliver H.",
  from: "Leeds",
},
].map((t, i) => (
  <Reveal key={i} delay={{i % 3} * 0.1}>
    <div style={{
      background: "rgba(255,255,255,0.04)",
      padding: isMobile ? "32px 24px" : "36px 32px",

```

```

        height: "100%",
        borderTop: `2px solid ${C.terracotta}`,
        display: "flex", flexDirection: "column",
    }}>
    <div style={{ color: C.ochre, marginBottom: "16px", letterSpacing: "0.05em",
    <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "0.9em",
    <p style={{ color: "rgba(255,255,255,0.7)", fontSize: "0.95rem",
    <div style={{ paddingTop: "16px", borderTop: "1px solid rgba(255,255,255,0.7)",
    <div style={{ color: C.white, fontFamily: "'Playfair Display', serif",
    <div style={{ color: "rgba(255,255,255,0.45)", fontSize: "0.7em",
    </div>
    </div>
    </Reveal>
    )}}
    </div>
    </div>
    </section>

    {/ * BOOKING */}
    <section id="booking" style={{ padding: isMobile ? "80px 24px" : "140px 8%",
    <div style={{ maxWidth: "640px", margin: "0 auto" }}>
    <Reveal>
    <div style={{ textAlign: "center", marginBottom: "48px" }}>
    <div style={{ display: "inline-flex", alignItems: "center", gap: "1em",
    <div style={{ width: "28px", height: "1px", background: C.terracotta,
    <span style={{ color: C.terracotta, fontSize: "0.7rem", letterSpacing: "0.05em",
    <div style={{ width: "28px", height: "1px", background: C.terracotta,
    </div>
    <h2 style={{
    fontFamily: "'Playfair Display', serif",
    fontSize: "clamp(36px, 6vw, 64px)",
    fontWeight: 700, color: C.brown, lineHeight: 1, letterSpacing: "0.05em",
    }}>
    Hop on.<br /><em style={{ color: C.terracotta }}>Three steps.</em>
    </h2>
    </div>
    </Reveal>

    {!confirmed ? (
    <Reveal>
    {/ * Steps indicator */}
    <div style={{ display: "flex", marginBottom: "32px", gap: "8px" }}>
    {[1, 2, 3].map(n => (
    <div key={n} style={{
    flex: 1, height: "4px",
    background: step >= n ? C.terracotta : C.sand,
    transition: "background 0.4s ease",

```

```

    }} />
  )))
</div>

```

```

<div style={{
  background: C.white,
  padding: isMobile ? "28px 20px" : "44px 40px",
  boxShadow: "0 4px 28px rgba(61,35,20,0.06)",
}}>
  {step === 1 && (
    <div>
      <div style={{ fontSize: "0.7rem", letterSpacing: "0.25em", te
      <h3 style={{ fontFamily: "'Playfair Display', serif", fontSiz

      <label style={{ display: "block", fontSize: "0.7rem", lettersS
      <input type="date" className="input" value={date} onChange={e

      <label style={{ display: "block", fontSize: "0.7rem", lettersS
      <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr"
        {[
          { v: "13:00", label: "Afternoon", time: "1pm - 4pm" },
          { v: "17:00", label: "Sunset", time: "5pm - 8pm" },
        ]}.map(t => (
          <button key={t.v} className={`ts ${time === t.v ? "active
            <strong>{t.label}</strong>
            <span>{t.time}</span>
          </button>
        )))
      </div>
    </div>
  ))
}

```

```

{step === 2 && (
  <div>
    <div style={{ fontSize: "0.7rem", letterSpacing: "0.25em", te
    <h3 style={{ fontFamily: "'Playfair Display', serif", fontSiz

    {[
      { label: "Adults", sub: "€59 each", val: adults, set: setAd
      { label: "Under 12", sub: "€39 each", val: kids, set: setKi
    ]}.map(({ label, sub, val, set, min }) => (
      <div key={label} style={{
        display: "flex", alignItems: "center", justifyContent: "s
        padding: "20px 0", borderBottom: `1px solid ${C.sand}`,
      }}>
        <div>
          <div style={{ fontFamily: "'Playfair Display', serif",

```



```

        <div style={{ fontSize: "0.8rem", color: C.brownMid, ma
</div>
        <div style={{ display: "flex", alignItems: "center", gap:
            <button className="cb" onClick={() => set(Math.max(min,
            <span style={{ fontFamily: "'Playfair Display', serif",
            <button className="cb" onClick={() => totalPeople < 7 &
        </div>
    </div>
    )))

    {totalPeople >= 7 && (
        <p style={{ marginTop: "14px", fontSize: "0.8rem", color: C
            That's the max – 7 per ride. Bigger group? <a href="https
        </p>
    )}

    <div style={{ marginTop: "24px", padding: "20px", background:
        <span style={{ fontSize: "0.8rem", color: C.brownMid, lette
        <span style={{ fontFamily: "'Playfair Display', serif", fon
    </div>
</div>
))

{step === 3 && (
    <div>
        <div style={{ fontSize: "0.7rem", letterSpacing: "0.25em", te
        <h3 style={{ fontFamily: "'Playfair Display', serif", fontSiz

        <label style={{ display: "block", fontSize: "0.7rem", lettersS
        <input type="text" className="input" value={name} onChange={e

        <div style={{ background: C.cream, padding: "24px", marginBot
            {[
                ["Date", date || "-"],
                ["Time", time === "13:00" ? "Afternoon (1pm - 4pm)" : tim
                ["Adults", `${adults} × €59`],
                ...(kids > 0 ? [["Under 12", `${kids} × €39`] : []],
            ]).map(([k, v]) => (
                <div key={k} style={{ display: "flex", justifyContent: "s
                    <span style={{ color: C.brownMid }}>{k}</span>
                    <span style={{ color: C.brown, fontWeight: 500 }}>{v}</
                </div>
            ))}
        <div style={{ height: "1px", background: C.sand, margin: "1
        <div style={{ display: "flex", justifyContent: "space-betwe
            <span style={{ fontFamily: "'Playfair Display', serif", f
            <span style={{ fontFamily: "'Playfair Display', serif", f

```

```

    </div>
  </div>

  <p style={{ fontSize: "0.8rem", color: C.brownMid, lineHeight: 1.2 }}>
    Hit confirm and we'll send a WhatsApp to lock in your spot.
  </p>
</div>
))

<div style={{ display: "flex", justifyContent: "space-between", margin: 10px }}>
  {step > 1 ? (
    <button onClick={() => setStep(step - 1)} style={{
      background: "none", border: "none", fontFamily: "'Lora', serif",
      fontSize: "0.8rem", color: C.brownMid, cursor: "pointer",
      letterSpacing: "0.1em", textTransform: "uppercase",
    }}><- Back</button>
  ) : <div />}
  <button className="btn" onClick={goNext} disabled={step === 1} >
    <span>{step === 3 ? "Confirm booking →" : "Continue →"}</span>
  </button>
</div>
</div>
</Reveal>
) : (
  <Reveal>
    <div style={{
      background: C.white, padding: isMobile ? "44px 24px" : "60px 40px",
      textAlign: "center", boxShadow: "0 4px 28px rgba(61,35,20,0.06)",
      position: "relative", overflow: "hidden",
    }}>
      <div style={{ position: "absolute", top: 0, left: 0, right: 0, height: 100px; background: linear-gradient(to bottom, transparent 49%, #f9f9f9 49%, #f9f9f9 51%, transparent 51%); background-size: 100% 100%; background-position: top, bottom; background-repeat: no-repeat; }}>
      <div style={{ display: "inline-flex", marginBottom: "24px", padding: 0 10px; align-items: center; justify-content: center; width: 100px; height: 100px; border: 1px solid #ccc; border-radius: 50%; background: #f9f9f9; position: relative; }}>
        <JeepLogo color={C.terracotta} size={48} />
      </div>
      <h3 style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.2rem", margin: 0 }}>
        See you {name ? name.split(" ")[0] : "there"}, <em style={{ color: C.terracotta, fontStyle: "italic" }}>
        </h3>
      <p style={{ color: C.brownMid, lineHeight: 1.7, margin: 10px 0 32px 0 }}>
        We'll WhatsApp you within 24h to confirm your spot and the exact time.
      </p>
      <div style={{ background: C.cream, padding: "24px", display: "inline-block; width: 100%; border: 1px solid #ccc; border-radius: 10px; text-align: center; font-size: 0.7rem; color: C.brownMid; letter-spacing: 0.1em; font-family: "'Playfair Display', serif" }}>
        <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "0.85rem", margin: 0 10px; text-align: left; width: 100%; }}>
          {date} · {time === "13:00" ? "1pm" : "5pm"}
        </div>
      <div style={{ fontSize: "0.85rem", color: C.terracotta, margin: 10px 0 0 0; text-align: left; width: 100%; }}>
        </div>
    </div>
  </Reveal>
) : (
  <Reveal>
    <div style={{
      background: C.white, padding: isMobile ? "44px 24px" : "60px 40px",
      textAlign: "center", boxShadow: "0 4px 28px rgba(61,35,20,0.06)",
      position: "relative", overflow: "hidden",
    }}>
      <div style={{ position: "absolute", top: 0, left: 0, right: 0, height: 100px; background: linear-gradient(to bottom, transparent 49%, #f9f9f9 49%, #f9f9f9 51%, transparent 51%); background-size: 100% 100%; background-position: top, bottom; background-repeat: no-repeat; }}>
      <div style={{ display: "inline-flex", marginBottom: "24px", padding: 0 10px; align-items: center; justify-content: center; width: 100px; height: 100px; border: 1px solid #ccc; border-radius: 50%; background: #f9f9f9; position: relative; }}>
        <JeepLogo color={C.terracotta} size={48} />
      </div>
      <h3 style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.2rem", margin: 0 }}>
        See you {name ? name.split(" ")[0] : "there"}, <em style={{ color: C.terracotta, fontStyle: "italic" }}>
        </h3>
      <p style={{ color: C.brownMid, lineHeight: 1.7, margin: 10px 0 32px 0 }}>
        We'll WhatsApp you within 24h to confirm your spot and the exact time.
      </p>
      <div style={{ background: C.cream, padding: "24px", display: "inline-block; width: 100%; border: 1px solid #ccc; border-radius: 10px; text-align: center; font-size: 0.7rem; color: C.brownMid; letter-spacing: 0.1em; font-family: "'Playfair Display', serif" }}>
        <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "0.85rem", margin: 0 10px; text-align: left; width: 100%; }}>
          {date} · {time === "13:00" ? "1pm" : "5pm"}
        </div>
      <div style={{ fontSize: "0.85rem", color: C.terracotta, margin: 10px 0 0 0; text-align: left; width: 100%; }}>
        </div>
    </div>
  </Reveal>
) : (
  <Reveal>
    <div style={{
      background: C.white, padding: isMobile ? "44px 24px" : "60px 40px",
      textAlign: "center", boxShadow: "0 4px 28px rgba(61,35,20,0.06)",
      position: "relative", overflow: "hidden",
    }}>
      <div style={{ position: "absolute", top: 0, left: 0, right: 0, height: 100px; background: linear-gradient(to bottom, transparent 49%, #f9f9f9 49%, #f9f9f9 51%, transparent 51%); background-size: 100% 100%; background-position: top, bottom; background-repeat: no-repeat; }}>
      <div style={{ display: "inline-flex", marginBottom: "24px", padding: 0 10px; align-items: center; justify-content: center; width: 100px; height: 100px; border: 1px solid #ccc; border-radius: 50%; background: #f9f9f9; position: relative; }}>
        <JeepLogo color={C.terracotta} size={48} />
      </div>
      <h3 style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.2rem", margin: 0 }}>
        See you {name ? name.split(" ")[0] : "there"}, <em style={{ color: C.terracotta, fontStyle: "italic" }}>
        </h3>
      <p style={{ color: C.brownMid, lineHeight: 1.7, margin: 10px 0 32px 0 }}>
        We'll WhatsApp you within 24h to confirm your spot and the exact time.
      </p>
      <div style={{ background: C.cream, padding: "24px", display: "inline-block; width: 100%; border: 1px solid #ccc; border-radius: 10px; text-align: center; font-size: 0.7rem; color: C.brownMid; letter-spacing: 0.1em; font-family: "'Playfair Display', serif" }}>
        <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "0.85rem", margin: 0 10px; text-align: left; width: 100%; }}>
          {date} · {time === "13:00" ? "1pm" : "5pm"}
        </div>
      <div style={{ fontSize: "0.85rem", color: C.terracotta, margin: 10px 0 0 0; text-align: left; width: 100%; }}>
        </div>
    </div>
  </Reveal>
) : (
  <Reveal>
    <div style={{
      background: C.white, padding: isMobile ? "44px 24px" : "60px 40px",
      textAlign: "center", boxShadow: "0 4px 28px rgba(61,35,20,0.06)",
      position: "relative", overflow: "hidden",
    }}>
      <div style={{ position: "absolute", top: 0, left: 0, right: 0, height: 100px; background: linear-gradient(to bottom, transparent 49%, #f9f9f9 49%, #f9f9f9 51%, transparent 51%); background-size: 100% 100%; background-position: top, bottom; background-repeat: no-repeat; }}>
      <div style={{ display: "inline-flex", marginBottom: "24px", padding: 0 10px; align-items: center; justify-content: center; width: 100px; height: 100px; border: 1px solid #ccc; border-radius: 50%; background: #f9f9f9; position: relative; }}>
        <JeepLogo color={C.terracotta} size={48} />
      </div>
      <h3 style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.2rem", margin: 0 }}>
        See you {name ? name.split(" ")[0] : "there"}, <em style={{ color: C.terracotta, fontStyle: "italic" }}>
        </h3>
      <p style={{ color: C.brownMid, lineHeight: 1.7, margin: 10px 0 32px 0 }}>
        We'll WhatsApp you within 24h to confirm your spot and the exact time.
      </p>
      <div style={{ background: C.cream, padding: "24px", display: "inline-block; width: 100%; border: 1px solid #ccc; border-radius: 10px; text-align: center; font-size: 0.7rem; color: C.brownMid; letter-spacing: 0.1em; font-family: "'Playfair Display', serif" }}>
        <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "0.85rem", margin: 0 10px; text-align: left; width: 100%; }}>
          {date} · {time === "13:00" ? "1pm" : "5pm"}
        </div>
      <div style={{ fontSize: "0.85rem", color: C.terracotta, margin: 10px 0 0 0; text-align: left; width: 100%; }}>
        </div>
    </div>
  </Reveal>
) : (
  <Reveal>
    <div style={{
      background: C.white, padding: isMobile ? "44px 24px" : "60px 40px",
      textAlign: "center", boxShadow: "0 4px 28px rgba(61,35,20,0.06)",
      position: "relative", overflow: "hidden",
    }}>
      <div style={{ position: "absolute", top: 0, left: 0, right: 0, height: 100px; background: linear-gradient(to bottom, transparent 49%, #f9f9f9 49%, #f9f9f9 51%, transparent 51%); background-size: 100% 100%; background-position: top, bottom; background-repeat: no-repeat; }}>
      <div style={{ display: "inline-flex", marginBottom: "24px", padding: 0 10px; align-items: center; justify-content: center; width: 100px; height: 100px; border: 1px solid #ccc; border-radius: 50%; background: #f9f9f9; position: relative; }}>
        <JeepLogo color={C.terracotta} size={48} />
      </div>
      <h3 style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.2rem", margin: 0 }}>
        See you {name ? name.split(" ")[0] : "there"}, <em style={{ color: C.terracotta, fontStyle: "italic" }}>
        </h3>
      <p style={{ color: C.brownMid, lineHeight: 1.7, margin: 10px 0 32px 0 }}>
        We'll WhatsApp you within 24h to confirm your spot and the exact time.
      </p>
      <div style={{ background: C.cream, padding: "24px", display: "inline-block; width: 100%; border: 1px solid #ccc; border-radius: 10px; text-align: center; font-size: 0.7rem; color: C.brownMid; letter-spacing: 0.1em; font-family: "'Playfair Display', serif" }}>
        <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "0.85rem", margin: 0 10px; text-align: left; width: 100%; }}>
          {date} · {time === "13:00" ? "1pm" : "5pm"}
        </div>
      <div style={{ fontSize: "0.85rem", color: C.terracotta, margin: 10px 0 0 0; text-align: left; width: 100%; }}>
        </div>
    </div>
  </Reveal>
) : (
  <Reveal>
    <div style={{
      background: C.white, padding: isMobile ? "44px 24px" :
```

```

        </div>
      </Reveal>
    })
  </div>
</section>

{/* THE ROUTE */}
<section id="route" style={{ padding: isMobile ? "80px 24px" : "140px 8%",
  <div style={{ maxWidth: "1200px", margin: "0 auto" }}>
    <Reveal>
      <div style={{ display: "inline-flex", alignItems: "center", gap: "10px" }}>
        <div style={{ width: "28px", height: "1px", background: C.terracott }}>
          <span style={{ color: C.terracotta, fontSize: "0.7rem", letterSpacing: "0.1em" }}>
            </div>
        <h2 style={{
          fontFamily: "'Playfair Display', serif",
          fontSize: "clamp(40px, 7vw, 84px)",
          fontWeight: 700, lineHeight: 1, marginBottom: "60px",
          color: C.brown, letterSpacing: "-0.02em",
        }}>
          Where we<br /><em style={{ color: C.terracotta }}>take you.</em>
        </h2>
      </Reveal>

      <div style={{ position: "relative" }}>
        {[
          { num: "01", place: "Albufeira", desc: "Pickup right in town. Hop i",
            { num: "02", place: "Up into the hills", desc: "Quick climb out of",
              { num: "03", place: "Cork forests & hidden villages", desc: "Old wh",
                { num: "04", place: "The viewpoint", desc: "Our spot. Big view over"
          ].map((s, i) => (
            <Reveal key={s.num} delay={i * 0.08}>
              <div style={{
                display: "grid",
                gridTemplateColumns: isMobile ? "60px 1fr" : "120px 200px 1fr",
                gap: isMobile ? "16px" : "32px",
                padding: isMobile ? "28px 0" : "36px 0",
                borderTop: `1px solid ${C.sand}`,
                alignItems: "start",
              }}>
                <div style={{
                  fontFamily: "'Playfair Display', serif",
                  fontSize: isMobile ? "2rem" : "3.5rem",
                  fontWeight: 900, color: C.terracotta, lineHeight: 0.9,
                  fontStyle: "italic",
                }}>{s.num}</div>
                <div style={{

```

```

        fontFamily: "'Playfair Display', serif",
        fontSize: isMobile ? "1.3rem" : "1.8rem",
        fontWeight: 600, color: C.brown,
        gridColumn: isMobile ? "2 / 3" : "auto",
    }}>{s.place}</div>
    {!isMobile && (
        <div style={{ fontSize: "1rem", color: C.brownMid, lineHeight
    }}
    {isMobile && (
        <div style={{ gridColumn: "2 / 3", fontSize: "0.95rem", color
    }}
    </div>
    </Reveal>
    )))
    <div style={{ borderTop: `1px solid ${C.sand}` }} />
</div>
</div>
</section>

{/* FAQ */}
<section id="faq" style={{ padding: isMobile ? "80px 24px" : "140px 8%", ba
    <div style={{ maxWidth: "800px", margin: "0 auto" }}>
        <Reveal>
            <div style={{ textAlign: "center", marginBottom: "56px" }}>
                <div style={{ display: "inline-flex", alignItems: "center", gap: "1
                    <div style={{ width: "28px", height: "1px", background: C.terraco
                        <span style={{ color: C.terracotta, fontSize: "0.7rem", letterSpacing
                            <div style={{ width: "28px", height: "1px", background: C.terraco
                        </div>
                    <h2 style={{
                        fontFamily: "'Playfair Display', serif",
                        fontSize: "clamp(36px, 6vw, 64px)",
                        fontWeight: 700, color: C.brown, lineHeight: 1, letterSpacing: "-
                    }}>
                        Quick <em style={{ color: C.terracotta }}>answers.</em>
                    </h2>
                </div>
            </Reveal>

            <FAQList />

            <Reveal delay={0.3}>
                <div style={{
                    marginTop: "56px", padding: isMobile ? "32px 24px" : "44px",
                    background: C.brown, color: C.white, textAlign: "center",
                }}>
                    <div style={{ fontFamily: "'Playfair Display', serif", fontSize: "1

```

```

        Got another question?
    </div>
    <p style={{ color: "rgba(255,255,255,0.7)", marginBottom: "24px", f
        Easiest is WhatsApp – we usually reply within an hour.
    </p>
    <a href="https://wa.me/33651581703" target="_blank" rel="noreferrer
        <span>Message on WhatsApp</span>
    </a>
    </div>
    </Reveal>
</div>
</section>

```

```

{ /* FOOTER */ }
<footer style={{
    background: C.brown,
    padding: isMobile ? "60px 24px 32px" : "80px 8% 40px",
    color: "rgba(255,255,255,0.65)",
    paddingBottom: isMobile ? "100px" : "40px",
}}>
    <div style={{ maxWidth: "1200px", margin: "0 auto" }}>
        <div className="grid-mobile" style={{ display: "grid", gridTemplateColu
            <div>
                <div style={{ display: "flex", alignItems: "center", gap: "10px", m
                    <JeepLogo color={C.white} size={32} />
                    <div style={{ fontFamily: "'Playfair Display', serif", fontSize:
                        Wild<span style={{ color: C.terracotta }}>.</span>Algarve
                    </div>
                </div>
            </div>
            <p style={{ fontSize: "0.95rem", lineHeight: 1.7, maxWidth: "320px"
                Off-road safari trips through the wild Algarve in an old-school U
            </p>
        </div>

        <div>
            <div style={{ fontSize: "0.7rem", letterSpacing: "0.25em", textTran
            <div style={{ fontSize: "0.95rem", lineHeight: 2.2 }}>
                <a href="https://wa.me/33651581703" target="_blank" rel="noreferr
                    WhatsApp · +33 6 51 58 17 03
                </a>
                <a href="mailto:wild.algarve@gmail.com" style={{ display: "block"
                    wild.algarve@gmail.com
                </a>
                <a href="https://instagram.com/wild.algarve" target="_blank" rel=
                    Instagram · @wild.algarve
                </a>
            </div>

```

```

    </div>

    <div>
      <div style={{ fontSize: "0.7rem", letterSpacing: "0.25em", textTran
      <div style={{ fontSize: "0.95rem", lineHeight: 2.2 }}>
        <div>Albufeira, Portugal</div>
        <div>Daily · 1pm and 5pm</div>
        <div style={{ color: C.terracotta }}>Year-round</div>
      </div>
    </div>
  </div>

  <div style={{ height: "1px", background: "rgba(255,255,255,0.08)", marg
  <div className="h-stack-mobile" style={{ display: "flex", justifyConten
    <span>© 2025 Wild Algarve. All rights reserved.</span>
    <span>Made in Portugal.</span>
  </div>
</div>
</footer>
</div>
);
}

```

```

function FAQList() {
  const [open, setOpen] = useState(0);
  const items = [
    {
      q: "What should I bring?",
      a: "Just a light jacket – once we pull the canvas top off, the wind can get
    },
    {
      q: "Is there a minimum age?",
      a: "Yes, no children under 4 – the dirt roads get bumpy and we want everyon
    },
    {
      q: "Do you pick us up from our hotel?",
      a: "Pickup point is in central Albufeira. Once you book, we send the exact
    },
    {
      q: "What if it rains?",
      a: "Algarve weather is mostly sunshine, but if it really pours we'll resche
    },
    {
      q: "Can I book the whole Jeep for my group?",
      a: "Yes. Up to 7 people. Just message us on WhatsApp and we'll sort a priva
    },
    {

```

```

    q: "Do you speak English?",
    a: "Of course. All our guides are fluent — most of our riders are British s
  },
  {
    q: "How fit do I need to be?",
    a: "Not very. You're sitting in a Jeep the whole time. As long as you can c
  },
];

return (
  <div>
    {items.map((item, i) => (
      <div key={i} style={{ borderBottom: `1px solid ${C.sand}` }}>
        <button
          onClick={() => setOpen(open === i ? -1 : i)}
          style={{
            width: "100%", background: "none", border: "none",
            padding: "24px 0", display: "flex", alignItems: "flex-start",
            justifyContent: "space-between", gap: "20px", cursor: "pointer", te
          }}
        >
          <span style={{ fontFamily: "'Playfair Display', serif", fontSize: "1.
            {item.q}
          </span>
          <span style={{
            fontSize: "1.6rem", color: C.terracotta, lineHeight: 0.8,
            transform: open === i ? "rotate(45deg)" : "rotate(0)",
            transition: "transform 0.3s ease", flexShrink: 0,
            fontFamily: "'Playfair Display', serif",
          }}>+</span>
        </button>
        <div style={{
          maxHeight: open === i ? "300px" : "0",
          overflow: "hidden",
          transition: "max-height 0.5s cubic-bezier(0.16,1,0.3,1)",
        }}>
          <p style={{ paddingBottom: "24px", color: C.brownMid, lineHeight: 1.7
            {item.a}
          </p>
        </div>
      </div>
    )})
  </div>
);
}

```

