



Amplitude Detector



Peak Detector



Switches are in the X10K position (off)

Sheet: /Peak Detector/
File: agc-pd.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. 9.0.5

Rev:

Id: 2/7



Sheet: /Freq-Selection/
File: freq-selection.kicad_sch

Title:



Size: A4 Date:

KiCad E.D.A. 9.0.5

Rev:

Id: 3/7

Frequency Multiplier



Switches are in the X10K position (off)

Sheet: /Freq Selection/
File: freqSelection.kicad_sch

Title:

Size: A4


Date:

KiCad E.D.A. 9.0.5

Rev:

Id: 5/7

Output Amplifier Power Rails & Counter circuit



Sheet: /Output Amp/
File: output_amp.kicad_sch

Title:

Size: A4

Date:


Rev:

KiCad E.D.A. 9.0.5

Id: 5/7

Rev:
Id: 6/7

DIY SG505 Shunt Regulated Power Rails V3



Note:
always supply a load of 680R to both shunt regulator rails otherwise the TL431's will get too hot.

R113 & R114 are alternatives for RV101 and RV102

Sheet: /Output Amp/Power Rails/
File: PowerRails.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. 9.0.5

Rev:

Id: 7/7