

InfoGenie — Integrations Inventory

Document type: Integration status reference

Source of truth: Codebase reverse-scan (`services/` , `platform_keys.js` , OAuth routes, ops tooling)

Generated: 2026-08-11

Repo tip referenced: `main` + related service modules

Status legend

Status	Meaning
DONE	Integration path exists in code and is mounted/used
PARTIAL	Scaffolded, optional, stubbed, or not fully end-to-end
NOT DONE	Deferred, placeholder, or mentioned only

DONE means the product has a code path for the integration. It does **not** mean every API key is configured in a given environment (preview/local/production).

1. LLMs / AI models

Tool	Status	How used	Typical env / key
OpenAI	DONE	Primary chat, embeddings, TTS, images; <code>/api/openai</code> proxy	<code>OPENAI_API_KEY</code> / <code>AI_INTEGRATIONS_OPENAI_API_KEY</code>
Anthropic Claude	DONE	Long-form analysis, Creator Studio	<code>ANTHROPIC_API_KEY</code> / <code>AI_INTEGRATIONS_ANTHROPIC_API_KEY</code>
Google Gemini	DONE	Multimodal, GEO, chat router	<code>GEMINI_API_KEY</code>
Perplexity	DONE	Web-grounded research	<code>PERPLEXITY_API_KEY</code>

Cloudflare Workers AI	DONE	Llama inference / fallback	CLOUDFLARE_ACCOUNT_ID , CLOUDFLARE_AI_TOKEN
RapidAPI (Meta Llama etc.)	DONE	LLM fallback + keyword hosts	RAPIDAPI_KEY
Z.ai / GLM (AutoClaw)	DONE	Coding/agent OpenAI-compatible models	ZAI_API_KEY / GLM_API_KEY
Moonshot / Kimi	DONE	Long-context models	MOONSHOT_API_KEY / KIMI_API_KEY
DeepSeek	PARTIAL	AI Providers preset	DEEPSEEK_API_KEY
Groq	PARTIAL	AI Providers preset	GROQ_API_KEY
Mistral	PARTIAL	AI Providers preset	MISTRAL_API_KEY
OpenRouter	PARTIAL	Multi-model gateway preset	OPENROUTER_API_KEY
Together AI	PARTIAL	OpenAI-compatible preset	TOGETHER_API_KEY
Ollama Cloud	PARTIAL	Cloud OpenAI-compatible models	OLLAMA_API_KEY
Ollama (local)	PARTIAL	Local localhost:11434	*(none; allow empty key)*
Azure OpenAI	PARTIAL	Custom-URL OpenAI-compatible preset	AZURE_OPENAI_API_KEY

2. Other AI tools

Tool	Status	How used	Typical env / key
OpenAI TTS / Voiceover	DONE	MP3 voiceover generation	OpenAI keys
Remove.bg	DONE	Background removal for creatives	REMOVE_BG_API_KEY
Profound	DONE	LLM brand-visibility API	PROFOUND_API_KEY
Promptfoo	DONE	Prompt/model eval gate	PROMPTFOO_*

Traceloop / OpenLLMetry	PARTIAL	LLM observability / FinOps	TRACELOOP_API_KEY
Confident AI	PARTIAL	Optional Promptfoo companion	CONFIDENT_API_KEY
Canva	PARTIAL	Template-link bridge (no live OAuth)	CANVA_CLIENT_ID , CANVA_API_KEY
MCP client (generic)	PARTIAL	Connect REST/JSON-RPC MCP servers	Per-server URL

3. Data / SEO / intelligence APIs

Tool	Status	How used	Typical env / key
DataForSEO	DONE	SERP, keywords, SEO intel	DATAFORSEO_LOGIN , DATAFORSEO_PASSWORD
Firecrawl	DONE	Site scrape/crawl (WAF bypass)	FIRECRAWL_API_KEY
Apollo.io	DONE	B2B enrichment / lead finder	APOLLO_API_KEY
BuiltWith	DONE	Tech-stack detection	BUILTWITH_API_KEY
Modash	DONE	Influencer discovery	MODASH_API_KEY
Google PageSpeed	DONE	Core Web Vitals / performance	GOOGLE_PAGESPEED_API_KEY
Google Custom Search	DONE	SERP visibility	GOOGLE_SEARCH_API_KEY , GOOGLE_SEARCH_CX
YouTube Data API	DONE	Trending / channel monitor	YOUTUBE_DATA_API_KEY
Bing Webmaster	DONE	Bing SEO stats	BING_WEBMASTER_API_KEY
SpyFu	DONE	Competitor PPC/SEO spy	SPYFU_API_KEY
Majestic	DONE	Trust/Citation Flow, backlinks	MAJESTIC_API_KEY
Semrush	DONE	Domain/keyword intel	SEMRUSH_API_KEY
Ahrefs	DONE	DR/UR/backlinks/keywords	AHREFS_API_KEY
Serpstat	DONE	Visibility / competitors	SERPSTAT_API_KEY

ContentKing	DONE	Real-time SEO change monitor	CONTENTKING_API_KEY
Hunter.io	DONE	Email finder/verifier	HUNTER_API_KEY
Apify	DONE	Scraping actors	APIFY_API_KEY
Google Trends (npm)	DONE	Interest/related/trending (no key)	*(none)*
Zernio	DONE	Social publishing API	ZERNIO_API_KEY
Reddit public JSON	DONE	Reddit Pulse / AEO	*(User-Agent)*
tikwm.com	DONE	Free TikTok no-watermark resolve	*(none)*
SerpAPI	PARTIAL	SERP snapshot fallback	SERP_API_KEY
OmniSocials	PARTIAL	Social DM/comment inbox	OMNISOCIALS_API_KEY
RapidAPI TikTok Scraper	PARTIAL	Paid TikTok download fallback	TIKTOK_RAPIDAPI_KEY
Quora mining	PARTIAL	Via Perplexity (not Quora API)	PERPLEXITY_API_KEY
Glassdoor sentiment	PARTIAL	Scrape/AI sentiment	*(no dedicated Glassdoor key)*
Google Maps / local leads	PARTIAL	Local lead aggregation	*(source always "available")*

4. OAuth / social login / ad connect

Tool	Status	How used	Typical env / key
Google social login	DONE	Login/signup OIDC	AUTH_GOOGLE_CLIENT_ID , AUTH_GOOGLE_CLIENT_SECRET
Facebook social login	DONE	Login/signup	AUTH_FACEBOOK_CLIENT_ID , AUTH_FACEBOOK_CLIENT_SECRET
Microsoft social login	DONE	Azure AD login	AUTH_MICROSOFT_CLIENT_ID , AUTH_MICROSOFT_CLIENT_SECRET

Google Ads OAuth	DONE	Vaulted Ads connect	GOOGLE_ADS_OAUTH_CLIENT_ID / SECRET , developer/refresh tokens
Meta Ads OAuth	DONE	Vaulted Meta connect	META_OAUTH_CLIENT_ID / SECRET , META_ACCESS_TOKEN
Google Workspace OAuth	DONE	Gmail / Drive / Calendar vault	GOOGLE_WORKSPACE_CLIENT_ID , GOOGLE_WORKSPACE_CLIENT_SECRET
Google Service Account	DONE	GSC + GA4 server auth	GOOGLE_SERVICE_ACCOUNT_JSON , GSC_SITE_URL
Microsoft Advertising OAuth	DONE	Bing Ads reporting/launch	MICROSOFT_ADS_*
WordPress App Password	DONE	Per-site Basic auth (tenant vaulted)	Tenant credentials + CREDENTIAL_ENCRYPTION_KEY
Nango	PARTIAL	Unified OAuth foundation (Meta/Google Ads/HubSpot/Shopify)	NANGO_SECRET_KEY , NANGO_HOST
LinkedIn Ads OAuth	PARTIAL	Research / CAPI via vault token	LINKEDIN_ACCESS_TOKEN / vault
Canva OAuth	PARTIAL	Referenced; bridge is template links only	CANVA_CLIENT_ID , CANVA_API_KEY

5. Email / messaging / communications

Tool	Status	How used	Typical env / key
Resend	DONE	Auth, drip, broadcast, alerts	RESEND_API_KEY , RESEND_FROM_EMAIL
Twilio SMS	DONE	Omnichannel / journey SMS	TWILIO_ACCOUNT_SID , TWILIO_AUTH_TOKEN , TWILIO_FROM_NUMBER
WhatsApp Cloud API	DONE	Messaging + webhooks	WHATSAPP_*

Vapi.ai	DONE	AI voice outbound calls	VAPI_API_KEY , VAPI_PHONE_NUMBER_ID
Web Push (VAPID)	DONE	Browser push	VAPID_PUBLIC_KEY , VAPID_PRIVATE_KEY
Slack Incoming Webhooks	DONE	Digests, crisis, alert routing	SLACK_WEBHOOK_URL
Mailchimp	DONE	CRM sync	MAILCHIMP_API_KEY , MAILCHIMP_SERVER_PREFIX
ActiveCampaign	DONE	CRM sync	ACTIVECAMPAIGN_API_KEY , ACTIVECAMPAIGN_BASE_URL
ConvertKit	DONE	CRM sync	CONVERTKIT_API_KEY
Discord webhooks	PARTIAL	Allowed host on Slack-style dispatcher	User webhook URL
Telegram Bot API	PARTIAL	Optional notify destination	Bot URL/token; INFOGENIE_NOTIFY_SECRET
OneSignal	PARTIAL	Presence check in channel studios	ONESIGNAL_APP_ID
Firebase Cloud Messaging	PARTIAL	Presence check in channel studios	FIREBASE_SERVER_KEY
RCS	PARTIAL	Module present; no carrier API	*(none)*

6. Ads / marketing platforms

Tool	Status	How used	Typical env / key
Meta Ads / Graph / CAPI	DONE	Campaigns, insights, Ad Library, CAPI	META_ACCESS_TOKEN , Meta OAuth
Google Ads	DONE	Insights, launch, optimizer	GOOGLE_ADS_*
TikTok Ads	DONE	Campaign create + reporting	TIKTOK_ACCESS_TOKEN , TIKTOK_ADVERTISER_ID
Microsoft Advertising	DONE	Insights + campaign paths	MICROSOFT_ADS_*

HubSpot CRM	DONE	Contacts/deals/audiences/True ROAS	HUBSPOT_PRIVATE_APP_TOKEN
Shopify Admin	DONE	Orders + SEO publish destination	SHOPIFY_SHOP , SHOPIFY_ADMIN_TOKEN
AppsFlyer	DONE	Mobile install aggregation	APPSFLYER_API_TOKEN , APPSFLYER_APP_ID
LinkedIn Ads	PARTIAL	Research via Perplexity; CAPI via vault	LinkedIn token env/vault
Google Merchant Center	PARTIAL	Shopping campaign requirement flag	GOOGLE_MERCHANT_CENTER_ID
Webflow CMS	PARTIAL	SEO Autopilot publish destination	WEBFLOW_API_TOKEN , collection/site IDs
SEO publish webhook	PARTIAL	Generic CMS/webhook publish	SEO_PUBLISH_WEBHOOK_URL
CTV	PARTIAL	Creative brief scaffold (LLM); no ad network	Uses LLM keys

7. Analytics

Tool	Status	How used	Typical env / key
Amplitude	DONE	Product analytics + Agents + attribution	AMPLITUDE_API_KEY , AMPLITUDE_SECRET_KEY
Segment	DONE	CDP event track forwarder	SEGMENT_WRITE_KEY
GA4 (Data API)	DONE	Reports via service account	GOOGLE_SERVICE_ACCOUNT_JSON
Google Search Console	DONE	Search analytics / social winners	GOOGLE_SERVICE_ACCOUNT_JSON , GSC_SITE_URL
PostHog	PARTIAL	Browser key via /api/config	POSTHOG_API_KEY

8. Payments

Tool	Status	How used	Typical env / key
Stripe	DONE	Checkout / billing / webhooks	STRIPE_SECRET_KEY , STRIPE_WEBHOOK_SECRET

9. Storage

Tool	Status	How used	Typical env / key
PostgreSQL	DONE	Primary DB / sessions	DATABASE_URL
Local uploads filesystem	DONE	Default asset store (/uploads)	*(path)*
Redis / Upstash	PARTIAL	Optional cache/rate-limit	REDIS_URL , UPSTASH_REDIS_URL
S3-compatible object storage	PARTIAL	Uploads with local fallback	S3_* / AWS_*

10. Infra / ops / security tooling

Tool	Status	How used	Typical env / key
Chromium / Puppeteer	DONE	Headless HTML fetch	CHROMIUM_PATH , PUPPETEER_EXECUTABLE_PATH
Credential vault (AES-GCM)	DONE	Encrypt platform + tenant secrets	CREDENTIAL_ENCRYPTION_KEY
Session signing	DONE	Express sessions	SESSION_SECRET
InfoGenie API gate	DONE	Global /api auth + quotas	INFOGENIE_API_KEY
Public base URLs	DONE	OAuth redirects, CSRF, synthetics	PUBLIC_BASE_URL , APP_URL
Sentry	PARTIAL	Optional error tracking	SENTRY_DSN

Checkly	PARTIAL	External synthetics	CHECKLY_API_KEY , CHECKLY_ACCOUNT_ID
Better Stack (Uptime)	PARTIAL	Alternate synthetics	BETTERSTACK_API_KEY
OpenTelemetry → SigNoz	PARTIAL	Trace/metrics export	OTEL_* / SIGNOZ_*
GitGuardian	PARTIAL	Secret-scan API + CI	GITGUARDIAN_API_KEY
Notify shared secret	PARTIAL	Gate /api/notify/send	INFOGENIE_NOTIFY_SECRET
Infisical	NOT DONE	Deferred secrets manager	—
incident.io	NOT DONE	Deferred incident tool	—
PagerDuty	NOT DONE	Deferred paging	—
Uptrace	NOT DONE	Deferred APM	—

11. Explicitly not integrated

These appear only as missing/deferred mentions (docs or ops status). There is **no DONE code path**:

- Moz, Similarweb, Searchmetrics
- Brandwatch, Mention, Sprout Social
- Clearbit, Crunchbase, PitchBook
- Salesforce, Pipedrive
- Mixpanel, Heap
- ElevenLabs
- Runway / Kling, Midjourney, Stability AI
- Pinterest Ads, Snapchat Ads, Amazon Ads, Twitter/X Ads (official Ads API)

12. Where keys are managed

Location	What lives there
Manage → AI Providers / platform keys	Admin-managed platform secrets overlay (<code>services/credentials/platform_keys.js</code>) — OpenAI, Anthropic, Gemini, Perplexity, Firecrawl, DataForSEO, Apollo, Resend, Stripe, Amplitude, many data APIs, etc.
Environment variables	Ads OAuth tokens, Twilio/WhatsApp/Vapi, HubSpot, Shopify, Redis/S3, ops tooling (Checkly, OTEL, GitGuardian), session/vault secrets
Tenant credential vault	Per-user/per-tenant OAuth tokens and WordPress credentials (encrypted with <code>CREDENTIAL_ENCRYPTION_KEY</code>)

Platform key registry groups (admin UI)

From `services/credentials/platform_keys.js` :

- 1. **AI Models** — OpenAI, Anthropic, Gemini, Perplexity, Cloudflare Workers AI, RapidAPI, Z.ai, Moonshot/Kimi, Groq, DeepSeek, Mistral, OpenRouter, Together, Ollama Cloud
- 2. **Data & Intelligence** — DataForSEO, Firecrawl, Apollo, Zernio, OmniSocials, Modash, BuiltWith, Google PageSpeed, Google Search, YouTube Data, Bing Webmaster, SpyFu, Majestic
- 3. **Infrastructure** — Resend (+ webhook/from), Amplitude, Stripe (+ webhook), VAPID

Many additional services are wired in code but configured only via env (Semrush, Ahrefs, HubSpot, Twilio, ad-platform OAuth, ops stack, etc.).

13. Approximate counts (code-backed)

Category	Approx. items (DONE or PARTIAL)
LLM	16
AI-other	8
API-data	28
OAuth/social	12
Email/comms	14
Ads/marketing	13
Analytics	5
Payments	1

Storage	4
Infra/ops	14 (+ 4 NOT DONE deferred)

Primary evidence files:

- `services/credentials/platform_keys.js`
- `services/integrations_status/routes.js`
- `services/ops_tooling/status.js`
- `services/ai_providers/presets.js`
- `services/execution_hub/api.js`
- Individual `services/*/api.js` modules

14. Preview / ops note

In a typical preview environment, many integrations are **code-DONE** but **keys missing**.
Example:

- SEO On-Page Auditor → Firecrawl path is DONE in code, but without `FIRECRAWL_API_KEY` , WAF-protected sites (e.g. fxpro.com) cannot be scraped.

To check live configuration in a running instance, use integrations/status surfaces in the app and/or the platform keys admin UI.

End of document — InfoGenie integrations inventory