



8-POINT INSPECTION CHECKLIST FOR OCEAN CONTAINERS

Inspector's Name: Gerardo Rojas

Container # IKSU 251497-9

Date: 06-06-25

Seal #: LAAE56589

Location: Altamira Frozen S.A

Time: 10:10 Hrs.

PO # 124717-04

All containers must be searched for any concealed materials prior to loading/stuffing by utilizing the checklist below. Placing a checkmark next to each item below confirms the item has been checked and no concerns are present.

1. Undercarriage

- ☒ Check C beams (support beams). They should be visible.

2. Outside/Inside Doors

- ☒ Secure reliable locking mechanisms.
- ☒ Look for different color bonding material.
- ☒ Any plates or repairs to the container?

3. Right Side

- ☒ Any unusual repairs to structural beams?
- ☒ Repairs to the inside walls of the container must be visible on the outside.
- ☒ Use a tool to tap side walls. Listen for hollow sound.

4. Left Side

- ☒ Any unusual repairs to structural beams?
- ☒ Repairs to the inside walls of the container visible on the outside.
- ☒ Use a tool to tap side walls. Listen for hollow sound.

5. Front Wall

- ☒ Are blocks and vents visible?
- ☒ Use a tool to tap front wall. Listen for hollow sound.
- ☒ Use measuring tape or range finder to measure from front to rear of the container (to see if there is a false wall).

6. Ceiling/Roof

- ☒ Are blocks and vents visible?
- ☒ Repairs to the inside ceiling of the container must be visible on the outside.
- ☒ Use a tool to tap the ceiling. Listen for hollow sound.

7. Floor

- ☒ Any unusual repairs?

8. Refrigeration unit

- ☒ Any unusual repairs?
- ☒ Running properly to ensure maintenance of proper temperature?



TRACKING/MONITORING CONTAINERS POLICY

Suppliers are often responsible for loading a container at a warehouse and then shipping this container to the port. The timeframe of when the container leaves the warehouse to when it arrives at the port is critical for container safety. Intentional tracking and monitoring is essential to detect abnormalities in the intended route, transit time and communication.

STRONGLY SUGGESTED METHODS

- Only use 1 reputable trucking company whom you know well and trust.
- Only use 1 route from the warehouse to the port.
- Have a normal check in time/location between the trucker and the warehouse, informing the warehouse where the container is located and at what time.
- Have the trucker notify the warehouse when the container gates into the port.
- Have the trucker notify the warehouse once the container is dropped at the port.

Please complete below for each container sent to the USA:

- Time & date container left facility/warehouse 06-06-25/11:45 Hrs
- Time & date container gated in to port
- Trucking company name SPT

- Is there anything to report from the below list of abnormalities? Y/N
If yes, please explain in detail:

NO

Examples:

- Time lag of the expected delivery time to the port.
- When a trucker does not call when s/he is supposed to.
- When it is found out the trucker took an alternate route to the port.
- If a suspicious person approaches or tampers with the container.

Completed by: Michelle Del Pino

Company: Teno Export S.A.

Contract #: PO# 124717-04

Container #: IKSU 251497-9

Signature:

A handwritten signature in blue ink, appearing to read "Michelle Del Pino", is written over a horizontal line.

Date: 06.06.2025



LOADING APPROVAL PROCEDURE

Contract PO#: 124717-04

Date: 06-06-2025

Pre-Loading Inspection of Good Loading for Frozen Products

- Weight distribution boards (cardboard) are used on each few layers. (To prevent carton crushing.)
Yes ☐ No ☐ N/A ☒
- Pallets are approved for the destination.
Yes ☒ No ☐ N/A ☐
- Cartons are of appropriate thickness to prevent crushing.
Yes ☒ No ☐ N/A ☐
- Correct labels are on each carton, with all necessary required information as approved by Lamex.
Yes ☒ No ☐ N/A ☐

1. Picture of the carton



2. Picture of the label



3. Picture of 50% full container



4. Picture of 100% full container



5. Product Picture



Lot #: TN4-25142

6. Product Picture

Lot # _____

7. Product Picture (if available)

Lot # _____

8. Picture of Thermometer Temperature Recording#
18°C



9. Picture of high security seal

(number must be visible and match export documentation)



LAAE56589

10. Ti-Hi (if palletized) and case dimensions:

cantidad de pallets y cajas x pallets

Total 20 pallets :
16 con 81 cajas c/u y 4 con 80 cajas c/u

TI: 10 CAJAS POR CORRIDA (BASE DEL PALLET)

HI: 8 CORRIDAS DE ALTO (4 PALETS Y 16 PALETS CON 1 CAJA ADICIONAL)

I certify that the goods were loaded in good condition and packed in the correct manner.

Name
(printed):

Title:

Signature:

Date:

Gerardo Rojas

Encargado Frigorífico

06-06-2025

Approved by (Lamex Personnel):

Date: