Deployment (Side Loading)

- 1. Sign up for a free apple developer account if you haven't already
 - 1. Go to developer.apple.com
 - 2. Navigate to 'Account' on the top bar
 - 3. Sign in with Apple Id
 - 4. Agree to Terms and Conditions
 - 5. Done.
- 2. If you don't have Cocoa Pods, Open Terminal:
 - 1. sudo gem install cocoapods
 - 2. Type in computer password
 - 3. Navigate to project directory
 - 4. pod install
 - 5. Check it has completed without errors
- 3. Download X-Code from App Store if you haven't already
- 4. From the project directory, open GapdarMyPages, and double click GapdarMyPages.xcworkspace to open with Xcode.
- 5. Go to the left top of the navigator and double click the top Project navigator icon, then 'GapdarMyPages'. It will display a page in your main window.
- 6. Go to the 'Signing' section under 'Signing & Capabilities' tab and tick the 'Automatically manage signing' option. In 'Team', select your Apple developer account.
- 7. Change the bundle identifier to something unique eg. com.example.GapdarMyPages
- 8. Update your iPhone to iOS 13 if it isn't already
- 9. Connect your iPhone to your Mac's USB port with a Lightning Connector
- 10. Keep your iPhone unlocked, and select 'trust this computer' in the dialogue that pops up.
- 11. Click the "Set the active scheme" menu near the top left of X-code, next to "Build" and "Stop Running" buttons, and select your iPhone in the dropdown menu
- 12. Click the 'Build and Run' button at top left of X-code
- 13. On your iPhone, go to Settings -> General -> Device Management -> Select your App Development -> Trust App Developer
- 14. Close Settings, and click the GapdarMyPages Icon to start the App.