

The following Safety Data Sheet has been created according to the Regulation (EC) No 1272/2008 [CLP/GHS], the Regulation (EU) No 453/2010 and the Commission Regulation (EU) 2015/830 (28th of May 2015) on compilation of e-SDS.

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

CALDE® INJECT G S 55

### **1.1.1. Dates and Modifier of the Safety Data Sheet**

**Creation Date** 20/09/2017 (DD/MM/YY)

**Revision Date:** 20/09/2017

**Modifier** JP Targe

### **1.1.2. SDS (Safety Data Sheet) status:**

New

### **1.2. Relevant identifier uses of the substances or mixture and uses advised against:**

#### **1.2.1. Relevant identified uses:**

Usages of the product according to the ECHA (European CHemical Agency) - Guidance R.12 Use descriptor system - draft version 2.0

SU10; 13+NACE C23.2+PC 10+PROC 1; 2; 3; 4; 5; 8a; 9; 13; 14; 19; 21; 22; 23; 24; 26+ERC 2; 3; 5+AC 12-1; 12-2

Unshaped refractory material

Restricted to industrial or professional users for application as safety or wear linings and maintenance of both in all industrial devices at temperatures > 1000°C.

#### **1.2.2. Uses advised against:**

Non relevant.

### **1.3. Details of the supplier of the safety data sheet:**

#### **1.3.1. Supplier:**

#### **EUROPEAN ECONOMIC COMMUNITY :**

Calderys

17, rue de Copenhague – Bât. F

F-38070 Saint Quentin Fallavier - France

Phone: +33 (0)4 74 99 99 64 - Fax: +33 (0)4 74 99 99 56

#### **1.3.5. E-mail:**

If another updated SDS is needed, please contact your local CALDERYS commercial desk.

For any precision about the content of this MSDS, please refer to the point 1.3.6.

#### **1.3.6. National contact's name:**

See local contact for your country at §16 - Point 16.9.

[www.calderys.com](http://www.calderys.com)

#### **1.4. Emergency telephone number:**

UK: The UK National Poisons Emergency number is 0870 600 6266 - (Outside the UK: +44 870 600 6266)

See enclosed annex for Emergency telephone

#### **1.5. Opening hours (if not 24/24 h):**

Non relevant.

## **SECTION 2: Hazards identification**

### **2.1 Classification of the substance or the mixture:**

#### **2.1.0. Substances linked to the Classification of the product**

Ethane-1,2-diol - (CAS Nr. 107-21-1)

**2.1.1. Classification according to Regulation:**

(EC) No 1272/2008 [CLP/GHS]

STOT RE 2 - Specific Target Organ Toxicity - Repeated exposure, hazard category 2; H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

- **2.1.1.1 Other:**

Non relevant.

**2.1.3. Additional information:**

For full text of H, EUH-phrases: see section 16.

**2.2. Label elements:**

**2.2.1.2. Signal word:**

Danger

**2.2.2.1. Symbol(s) in black/white or colour according to the Regulation:**

(EC) No 1272/2008 [CLP/GHS]

GHS08: Health hazard



**2.2.7. Authorization number(s) from ECHA:**

Non relevant.

**2.2.8. Labelling according to the Regulation:**

(EC) No 1272/2008 [CLP/GHS]

STOT RE 2; H373

**2.2.9. GHS, Precautionary statement phrases (P)**

**2.2.9.1. GHS, Precautionary statements — Prevention**

P260: Do not breathe dust, fumes and vapours.

P270: Do no eat, drink or smoke when using this product.

P280: Wear protective gloves, protective clothing, eye protection and a face protection.

**2.2.9.2. GHS, Precautionary statements — Response**

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P314: Get medical advice/attention if you feel unwell.

**2.2.9.3. GHS, Precautionary statements — Storage**

Non relevant.

**2.2.9.4. GHS, Precautionary statements — Disposal**

P501: Dispose of contents/containers in accordance with local regulation

**2.3. Other hazards:**

Presence of a substance classified as CMR but below the European specific limits, see the SECTION 16.

**2.3.1. SVHC (Substance of Very High Concern):**

No.

Presence of a substance classified as CMR (Germ cell mutagenicity) : Phenol. CAS Nr. 108-95-2.

But the amount of this CMR is below its specific limits for classification, see the SECTION 16.

**2.3.2. CMR : Carcinogenic, Mutagenic or Toxic for Reproduction**

No.

Presence of a substance classified as CMR (Germ cell mutagenicity) : Phenol. CAS Nr. 108-95-2.

**2.3.3. PBT : Persistent, Bioaccumulative and Toxic**

Unknown at that date.

**2.3.4. vPvB: very Persistent very Bioaccumulative**

Unknown at that date.

**2.3.5. POP: Persistent Organic Pollutant**

Unknown at that date.

**2.3.6. Formation of air contaminants during hardening or processing:**

Decomposition of a phenolic resin during heating.

**2.3.7. Dust explosion hazard (VDI 2263):**

Unknown at that date.

## SECTION 3: Composition / Information on ingredients

**3.1. Substance:**

### 3.2. Mixture:

#### 3.2.1. Non hazardous components

Component	CAS N° / EC N°	Weight %
Silicon carbide - REACH Nr. 01-2119402892-42	CAS : 409-21-2 Einecs : 206-991-8	>=25 <50
Alpha-quartz - REACH: Substance exempted in accordance with Annex V.7	CAS : 14808-60-7 Einecs : 238-878-4	>=10 <25
Graphite - REACH Nr. 01-2119486977-12	CAS : 7782-42-5 Einecs : 231-955-3	>=2.5 <10

#### 3.2.2. Hazardous components

Component	CAS N° / EC N°	Weight %
Ethane-1,2-diol - Nr. REACH. 01-2119456816-28	CAS : 107-21-1 Einecs : 203-473-3	<15
Acute Tox.4; H302 - STOT RE.2; H373		
Phenol - Nr. REACH. 01-2119471329-32		
Acute Tox.3; H301 - Acute Tox.3; H311 - Acute Tox.3; H331 - Muta.2; H341 - Skin Corr.1B; H314 - Eye Dam.1; H318 - STOT RE2; H373 - Aquatic Chronic 2; H411	CAS : 108-95-2 Einecs : 203-632-7	>=0.1 <0.25

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### 4.1.1. Eyes:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### 4.1.2. Skin:

Take off immediately all contaminated clothing.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

#### 4.1.3. Ingestion:

Due to the physical form of the product, ingestion is considered an unlikely route of entry.  
If swallowed, rinse mouth with water (only if the person is conscious).

If swallowed, drink copious amount of water (at least 0,5 liter), provided fresh air and seek medical advice immediately.

#### 4.1.4. Inhalation:

If there is a sensation of nausea or dizziness, remove to fresh air and seek medical attention.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

#### 5.1.1. Suitable fire-fighting methods :

In case of fire use water based extinguishers or hosepipe.

In the event of larger fires, use carbon dioxide foam type fire extinguishers.

#### 5.1.2. Unsuitable extinguishing media:

Non relevant.

### 5.2. Special hazards arising from the substance or mixture

In standard storage conditions, non-combustible, non-explosive and non-flammable.

#### 5.2.1. Hazardous decomposition products

CO, CO<sub>2</sub>

Phenol

### 5.3. Advice for firefighters

#### 5.3.1. Personal precautions:

Personal precautions : see Section 8.

Fire fighter clothing according to European standard EN469.  
Personal precautions : wear Self-Contained Breathing Apparatus (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### 6.1.1.1. Protective equipment:

Personal precautions : see Section 8.

##### 6.1.1.2. Emergency procedures

Avoid breathing vapour and contact with skin and eyes. Wear recommended personal protective equipment.

#### 6.1.2. For emergency responders

Avoid breathing vapour and contact with skin and eyes. Wear recommended personal protective equipment.

#### 6.2. Environmental precautions

Prevent access to water table, running or stagnant water, or drains.

#### 6.3. Methods and material for containment and cleaning up

##### 6.3.1. Appropriate containment techniques may include any of the following:

###### 6.3.1. - (a) bunding, covering of drains;

Non relevant.

###### 6.3.1. - (b) capping procedures.

Non relevant.

##### 6.3.2. Appropriate advices on how to clean-up a spill. Appropriate clean-up procedures may include any of the following:

###### 6.3.2. - (a) neutralisation techniques;

Non relevant.

###### 6.3.2. - (b) decontamination techniques;

Non relevant.

###### 6.3.2. - (c) adsorbent materials;

Non relevant.

###### 6.3.2. - (d) cleaning techniques;

Remove spilt material with shovel.

Sweep spilled substance; eliminate waste water in accordance with regulation

###### 6.3.2. - (e) vacuuming techniques;

Remove by vacuum cleaner or mechanical means.

##### 6.3.2. - (f) equipment required for containment/clean-up (include the use of non-sparking tools and equipment where applicable).

Collect the spillage in closable, corrosion resistant, suitable disposal containers.

#### 6.3.3. Other information relating to spills and releases:

##### 6.3.3.1. Non allowed techniques:

Non relevant.

#### 6.4. Reference to other sections

#### 6.4.1. References:

Personal precautions : see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling:

#### 7.1.1. Protective measures:

##### 7.1.1.- (a) Measures to prevent fire:

Non relevant.

##### 7.1.1.- (b) Measures to prevent aerosol and dust generation:

Avoid breathing vapour and contact with skin and eyes. Wear recommended personal protective equipment.

### 7.1.1.- (c) Measures to protect environment:

Prevent access to water table, running or stagnant water, or drains.

### 7.1.2. Advice on general occupational hygiene:

When using do not eat, drink or smoke.

### 7.2. Conditions for safe storage, including any incompatibilities:

#### 7.2.1. Technical measures and storage conditions:

Keep only in the original container at a temperature not exceeding 40°C.

Stacking height: up to 2 pallets maximum.

#### 7.2.2. Recommended packing:

Plastic sacks

Plastic drums.

Plastic shrink or cling film.

Wooden pallet with shrink film.

#### 7.2.3. Requirements for storage rooms and vessels:

Store away from direct source of heat to avoid product damage.

Do not store outside.

#### 7.2.4. Storage class (national):

Unknown at that date.

#### 7.2.5. Further information on storage conditions:

Keep only in the original container at a temperature not exceeding 40°C.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Substance	CAS N° / EC N°	L.T.E - 8 hr TWA mg/m3
Silicon carbide - REACH Nr. 01-2119402892-42	CAS : 409-21-2 Einecs : 206-991-8	1.5
Alpha-quartz - REACH: Substance exempted in accordance with Annex V.7	CAS : 14808-60-7 Einecs : 238-878-4	0.1
Graphite - REACH Nr. 01-2119486977-12	CAS : 7782-42-5 Einecs : 231-955-3	1.5
Ethane-1,2-diol - Nr. REACH. 01-2119456816-28 Acute Tox.4; H302 - STOT RE.2; H373	CAS : 107-21-1 Einecs : 203-473-3	10
Phenol - Nr. REACH. 01-2119471329-32 Acute Tox.3; H301 - Acute Tox.3; H311 - Acute Tox.3; H331 - Muta.2; H341 - Skin Corr.1B; H314 - Eye Dam.1; H318 - STOT RE2; H373 - Aquatic Chronic 2; H411	CAS : 108-95-2 Einecs : 203-632-7	4

### 8.2. Exposure Controls:

The chart above mentionnes the lowest exposure limit values known in the EU for each substance.

All the values indicated in the chart above are available in the (Worldwide) GESTIS database:  
<http://limitvalue.ifa.dguv.de/>

The product is delivered as wet, so is not relevant to respirable dust.

#### 8.2.0. DNEL (Derived no effect level)

Acronyms used in the following sentences.

AAA = DNEL Long Term exposure - Chronic effect - Local

ROEX = Route of Exposure

INH = Inhalation dose in mg/m<sup>3</sup>

DERM = Dermal exposition in mg/kg bodyweight

#### 8.2.0.1. Substance:

Ethane-1 ,2-diol - CAS Nr.107-21-1 - EINECS Nr.203-473-3 - AAA - ROEX; DERM = 106 - AAA -  
ROEX; INH = 35

#### 8.2.1. Appropriate engineering controls

Non relevant.

#### 8.2.2. Individual protection measures, such as personal protective equipment

**8.2.2.1. Good occupational hygiene practices**

For details about the following HS personal devices, please see the annex dedicated to.  
(Section .17)

**8.2.2.2. Personal Protective Equipment****8.2.2.2. (a) Eye/face protection**

Wear safety glasses with lateral protection (166 rev. S4KN2)

**8.2.2.2. (b) Skin protection**

Standard industrial clothing is suitable for installations at ambient temperatures (ISO 6942)  
Do not shake the working clothes. Do not remove dust with compressed air.

**8.2.2.2. (c) Hands:**

Wear leather security gloves (EN 388-2003).

**8.2.2.2. (d) Respiratory protection**

The product is delivered as wet, so is not relevant to respirable dust.  
Consult the local regulation.

**8.2.3. Environmental exposure controls**

Prevent access to water table, running or stagnant water, or drains during installation or during washing the tools used for installation.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Name of the characteristic	Value
<b>Appearance:</b>	Wet mixture of aggregates and fine powders
<b>Color:</b>	Black
<b>Odour:</b>	Typical phenolic resin odour: Weak
<b>Melting point</b>	> 1650 °C
<b>Packing Density (g/cm<sup>3</sup>) :</b>	Non relevant.
<b>Vapour density:</b>	Non relevant.
<b>pH:</b>	Unable to determine.
<b>Segregation:</b>	Non relevant.
<b>Boiling point:</b>	Non relevant.

<b>Flash point:</b>	Non relevant.
<b>Inflammability:</b>	No.
<b>Explosive properties:</b>	No.
<b>Combustive properties:</b>	No.
<b>Solubility solvent:</b>	No.
<b>Partition coefficient n-octanol/water:</b>	Non relevant.
<b>Viscosity:</b>	Non relevant.
<b>Hydrosolubility:</b>	Lower than 2,5%

**9.2. Other informations:**

All non relevant data are linked to the nature of our products - mineral mixtures.

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

Yes, during first heating of the product

**10.2. Chemical stability**

Chemically stable refractory product

**10.3. Possibility of hazardous reactions**

Chemically stable refractory product

No hazards to our knowledge

**10.4. Conditions to avoid**

No hazards to our knowledge

Chemically stable refractory product

**10.5. Incompatible materials**

No hazards to our knowledge

Chemically stable refractory product

**10.6. Hazardous decomposition products**

CO, CO2

Phenol

## SECTION 11: Toxicological information

Substance	CAS N° / EC N°
Ethane-1,2-diol - Nr. REACH. 01-2119456816-28	CAS : 107-21-1
Acute Tox.4; H302 - STOT RE.2; H373	Einecs : 203-473-3
Phenol - Nr. REACH. 01-2119471329-32	
Acute Tox.3; H301 - Acute Tox.3; H311 - Acute Tox.3; H331 - Muta.2; H341 - Skin Corr.1B; H314 - Eye Dam.1; H318 - STOT RE2; H373 - Aquatic Chronic 2; H411	CAS : 108-95-2 Einecs : 203-632-7

**11.1. Information on toxicological effects.****11.1.1. Substances.**

Non relevant.

**11.1.1.1. The relevant hazard classes for which information shall be provided, are:**

Non relevant.

**11.1.2.1. The relevant effects classes for which information shall be provided, are:****11.1.2.1. - (a) acute toxicity:**

Non relevant.

**11.1.2.1. - (b) skin corrosion/irritation:**

Non relevant.

**11.1.2.1. - (c) serious eye damage/irritation:**

Non relevant.

**11.1.2.1. - (d) respiratory or skin sensitisation:**

Non relevant.

**11.1.2.1. - (e) germ cell mutagenicity:**

Non relevant.

**11.1.2.1. - (f) carcinogenicity:**

Non relevant.

**11.1.2.1. - (g) reproductive toxicity:**

Non relevant.

**11.1.2.1. - (h) STOT-single exposure:**

Non relevant.

**11.1.2.1. - (i) STOT - repeated exposure:**

Specific Target Organ Toxicity - Repeated exposure, hazard category 2

**11.1.2.1. - (j) aspiration hazard:**

Non relevant.

**11.1.2.2.1. GHS: Germ cell mutagenicity - Carcinogenicity - Reproductive toxicity**

Non relevant.

**11.1.2.3. Other health effects of the mixture.**

The mixture wasn't tested as whole, read the information given for the substances used.

## SECTION 12: Ecological information

**12.1. Toxicity**

The following points are theoretical conclusions:

**12.1.1. Air:**

Non relevant.

**12.1.2. Water:**

Prevent access to water table, running or stagnant water, or drains.

**12.1.2.0 Toxicity linked to fishes, Daphnia, Other aquatic invertebrates, Bacteria, Algae:**

Acronyms used in the following sentences.

TTA EC50 = Toxicity to algae EC50

TOFWF LC 50 = Toxicity on fish [Freshwater] LC50 (96 h)

**12.1.2.1 Substance:**

Ethane-1 ,2-diol - CAS Nr.107-21-1 - EINECS Nr.203-473-3 - TTA EC 50 [> 100 mg/l; 48 h - Water flea: Daphnia Magna] - TOFWF LC 50 = [freshwater fish: Pimephales promelas : 72 860 mg/l; 96 h]

**12.1.2.2 PNEC : Predicted No-Effect Concentration**

Acronyms used in the following sentences.

PNEC FW = PNEC Freshwater

PNEC SW = PNEC Seawater

**12.1.2.3. Substance:**

Ethane-1 ,2-diol - CAS Nr.107-21-1 - EINECS Nr.203-473-3 - PNEC FW : 10 mg/l - PNEC SW : 1 mg/l

**12.1.3. Soil :**

cf: 12.1.2.3.

Unknown at that date.

**12.1.4. Flora:**

Unknown at that date.

**12.1.5. Fauna:**

Unknown at that date.

**12.1.6. Bee:**

Non relevant.

**12.2. Persistence and degradability**

Unknown at that date.

**12.3. Bioaccumulative potential**

Non relevant.

**12.4. Mobility in soil**

Non relevant.

**12.5. Results of PBT and vPvB assessment**

Non relevant.

**12.6. Other adverse effects**

Unknown at that date.

However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment;

## SECTION 13: Disposal considerations

**13.0. DIRECTIVE 2008/98/EC ON INDUSTRIAL WASTE. - Basel Convention on the Control of Transboundary**

**Movements of Hazardous Wastes and their Disposal - UNEP****13.1. WASTE TREATMENT METHODS**

Please consult local regulations and statutory European Union provisions  
Dispose of substance in suitable containers in accordance with local, regional, national or international regulation. Do not dispose in waterways.  
Offer surplus to a licensed disposal company.  
Do not flush into drains or surface water

**13.1.1. DISPOSAL OPERATIONS**

- D 3 Deep injection (e.g. injection of pumpable discards into wells, salt domes or naturally occurring repositories, etc.)
- D 5 Specially engineered landfill (e.g. placement into lined discrete cells which are capped and isolated from one another and the environment, etc.)
- D 9 Physico-chemical treatment not specified elsewhere in this Annex which results in final compounds or mixtures which are discarded by means of any of the operations numbered D 1 to D 12 (e.g. evaporation, drying, calcination, etc.)

**13.1.2. RECOVERY OPERATIONS**

Unknown at that date.

**13.1.3. PROPERTIES OF WASTE WHICH RENDER IT HAZARDOUS**

H 5 (Harmful): substances and preparations which, if they are inhaled or ingested or if they penetrate the skin, may involve limited health risks.

**13.2. POTENTIAL DANGER FROM THE WASTE:**

Unknown at that date.  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Before destruction and disposal of the refractory lining, customers are advised to evaluate any changes to the product that may be induced by the introduction of substances, or operating conditions outside the control of the Vendor

**13.3. EUROPEAN LIST OF HAZARDOUS WASTES (2000/532/EC)**

- As this product can be used in multiple industries, all categories are potentially valid.
- 10 02 : Wastes from the iron and steel industry
  - 10 02 06 : Spent linings and refractories
  - 10 03 : Wastes from aluminium thermal metallurgy
  - 10 03 99 : Wastes not otherwise specified
  - 10 04 : Wastes from lead thermal metallurgy
  - 10 04 08 : Spent linings and refractories
  - 10 05 : Wastes from zinc thermal metallurgy
  - 10 05 07 : Spent linings and refractories
  - 10 06 : Wastes from copper thermal metallurgy
  - 10 06 08 : Spent linings and refractories
  - 10 07 : Wastes from silver, gold and platinum thermal metallurgy
  - 10 07 06 : Spent linings and refractories
  - 10 08 : Wastes from other non-ferrous thermal metallurgy
  - 10 08 07 : Spent linings and refractories
  - 10 09 : Wastes from casting of ferrous pieces
  - 10 09 99 : Wastes not otherwise specified
  - 10 10 : Wastes from casting of non-ferrous pieces
  - 10 10 99 : Wastes not otherwise specified
  - 10 11 : Wastes from manufacture of glass and glass products
  - 10 11 08 : Spent linings and refractories
  - 10 12 : Wastes from manufacture of ceramic goods, bricks, tiles and construction products
  - 10 12 07 : Spent linings and refractories
  - 10 13 : Wastes from manufacture of cement, lime and plaster and articles and products made from them
  - 10 13 08 : Spent linings and refractories

**SECTION 14: Transport information****ADR/RID/ADN class:**

Non relevant to the UN classification on dangerous goods.

**ICAO-TI / IATA-DGR class:**

Non relevant to the UN classification on dangerous goods.

**IMDG (marine) class:**

Non relevant to the IMDG classification on dangerous goods.

**14.1. UN number**

Non relevant.

**14.2. UN proper shipping name**

Non relevant.

**14.3. Transport hazard class(es)**

Non relevant to the UN classification on dangerous goods.

**14.4. Packing group:**

Non relevant.

**14.5. Environmental hazards:**

Unknown at that date.

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.2. Regulation 1907/2006/EC on REACH regulation.**

The classification of this product has been established according to this regulation.

**15.1.3. Regulation 1272/2008/EC on the GHS/CLP, including the EC 605/2014 (6th ATP)**

The classification of this product has been established according to this regulation.

**15.1.4. Regulation 2015/830/EC amending Regulation (EC) No 453/2010**

This SDS has been created according to this regulation.

**15.1.6. Directive 2006/8/EC on CMR and hazardous substances for environment.**

Contains a substance classified as CMR but not placed in the ECHA candidate list (Annex XIV) :

Phenol (CAS Nr.108-95-2)

This product does not meet the criteria for classification in that directive.

**15.1.7. Directive 94/9/EC on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX 95)**

This product does not meet the criteria for classification in that directive.

**15.1.8. Directive 1999/92/EC on minimum requirements for improving the safety and health protection of workers potentially at risk from explosive atmospheres (ATEX 137)**

This product does not meet the criteria for classification in that directive.

**15.1.9. Decision No 2455/2001/EC on the list of priority substances in the field of water policy.**

This product does not meet the criteria for classification in that directive.

**15.1.10. MONTREAL Protocol on Substances That Deplete the Ozone Layer (7th revision)**

This product does not meet the criteria for classification in that protocol: Mixture of inert minerals.

**15.1.11. IBC: Institutional Biosafety Committee**

This product does not meet the criteria for any biosafety classification.

**15.1.12. MARPOL 73/78 (the International Convention for the Prevention of Pollution from Ships)**

This product does not meet the criteria for classification in that directive.

**15.1.13. STOCKHOLM convention on persistent organic pollutants (POPs)**

This product does not meet the criteria for classification in that directive.

**15.1.14. ROTTERDAM Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.**

This product does not meet the criteria for classification in that directive.

**15.1.15. Directive 96/29 EURATOM :**

This product does not meet the criteria for classification in that directive.

**15.2. Chemical Safety Assessment**

No Chemical Safety Assessment has been completed for this product

This product doesn't require a Chemical Safety Assessment.

**15.3. Occupational illness**

Commission Recommendation of 19 September 2003 concerning the European schedule of occupational diseases (Text with EEA relevance) (notified under document number C(2003) 3297)

**15.3.1. Diseases caused by the following chemical agents:**

Non relevant.

**15.3.2. Diseases caused by the following chemical agents:****- - - .201. Skin diseases and skin cancers caused by:**

Non relevant.

**- - - .301. Diseases caused by the inhalation of substances and agents not included under other headings****- - - .301. Diseases of the respiratory system and cancers**

Non relevant.

**15.5. Other national relevant Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**15.5.- (a) TA Air/TA Luft (German Technical Instructions on Air Quality Control)**

This product does not meet the criteria for classification in that directive.

Contains: Phenol ; CAS Nr. 108-95-2 - Mutagenic Substances 5.2.7.1.2

**15.5.- (b) WgK: German Water hazard class (from the Administrative Regulation on substances hazardous to water - assessment):**

The product, (according to German regulation) is classified as (in the sense of 17.05.1999):

WGK 1: slightly hazardous to water (self-classification)

**15.5.- (c) Technical rules for dangerous substances (Technische Regeln für Gefahrstoffe)**

Non relevant.

**15.5.- (d) Nomenclature of classified installations for environmental protection.**

Non relevant.

**15.5.- (e) list of carcinogens, mutagens and reproductive toxins SZW (Dutch Regulation)**

This product does not meet the criteria for classification in that directive.

**15.5.- (f) The General Water Assessment methodology (ABM) - Dutch Regulation**

Non relevant.

**15.5.- (g) The Dutch Emissions Directive (NeR) - Dutch Regulation**

Non relevant.

**15.5.- (h) Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal - UNEP**

This Convention is applied in the points 13.1.1, 13.1.2. and 13.1.3.

## SECTION 16: Other information

**16.0. Additionnal safety information:**

As announced in the Sub-section 2.1.3. find below the full text of the Hazard statement phrases (H - EUH) and Precautionary statement phrases (P) from GHS phrases indicated.

**16.1. GHS Pictograms**

**16.1.1. Symbol(s) in black/white or colour according to the Regulation:**

(EC) No 1272/2008 [CLP/GHS]



**16.1.2. Labelling according to the Regulation:**

(EC) No 1272/2008 [CLP/GHS]  
STOT RE 2; H373

**16.1.3. Classification according to Regulation:**

(EC) No 1272/2008 [CLP/GHS]  
STOT RE 2 - Specific Target Organ Toxicity - Repeated exposure, hazard category 2; H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

**16.1.4. Signal word:**

Danger

**16.1.5. GHS Hazard statement phrases (H) (linked to the product)**

H373: May cause damage to organs through prolonged or repeated exposure if swallowed.

**16.1.6. GHS Hazard statement phrases (H, EUH), linked to the product's retained substances, even if not relevant for the final classification:**

H302: Harmful if swallowed.

**16.2. GHS Precautionary statement phrases (P)**

P260: Do not breathe dust, fumes and vapours.

P270: Do no eat, drink or smoke when using this product.

P280: Wear protective gloves, protective clothing, eye protection and a face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/containers in accordance with local regulation

**16.3. Hazardous substances present, below GHS classification limits:**

Phenol - (CAS Nr. 108-95-2)

**16.4. GHS/CLP Hazard statement phrases (H - EUH): (linked to the substances cited in the point 16.3)**

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H331: Toxic if inhaled.



# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

- H341: Suspected of causing genetic defects in contact with skin.  
H341: Suspected of causing genetic defects if inhaled.  
H341: Suspected of causing genetic defects if swallowed.  
H373: May cause damage to organs through prolonged or repeated exposure in contact with skin.  
H373: May cause damage to lungs through prolonged or repeated exposure if inhaled.  
H373: May cause damage to organs through prolonged or repeated exposure if swallowed.  
H411: Toxic to aquatic life with long lasting effects.

### 16.5. Training:

Non relevant.

### 16.6. Other informations :

This safety data sheet (SDS) has been compiled according to Directive 453/2010/CE  
The limits shown are from annex VI of the GHS as of 07/10/2012

### 16.7. Local contact for your country:

Australia: Jim Matthews - 2 Charcoal Close Unanderra NSW 2526 Australia - Phone: (02) 4271 0800 or 0434 745 006 - Fax: (02) 4272 2543 - jim.matthews@calderys.com  
South-Africa: Robert Snelling - 6 Kariba Street, Vereeniging - Phone: +27(0)164406400 - Mail: robert.snelling@calderys.com  
U.K: J-P.Targe - Tel +33 (0)4.74.99.99.64 - Fax+33 (0)4.74.99.99.56 : CALDERYS France - Research Centre - 17, rue de Copenague - F-38070 Saint Quentin Fallavier  
USA: Mr. Fielding Clover - Calderys USA, Inc. - 917 Francis Street West - Jacksonville, Alabama 36265 - P.O. Box 909 - Emergency Telephone Number: 256-435-9342

### SDS status :

Modifier	JP Targe	Modification Date : 20/09/2017
----------	----------	--------------------------------

### Modification:

New

As the Directive 1999/45 / EC [DPD] is obsolete now, this Safety Data Sheet does not contain anymore information related to the old system. All data information are now related only to Regulation (EC) No. 1272/2008 [CLP / GHS], Regulation (EU) No 453/2010 and to the Commission Regulation (EU) 2015/830 (28th of May 2015) on compilation of e-SDS. Therefore, all sections and sub-sections have been modified.

### Acronyms and abbreviations used:

AAA = DNEL Long Term exposure - Chronic effect - Local  
ADR: European regulation on transport of dangerous goods by road.  
AOEL: Acceptable Operator Exposure Level  
AOX: Adsorbable Organic Halogen  
BBB = DNEL Long Term exposure - Acute effect - Local  
BCF: Bioconcentration factor  
BOD: Biochemical Oxygen Demand (BOD)  
CAS: Chemical Abstracts Service  
CCC = DNEL Short Term exposure - Chronic effect - Local  
CLP : Classification, Labelling and Packaging of chemicals  
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
COD: Chemical Oxygen Demand.  
CSA : Chemical Safety Assessment  
CSR : Chemical Safety Report  
DDD = DNEL Short Term exposure - Acute effect - Local  
DNEL : Derived No-Effect Level  
EC: Ecotoxicity  
EC50: Half maximal effective concentration  
ECHA : European Chemical Agency  
EINECS: European Inventory of Existing Commercial Chemical Substance.  
ES : Exposure Scenario  
eSDS : extended Safety Data Sheet  
GefStoffV: German regulation on hazardous substances.  
GHS : Global Harmonized System of classification and labelling of chemicals  
GHS/CLP: Globally Harmonized System of Classification, Labelling and Packaging of chemicals  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the International Air Transport Association  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instruction by the International Air Transport Association  
IMDG: International Maritime code for Dangerous Goods.  
JAP-ISHA-C.O.Nr. = Japanese Industrial Safety and Health Act - Cabinet Order Nr.  
JAP-PDSA-C.O.Nr. = Japanese Poisonous and Deleterious Substances Control Act - Cabinet Order Nr.

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

JAP-PRTR-C.O.Nr. = Japanese Pollutant Release and Transfer Register - Cabinet Order Nr.  
LC50: Lethal Concentration, 50%.  
LD50: Lethal Dose, 50%.  
LOAEL: Lowest observed adverse effect level  
MFSU: Manufacture, Formulation, Supply and Use  
NEC: No effect concentration  
NOEC: No Observed Effect Concentration  
N.O.S. : Not Otherwise Specified  
NLP : No-Longer Polymers  
OECD: Organisation for Economic Co-operation and Development  
PAH: Polycyclic Aromatic Hydrocarbon.  
PBT : Persistent, Bioaccumulative and Toxic  
PEC : Predicted Environmental Concentration  
PNEC : Predicted No-Effect Concentration  
PNEC Co = PNEC Coral  
PNEC FW = PNEC Freshwater  
PNEC Sd = PNEC Sediment  
PNEC So = PNEC Soil  
PNEC SW = PNEC Seawater  
PNEC WIR = PNEC Water intermittent release  
POP: Persistent Organic Pollutant  
CSFF: Crystalline Silica Fine Fraction (according to the standard EN 481)  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemical substances  
RID: International regulation on transport of dangerous goods by railway.  
RIP : REACH Implementation Project  
RMM : Risk Management Measure  
ROEX = Route of Exposure  
SVHC : Substance of Very High Concern  
TDOAI EC50 = Toxicity to daphnia and other aquatic invertebrates (EC50)  
TDOAI NOEC = Toxicity to daphnia and other aquatic invertebrates NOEC  
TGD : Technical Guidance Document  
ThOD: Theoretical Oxygen Demand  
TOF LC50 = Toxicity on fish LC50  
TOF NOEC = Toxicity on fish NOEC  
TTA EC10 = Toxicity to algae EC10  
TTA EC50 = Toxicity to algae EC50  
TTA NOEC = Toxicity to algae NOEC  
TTB ECO = Toxicity to Bacteria (ECO)  
TTB NOEC = Toxicity to Bacteria NOEC  
UVCB : Substances of Unknown Variable composition, complex reaction products or Biological materials  
vPvB: very Persistent very Bioaccumulative

### 17. Annexes:

Attached annex : Medical toxicology units  
Attached annex: HS Devices - Personal protection  
Attached annex: ECHA, Guidance R.12 - Standard Use descriptors.

**Annex: MEDICAL TOXICOLOGY UNITS****Australia:**

1- South Australian Poisons Information Centre Women's and Children's Hospital,  
72 King William Road North Adelaide SA 5006 - Tel: +61 82 04 72 22 - Fax: +61 82 04 60 49  
2 - Canberra A.C.T. Poisons Information Service, Woden Valley Hospital, Garran, Yamba Drive -  
Tel: +61 62443333 / +61 62852852 - Fax: +61 6244 3334

**Belgique:**

Brussels / Bruxelles : Centre Anti-Poisons/Antigifcentrum, Hôpital Militaire Reine Astrid, Rue Bruyn,  
Brussels B -1120 - Emergency telephone: +32 70 245 245 - Fax: +32 2 264 9646

**Brazil:**

Centro de Informacao Toxicologica, Rua Domingos Cresencio, 132/8 andar CEP 90650-090  
Porto Alegre-RS - Tel: +55 51-223-6110 - Fax: +55 51 2299067

**Bulgaria - България**

Национална Токсикологична информационен център, Институт за спешна медицинска  
"Пирогов", 21 Totleben Boulevard, 1606 София - Телефон за спешни случаи: +359 2 9154 409

**Croatia - Hrvatska**

Otrovi Kontrolni centar, Institut za medicinska istraživanja i medicinu rada, Ksaverska cesta 2,  
PP Box 291, HR-10000 Zagreb - Hitna Telefon: +385 1 234 8342

**Czech Republic - česká republika**

Toxikologické informační středisko, Klinika pro pracovní lékařství, 1. lékařská fakulta Univerzity Karlovy  
Na Bojišti 1, 128 00 Praha 2 - Nouzové telefonní číslo: +42 2 2491 9293  
nebo +42 2 2491 5402 - Fax: +42 2 2491 4570

**Denmark:**

Giftinformationscentralen - Bispebjerg Hospital, Bispebjerg Bakke 23, 60, 1, DK-2400 København NV -  
Nødtelefon, offentlige: +45 82 12 12 12

**España:**

Servicio Nacional de Toxicología, c/Luis Cabrera, 9 – 28002 Madrid, Tel: +34 915 62 04 20  
Unitat de Toxicologia Clinica, Servicio de Urgencias, Hospital Clinic I Provincial de Barcelona,  
C/Villarroel, 170 , E-08036 Barcelona - Telèfon d'urgències: +34 93 227 98 33 or +34 93 227 54 00

**Finland - SUOMI**

Myrkytystietokeskuksen P.O.B 790 (Tukholmankatu 17), SF - 00029 HUS, Helsinki -  
Puhelin: +358 9 471 977, Fax: +358 9 4717 47 02

**France:**

système ORFILA, tél: 33 (0)1.45.42.59.59 (24h/24h)

**Germany - DEUTSCHLAND**

Giftnotruf Berlin, Berliner Betrieb für Zentrale Gesundheitliche Aufgaben, Institut für Toxikologie,  
Oranienburger Straße 285, 13437 Berlin - Notrufnummer: +49 30 19240

**Greece - ΕΛΛΑΣ, Αθήνα Αθηνών:**

Noσοκομείο Παίδων "Αγλαΐα Κυριακού" - 11527 Αθήνα - Τηλ: +30 1 779 3777 - Fax: +30 1748 6114

**Hungary - Magyarország**

Egészségügyi Toxikológiai Tájékoztató Szolgálat - 1097 Budapest, Nagyvárad tér 2.  
Telefon: +36 80 20 11 99, Fax: +36 1 476 1138

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

**India:**

Poison Information Centre National Institute of Occupational Health Meghani Nagar, Ahmedabad - India 320016 - Tel: +91-272-867351 - Fax: +91-272-866630

**Italia:**

Roma : Centro Antiveleni, Dipartimento di Tossicologia Clinica, Universita Cattolica del Sacro Cuore, Largo Agostino Gemelli 8, I-00168 Roma - Telefono di emergenza: +39 06 305 4343

**Nederland:**

Rijkinstuut voor Volksgezondheid, Antonie van Leeuwenhoeklaan 9, 3720BA Bilthoven  
Tel: +31 302 541 5 11 – Fax: +31 302 748 888

**Norway - NORGE**

Gift Informasjon, Direktoratet for Sosial-og helsedirektoratet, P.O. Box 7000, St. Olavs Plass, 0130 Oslo - Emergency telefon: +47 22 591300

**Osterreich: Vergiftungsinformationszentrale**

Stubenring 6, 1010 Wien - Notruf: +43 1 406 43 43 - Informationen & Anfragen: + 43 1 406 68 98 11

**Poland - Polska:**

Warszawa, Poison Control Warszawie i Centrum Informacji, Szpital Praski, Al. Solidarności 67, P-03 401 Warszawa  
Telefon alarmowy: +48 22 619 66 54, +48 22 619 08 97

**Romania:**

S.O.S Vitan Birzesti 9, Sector 4, 75889 Bucureşti - Tel: +401 6 34 38 90 135 – Fax: +401 3 21 02 60  
Departamentul de Toxicologie Clinică, Spitalul de Urgenta Floreasca, Calea Floreasca, Bucureşti  
De telefon de urgență: +40 21 230 8000

**RSA - South-Africa**

Poison Information Centre, University of Cape Town, Department of Paediatrics and Child Health,  
Red Cross War Memorial Children's Hospital, Klipfontein Road, Rondesbosch, Cape 7700,  
South Africa - Tel: +27 21 658 5308 - Fax: +27 21 689 1287

**Russia - Российская Федерация:**

МЧС России - Центральный офис: 109012 Г.МОСКВА, ТЕАТРАЛЬНЫЙ ПР.,3 -  
Телефон: (495) 449-99-99 или 122 (мобильный телефон) - Сайт: <http://www.mchs.gov.ru>  
Исследования и прикладной токсикологии Центра (РАТЦ) Федерального медико-  
биологического агентства, 3 Большая Сухаревская площадь, Блок 7, Москва 129090 -  
Телефон экстренной связи: +7 495 628 16 87 (только на русском)

**Slovenská republika:**

Národné toxikologické informačné centrum SR :  
24 – hodinová konzultačná služba pri akútnej intoxikáciách: +421 2 5477 4166  
Univerzitná Nemocnica Bratislava, Limbová 5, 833 05 Bratislava - e-mail: [ntic@ntic.sk](mailto:ntic@ntic.sk)  
Tel: +421 2 5465 2307, Fax.: +421 2 5477 4605, Mobil: +421 911 166 066,

**Sweden - SVERIGE**

Svenska Giftinformationscentralen, Karolinska sjukhuset, SE-171 76 Stockholm - Telefonnummer för  
nödsituationer: +46 8 33 12 31 (International) 112 (Nationella)

**Turkey - Türkiye**

Toksikoloji Anabilim Dalı ve Zehir Merkezi, Refik Saydam Hıfzıssıhha Merkez Araştırma  
Enstitüsü  
Cemal Gürsel Cad yok. 18, Sıhhiye, Ankara 06100 - Acil telefon numarası: 0 800 314 7900  
(Türkiye), veya +90 0312 433 70 01 - Faks: +90 0312 433 70 00



**SAFETY DATA SHEET**  
**CALDE® INJECT G S 55**

Version: 20  
MGN60002

**United Kingdom:**

The UK National Poisons Emergency number is 0870 600 6266

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

ROUTE OF EXPOSURE			
EYES	SKIN	HANDS	INHALATION
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask FFP3
DEDICATED USAGE: Non labelled, cast, hydraulic bonded products, cold conditions.			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes ISO6942	Gloves 407 - 2122	Mask FFP3
DEDICATED USAGE: Non labelled, cast, hydraulic bonded products, hot conditions.			
Face shield 166 rev, <b>F4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask FFP3
DEDICATED USAGE: Non labelled, gunned, hydraulic bonded products, cold conditions.			
Face shield 166 rev, <b>F4KN2</b>	Clothes ISO6942	Gloves 407 - 2122	Mask FFP3
DEDICATED USAGE: Non labelled, gunned, hydraulic bonded products, hot conditions.			
Face shield 166 rev, <b>F4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask FFP3
DEDICATED USAGE: Non labelled chemical bonded gunning mixes, cold installation			
Face shield 166 rev, <b>F4KN2</b>	Clothes ISO6942	Gloves 407 - 2122	Mask FFP3
DEDICATED USAGE: Non labelled chemical bonded gunning mixes, hot installation			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask FFP3
DEDICATED USAGE: Labelled hydraulic bonded products, cold installation			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes ISO6942	Gloves 407 - 2122	EN 141:2000
DEDICATED USAGE: Labelled hydraulic bonded products, hot installation			
Face shield 166 rev, <b>F4KN2</b>	Clothes ISO6529-463	Gloves 3121 - 1994	Mask Local rules
DEDICATED USAGE: Phosphate bonded products			
Face shield 166 rev, <b>F4KN2</b>	Clothes ISO17491-3	Gloves 3121 - 1994	Mask Local rules
DEDICATED USAGE: Sodium silicate bonded products			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask EN 141:2000
DEDICATED USAGE: Labelled dry mixes			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask FFP3
DEDICATED USAGE: Non labelled dry mixes			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask Local rules
DEDICATED USAGE: Non labelled plastics or ramming mixes			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask FFP3
DEDICATED USAGE: Resin bonded products, cold installation.			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes ISO6942	Gloves 407 - 2122	Mask EN 141:2000
DEDICATED USAGE: Resin bonded products, hot installation			
Glasses with lateral protection 166 rev, <b>S4KN2</b>	Clothes 340 rev	Gloves 388 - 3111	Mask Local rules
DEDICATED USAGE: Non labelled cement, patched, sprayed or trowelled products			

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

### **CALDERYS table for Standard Use prescriptors**

	Standard Use by Refractory producer	DEFINITION	Comments and explanations	CALDERYS examples	Standard Use by Refractory user	Definition, Comments or Examples
<b>Sector of use</b>						
<b>SU a</b>	<b>SU10</b>	<i>Companies mixing and blending chemicals (formulators) to produce preparations (mixtures).</i>	Monolithics producers.		<b>SU3</b>	<i>Industrial end-users</i>
<b>SU b</b>	<b>SU13</b>	<i>Manufacture of other non-metallic mineral products, e.g. plasters, cement</i>	Monolithics producers.		<b>SU13</b>	<i>Use of refractory products at e.g. cement, glass or lime industry</i>
<b>SU c</b>					<b>SU14</b>	<i>Use of refractory products at e.g. metal industry</i>
<b>SU d</b>					<b>SU 0-1</b>	<i>Other activity related to manufacturing of chemical products</i>
<b>NACE</b>	<b>C23.2</b>	<i>Manufacturing of refractory products</i>	Monolithics producers.			
<b>Chemical Product category</b>						
<b>PC a</b>	<b>PC 10</b>	<i>Building and construction preparations not covered elsewhere</i>	Monolithics producers.		<b>PC 10</b>	<i>Building and construction preparations not covered elsewhere.</i>
<b>Process categories</b>						
<b>PROC a</b>	<b>PROC 1</b>	<i>Use in closed process, no likelihood of exposure</i>	Use of the substances in high integrity contained system where little potential exists for exposures	Plant but mainly linked to research and control labs.	<b>PROC 1</b>	<i>General terms of use at refractories. Producers and Users.</i>
<b>PROC b</b>	<b>PROC 2</b>	<i>Use in closed, continuous process with occasional controlled exposure (e.g. sampling)</i>	Continuous process not specifically aimed at minimizing emissions It is not high integrity and occasional expose will arise.	Plant but mainly linked to research and control labs.	<b>PROC 2</b>	<i>General terms of use at refractories. Producers and Users.</i>
<b>PROC c</b>	<b>PROC 3</b>	<i>Use in closed batch process (synthesis or formulation)</i>	Batch manufacture of a chemical or formulation where the predominant handling is in a contained manner, but where some opportunity for contact occurs.	Plant but mainly linked to research and control labs.	<b>PROC 3</b>	<i>General terms of use at refractories. Producers and Users.</i>
<b>PROC d</b>	<b>PROC 4</b>	<i>Use in batch and other process (synthesis) where</i>	Use in batch manufacture of a chemical where	Plant but mainly linked to research and control labs.	<b>PROC 4</b>	<i>General terms of use at refractories. Producers and Users.</i>

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

		<i>opportunity for exposure arises</i>	significant opportunity for exposure arises, and when the nature of the design is likely to result in exposure.			
<b>PROC e</b>	<b>PROC 5</b>	<i>Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact)</i>	Manufacture or formulation of chemical products or articles using technologies related to mixing and blending of solid or liquid materials, and where the process is in stages and provides the opportunity for significant contact at any stage.	Mixing minerals and/or binders.	<b>PROC 5</b>	Mixing minerals and/or binders at users's site.
<b>PROC g</b>	<b>PROC 8a</b>	<i>Transfer of substance or preparation (charging/discharging from/to vessels/large containers at non-dedicated facilities</i>	Sampling, loading, filling, transfer, dumping, bagging in nondedicated facilities. Exposure related to dust, vapour, aerosols or spillage, and cleaning of equipment to be expected.	Transport of material at refractory producer, pumping castables at customer	<b>PROC 8a</b>	Transport of material by pumping castables at customers' site.
<b>PROC h</b>	<b>PROC 9</b>	<i>Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</i>	Filling lines specifically designed to both capture vapour and aerosol emissions and minimise spillage	Sacking castables o. mortar at refractory producer		
<b>PROC i</b>	<b>PROC 13</b>	<i>Treatment of articles by dipping and pouring</i>	Treatment of articles by dipping, pouring, immersing, soaking, washing out or washing in substances; including cold formation or <b>resin type matrix</b> .	E.g. Tap-Hole clays	<b>PROC 13</b>	E.g. Tap-Hole clays
<b>PROC j</b>	<b>PROC 14</b>	<i>Production of preparations or articles by tabletting, compression, extrusion, pelletisation</i>	Extrusion!	E.g. Tap-Hole clays, plastics.		
<b>PROC k</b>	<b>PROC 19</b>	<i>Hand-mixing with intimate contact and only PPE available.</i>	Addresses occupations where intimate and intentional contact with substances occurs without any specific exposure controls other than PPE.	Producer handling material (e.g. chemical bonded mortar), e.g. during control.	<b>PROC 19</b>	Customer using material (e.g. chemical bonded mortar) at site.

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

<b>PROC I</b>	<b>PROC 21</b>	<i>Low energy manipulation of substances in form of massive metal or bound in other materials and/or articles.</i>	Manual cutting, cold rolling or assembly / disassembly of material/article, possibly resulting in the release of fibres, rubber fumes, metal fumes or dust	SR fibres or aluminium powder handling. Demolition of precast pieces.	<b>PROC 21</b>	Use and demolition of refractory material at customers' sites.
<b>PROC m</b>	<b>PROC 22</b>	<i>Potentially closed processing operations with minerals/metals at elevated temperature Industrial setting.</i>	Activities at furnaces, Exposure related to dust and fumes to be expected. Emission from direct cooling may be relevant.	E.g. Heating precast pieces.	<b>PROC 22</b>	Firing refractory material, at customers' sites.
<b>PROC n</b>	<b>PROC 23</b>	<i>Open processing and transfer operations with minerals/metals at elevated temperature.</i>	Exposure related to dust and fumes to be expected.	E.g. Heating precast pieces.	<b>PROC 23</b>	Firing refractory material, at customers' sites.
<b>PROC o</b>	<b>PROC 24</b>	<i>High (mechanical) energy work-up of massive metals or substances bound in materials and/or articles.</i>	Substantial thermal or kinetic energy applied to substance by mechanical cutting or drilling. Exposure is predominantly expected to be to dust.	Plant but mainly linked to research and control labs.	<b>PROC 24</b>	Use and demolition of refractory material at customers' sites.
<b>PROC p</b>	<b>PROC 26</b>	<i>Handling of solid inorganic substances at ambient temperature (no corresponding TRA entry).</i>	Transfer and handling of ores, concentrates, raw metal oxides and scrap; packaging, un-packaging, mixing/blending and weighing of metal powders or other minerals;	Standard monolithics process.	<b>PROC 26</b>	Handling castables at customers' sites.

### Environmental Release Categories

<b>ERC a</b>	<b>ERC 2</b>	<i>Formulation of preparations (not included into matrix).</i>	Mixing and blending of substances into preparations in all types of formulating industries.	E.g. castables formulation.	<b>ERC 1</b>	Mixing of raw materials, castables, mortars at customers' sites.
<b>ERC b</b>	<b>ERC 3</b>	<i>Formulation of preparations (inclusion into/onto matrix).</i>	Mixing or blending of substances, which will be physically or chemically bound into or onto a matrix (material) such as plastics.	E.g. Plastics formulation, mortars ...	<b>ERC 2</b>	Mixing of raw materials, castables, mortars at customers' sites.
<b>ERC d</b>	<b>ERC 5</b>	<i>Industrial use resulting in inclusion into or onto a matrix.</i>	Industrial use of substances as such or in preparations (non-processing aids), which will be physically or chemically bound into or onto a matrix (material) such as binding. The	E.g. use of reclaims such as MgO/C bricks, or Al <sub>2</sub> O <sub>3</sub> /C/SiC products.	<b>ERC 5</b>	Handling scraps at customers' sites.

# SAFETY DATA SHEET

## CALDE® INJECT G S 55

Version: 20  
MGN60002

			<p>category covers substances in articles with a particular function and <u>also substances remaining in the article after having been used as processing aid in an earlier life cycle stage.</u></p>		
<b>ERC e</b>				<b>ERC 10a</b>	<i>Wide dispersive outdoor use of long-life articles and materials with low release. Low release of substances included into or onto articles and materials during their service life.</i>
<b>ERC f</b>				<b>ERC 11a</b>	<i>Wide dispersive indoor use of long-life articles and materials with low release. Low release of substances included into or onto articles and materials during their service life.</i>

### Article categories for articles with no intended release

<b>AC a</b>	<b>AC 12-1</b>	<i>Constructional articles and building material: insulating material (without indoor flooring).</i>			<b>AC 12-1</b>	
<b>AC b</b>	<b>AC 12-2</b>	<i>Constructional articles and building material: wall construction material ceramic</i>			<b>AC 12-2</b>	<i>For consumers</i>
TARIC 3801	Artificial graphite; colloidal or semi-colloidal graphite; preparations based on graphite or other carbon in the form of pastes, blocks, plates or other semi-manufactures					
TARIC 3816	Refractory cements, mortars, concretes and similar compositions, other than products of heading 3801					
TARIC 6901	Bricks, blocks, tiles and other ceramic goods of siliceous fossil meals (for example, kieselguhr, tripolite or diatomite) or of similar siliceous earths					
TARIC 6902	Refractory bricks, blocks, tiles and similar refractory ceramic constructional goods, other than those of siliceous fossil meals or similar siliceous earths					