





This repository

[Pull requests](#) [Issues](#) [Gist](#)

 **pav2532 / SWEN262FPTS**

[Unwatch](#) 1

[★ Star](#) 0

[Fork](#) 0

Quick setup — if you’ve done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#)

We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# SWEN262FPTS" >> README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/pav2532/SWEN262FPTS.git
git push -u origin master
```

...or push an existing repository from the command line


```
git remote add origin https://github.com/pav2532/SWEN262FPTS.git
git push -u origin master
```

...or import code from another repository


You can initialize this repository with code from a Subversion, Mercurial, or TFS project.

Import code


[Code](#)


 0


[Issues](#)


 0


[Pull requests](#)

 [Wiki](#)


 [Pulse](#)

 [Graphs](#)

 [Settings](#)

 **ProTip!** Use the URL for this page when adding GitHub as a remote.

© 2015 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Contact](#) [Help](#)



[Status](#) [API](#) [Training](#) [Shop](#) [Blog](#) [About](#) [Pricing](#)

1 of 1

9/27/15, 3:18 PM