



Enterprise Case Management REST Service (Advanced)

Created by	 Ankit Jain
Category	

1. Problem Statement / Use Case

Scenario: Customer support portal needs full CRUD access to Salesforce Cases with consistent request/response formats.

2. REST Endpoints

Method	URL	Action
GET	<code>/case-management/{caseId}</code>	Retrieve
POST	<code>/case-management</code>	Create
PUT	<code>/case-management/{caseId}</code>	Full update
PATCH	<code>/case-management/{caseId}</code>	Partial update
DELETE	<code>/case-management/{caseId}</code>	Delete

3. Apex Class

<https://github.com/techjourneywithankit/Udemy-Integration-TJWA/blob/main/force->

4. All Annotations & Key Concepts

Annotation	Method	Body Parsing	Purpose
@HttpGet	GET	N/A	Retrieve data
@HttpPost	POST	Wrapper class parameter (auto-deserialized)	Create resource
@HttpPut	PUT	Wrapper class parameter (auto-deserialized)	Full update
@HttpPatch	PATCH	RestContext.request + untyped Map	Partial update
@HttpDelete	DELETE	N/A	Remove resource

Note: @HttpPost and @HttpPut accept a typed CaseRequest wrapper class directly as a method parameter — Salesforce automatically deserializes the JSON request body into it. @HttpPatch does **not** support typed method parameters; it reads from RestContext.request and uses an untyped Map<String, Object> to apply only the fields present in the request.

5. Sample Request Bodies

POST/PUT:

```
{
  "request" : {
    "subject": "Login page not loading",
    "description": "Blank screen on Chrome",
    "priority": "High",
    "origin": "Web"
  }
}
```

PATCH:

```
{
  "priority": "Critical",
  "status": "Escalated"
}
```

6. Sample Response

Success (200):

```
{
  "success": true,
  "message": "Case retrieved successfully.",
  "data": {
    "caseId": "500xx000001abcDEF",
    "caseNumber": "00001234",
    "subject": "Login page not loading",
    "status": "New",
    "priority": "High"
  }
}
```

7. Postman Testing

Test all 5 methods sequentially: POST → GET → PATCH → PUT → DELETE