



Basic Auth

Created by	 Ankit Jain
Category	

Sign Up and Get Credentials]

Before we touch Salesforce, let's get our Jira environment ready.

If you don't already have a Jira Cloud account, go to

atlassian.com/software/jira/free and sign up. You'll get a site URL like yourname.atlassian.net.

Create a project — I'm calling mine "Development" with the key "DEV." Choose any template — Scrum or Kanban, doesn't matter for our purposes.

Understanding the Jira REST API]

Let me show you the exact API call we'll be making.

To create an issue in Jira, we POST to

<https://yourname.atlassian.net/rest/api/3/issue>.

The request body is JSON with a `fields` object containing:

- `project.key` — which project the issue belongs to — for us that's "KAN"
- `summary` — the title of the issue
- `issuetype.name` — "Bug", "Task", or "Story"

- `priority.name` — "High", "Medium", "Low"

When successful, Jira returns a 201 Created response with three fields: the internal `id`, the human-readable `key` — like "DEV-42" — and a `self` URL pointing to the full issue resource.

That `key` — "DEV-42" — is the Jira issue number you see on the board. That's what we'll eventually store back on our Salesforce Case as a cross-reference.

Notice it returns 201, not 200. When a REST API creates a new resource, the HTTP standard says it should return 201 Created. Don't assume 200 for everything — always check what the specific API returns on success.

```
{
  "fields": {
    "assignee": {...},           ← optional
    "components": [...],        ← optional
    "customfield_10000": "...",  ← optional
    "customfield_20000": "...",  ← optional
    "customfield_30000": [...],  ← optional
    "customfield_40000": {...},  ← optional
    "customfield_50000": {...},  ← optional
    "description": {...},        ← optional
    "duedate": "...",            ← optional
    "environment": {...},        ← optional
    "fixVersions": [...],         ← optional
    "issuetype": {...},          ← ☒ REQUIRED
    "labels": [...],             ← optional
    "parent": {...},             ← optional
    "priority": {...},           ← optional (but we want
it)
    "project": {...},            ← ☒ REQUIRED
    "reporter": {...},           ← optional
    "security": {...},           ← optional
    "summary": "...",            ← ☒ REQUIRED
    "timetracking": {...},        ← optional
    "versions": [...],           ← optional
  }
}
```

That's 20+ fields! But only 3 are REQUIRED.

STEP 1: IDENTIFY REQUIRED FIELDS (from Jira docs)

- ✓ project – Which project? (REQUIRED)
- ✓ summary – Issue title? (REQUIRED)
- ✓ issuetype – Bug/Task/Story? (REQUIRED)

STEP 2: ADD FIELDS RELEVANT TO OUR USE CASE

Our scenario: "Case Created → Jira Issue"

What info do we WANT to send?

- ✓ priority – map Case.Priority → Jira priority

STEP 3: IGNORE EVERYTHING ELSE

- ✗ assignee – let Jira auto-assign or team picks it up
- ✗ components – not relevant to our scenario
- ✗ customfield_* – org-specific, not needed
- ✗ duedate – not mapping from Case
- ✗ environment – not relevant
- ✗ fixVersions – not relevant
- ✗ labels – not needed right now
- ✗ parent – not a subtask
- ✗ reporter – API token owner becomes reporter by default
- ✗ security – using default
- ✗ timetracking – not relevant
- ✗ versions – not relevant
- ✗ description – not relevant

RESULT: OUR MINIMAL BODY

```
{
  "fields": {
    "project": { "key": "KAN" },          ← required
    "summary": "High: Customer can't login", ← required
    "issuetype": { "name": "Task" },      ← required
    "priority": { "name": "High" },        ← we want this
  }
}
```

4 fields instead of 20+. Clean. Focused. Works perfectly.

THE RULE – Every JSON { } becomes a class.
Every JSON [] becomes a List<>.
Every key becomes a property.

```
{ } → class
[ ] → List<ClassName>
"x" → String
1   → Integer
true → Boolean
```

APEX Code For JIRA Request Class

<https://github.com/techjourneywithankit/Udemy-Integration-TJWA/blob/main/force-app/main/default/classes/JiraIssueRequest.cls>

APEX Code For JIRA Response Class

<https://github.com/techjourneywithankit/Udemy-Integration-TJWA/blob/main/force-app/main/default/classes/JiraIssueResponse.cls>

APEX Code For JIRA Service Class

<https://github.com/techjourneywithankit/Udemy-Integration-TJWA/blob/main/force-app/main/default/classes/JiraService.cls>