



OAuth 2.0 - Client Credential

Created by	 Ankit Jain
Category	

Integrate two Salesforce Orgs Using Client Credential Flow

Step 1: Create Integration User (Org B)

NAVIGATION: Setup → Users → New User

First Name:	OrgA
Last Name:	Integration
Alias:	orgaint
Email:	your-email+integration@gmail.com (use Gmail's + alias for unique email)
Username:	orga.integration@yourdomain.com (must be globally unique across ALL Salesforce)
User License:	Salesforce (in Dev Org) OR "Salesforce Integration" (if available)
Profile:	System Administrator (for learning) (In production: Minimum Access + Permission Set)

Step 2: Create Connected App (Org B)

NAVIGATION: Setup → App Manager → New Connected App

BASIC INFORMATION:

Connected App Name: OrgA Integration
API Name: OrgA_Integration
Contact Email: your-email@company.com

API (ENABLE OAUTH SETTINGS):

☒ Enable OAuth Settings

Callback URL: <https://login.salesforce.com/services/oauth2/callback>
(Required field – but NOT USED in Client Credentials flow!)

Selected OAuth Scopes:

- Add: "Manage user data via APIs (api)"
- Add: "Perform requests at any time (refresh_token, offline_access)"

☒ Enable Client Credentials Flow ← CRITICAL CHECKBOX!

→ Save

AFTER SAVING:

Message: "It takes 2-10 minutes for changes to take effect."
WAIT before testing. Changes propagate across Salesforce infra.

Step 3: Configure Policies + Run As (Org B)

STEP 3: CONFIGURE CONNECTED APP POLICIES

NAVIGATION: Setup → App Manager → Find "OrgA Integration"
→ Click dropdown (▼) → Manage

A) OAUTH POLICIES:

Permitted Users: "Admin approved users are pre-authorized"
(change from "All users may self-authorize")

→ Save

B) CLIENT CREDENTIALS FLOW SECTION:

Run As: OrgA Integration
(select the Integration User from Step 1!)

→ Save

C) ASSIGN PROFILE/PERMISSION SET:

Scroll down to "Profiles" or "Permission Sets" section
→ Manage Profiles → Add "System Administrator"

(or whatever profile the Integration User has)

→ Save

Step 4: Get Consumer Key + Secret (Org B)

STEP 4: RETRIEVE CONSUMER KEY AND CONSUMER SECRET

NAVIGATION: Setup → App Manager → "OrgA Integration"

→ Click dropdown (▼) → View

→ Click "Manage Consumer Details"

(You may need to verify identity – check email for code)

YOU'LL SEE:

Consumer Key: 3MVG9pRzvMkjMb6l_LONG_STRING...

Consumer Secret: ABCDE12345EXAMPLE...

→ COPY BOTH. You'll need them in Org A.

✓ ORG B SETUP IS COMPLETE!

You now have:

- Integration User (the identity)
- Connected App (the gatekeeper)
- Consumer Key + Secret (the credentials)
- Token endpoint URL (where to request tokens)

Now we switch to Org A.

Step 5 - Configure External Credential , Named Credential and Principal

[SETUP > NAMED CREDENTIALS](#)

Salesforce Client Cred

EditDelete

Label

Salesforce Client Cred

Name

Salesforce_Client_Cred

Authentication Protocol

OAuth 2.0

Authentication Flow Type

Client Credentials with Client Secret Flow

Scope

Identity Provider URL

https://orgfarm-673d72ba36-dev-ed.develop.my.salesforce.com/services/oauth2/token

Pass client credentials in request body

☐

Callout Options

Additional Status Codes for Token Refresh

Managed Package Access

Created By Namespace

Edit Principal

* Parameter Name

OrgB_Service_Principal_Client_Cred

* Sequence Number

1

Client ID

3MVG9dAEux2v1sLudC4VIVEQr3jSaHjhWNldxM1dPKIhC

Client Secret

.....

Principal Access

Name	Entity Type	ID
Client_Cred_PS	PermissionSet	OPSgL00000H0bNZWAZ

Cancel

Save

[SETUP > NAMED CREDENTIALS](#)

ORGB API CLIENT CRED

Label

ORGB API CLIENT CRED

Name

ORGB_API_CLIENT_CRED

URL

https://orgfarm-673d72ba36-dev-ed.develop.my.salesforce.com

Enabled for Callouts

☒

Authentication

External Credential

Salesforce Client Cred

Client Certificate

Callout Options

Generate Authorization Header

☒

Step 6 - Apex Class Code

<https://github.com/techjourneywithankit/Udemy-Integration-TJWA/blob/main/force-app/main/default/classes/OrgBClientCredentialService.cls>