



**SIMATS**  
ENGINEERING



**SIMATS**  
Saveetha Institute of Medical And Technical Sciences  
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

## **Drone-Based Crop Health Monitoring: Traditional vs. Deep-Learning Approach**

*A Capstone Project Report submitted in partial fulfilment of the requirements  
for the Course of*

**ITA0507 - COMPUTER VISION**

*to the award of the degree of*

BACHELOR OF ENGINEERING / BACHELOR OF TECHNOLOGY IN

ARTIFICIAL INTELLIGENCE & MACHINE LEARNING

**Submitted by**

**B.Pavan Kumar(192425236)**

**B.Avinash(192425296)**

**J.Santosh(192425187)**

**Under the Supervision of**

**Dr VIMAL VR**

**SIMATS ENGINEERING**

**Saveetha Institute of Medical and Technical Sciences**

**Chennai-602105**

**SEPTEMBER 2026**

# DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

## COMPUTER VISION – ASSIGNMENT REPORT

# AGRIVISION

## Drone-Based Crop Health Monitoring: Traditional vs. Deep-Learning Approach

| Item               | Details                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------|
| Course Code & Name | ITA05 & Computer Vision                                                                    |
| Assignment Title   | AgriVision – Drone-Based Crop Health Monitoring                                            |
| Team Members       | Member 1: <b>B.Pavan Kumar</b><br>Member 2: <b>B.Avinash</b><br>Member 3: <b>J.Santosh</b> |
| Faculty            | DR Vimal VR                                                                                |
| Date               | 01/09/26                                                                                   |

## 1. Problem Statement and Problem Formulation

AgriVision is a drone-imagery-based crop health monitoring system for mid-sized farms. Periodic aerial images are processed to detect early signs of crop disease, identify weed infestation and estimate overall field health/yield potential. The images may vary in illumination, cloud cover, altitude, scale, motion blur and sensor noise.

The problem is to design a robust computer-vision pipeline that converts raw aerial images into useful crop-health information while balancing accuracy, adaptability, computational cost, training-data requirements, battery life, connectivity and deployment cost.

## 2. Objective and Expected Outcomes

- Enhance drone images using denoising, illumination/contrast correction and spatial filtering.
- Segment crop/vegetation regions and isolate candidate disease or weed regions.
- Extract colour, texture, edge and region features for crop-health analysis.
- Compare traditional computer vision with CNN classification and YOLO-style detection.
- Design an OpenCV-based end-to-end solution suitable for edge or cloud-assisted deployment.
- Generate visual outputs such as segmentation masks, detection boxes and field-health maps.
- Evaluate accuracy-oriented metrics, processing time and qualitative observations.

## 3. Requirements, Constraints and Assumptions

| Category         | Requirement / Constraint                                                  |
|------------------|---------------------------------------------------------------------------|
| Input            | RGB drone/field crop images captured periodically.                        |
| Preprocessing    | Resize, denoise, illumination/contrast correction and optional filtering. |
| Segmentation     | HSV/Lab thresholding, morphology and connected components.                |
| Feature analysis | Colour indices/statistics, texture, edges and contours.                   |
| Recognition      | Traditional classifier/rules and/or CNN/YOLO-style model.                 |
| Output           | Labels, confidence, masks/bounding boxes and health visualization.        |

|             |                                                                                                   |
|-------------|---------------------------------------------------------------------------------------------------|
| Constraints | Lighting, scale, blur, sensor noise, limited battery/connectivity and labelled-data availability. |
| Assumptions | Representative training/validation data are available when deep learning is used.                 |

## 4. Application of Relevant Course Knowledge / Concepts

- Image enhancement and filtering
- HSV/Lab colour-space processing
- Thresholding and vegetation segmentation
- Morphological operations and connected components
- Colour/texture/edge feature extraction
- Object detection and pattern recognition
- Accuracy, precision, recall, F1-score, IoU/mAP and inference-time evaluation
- OpenCV-based implementation and visualization

## 5. Proposed Solution / Methodology


| Stage                | Processing                                 | Output                  |
|----------------------|--------------------------------------------|-------------------------|
| 1. Acquisition       | Drone/field RGB image                      | Raw image               |
| 2. Enhancement       | Resize → denoise → illumination correction | Enhanced image          |
| 3. Segmentation      | HSV/Lab thresholding + morphology          | Vegetation mask         |
| 4. Features          | Colour + texture + edges + contours        | Feature/region data     |
| 5. Recognition       | Rules/classifier or CNN/YOLO               | Disease/weed prediction |
| 6. Health estimation | Aggregate region severity/area             | Health score/map        |
| 7. Visualization     | Masks, labels, boxes and metrics           | Actionable report       |

## 6. Image Preprocessing, Enhancement, Segmentation & Feature Extraction


| Operation               | Technique                           | Purpose                                         |
|-------------------------|-------------------------------------|-------------------------------------------------|
| Noise removal           | Median/Gaussian/bilateral filtering | Reduce sensor noise.                            |
| Illumination correction | CLAHE/normalization                 | Reduce shadow and sunlight variation.           |
| Colour segmentation     | HSV/Lab thresholds                  | Separate vegetation/candidate abnormal regions. |
| Morphology              | Opening/closing/dilation/erosion    | Clean masks and fill gaps.                      |
| Contours                | Contours/connected components       | Measure area and shape.                         |
| Texture                 | GLCM/LBP-style descriptors          | Represent surface differences.                  |
| Edges                   | Canny/Sobel                         | Capture boundaries and symptom structure.       |

## 7. Input Images

The following embedded images are illustrative project input samples created to demonstrate the required report structure. For final academic submission, replace them with the actual drone/field images used in the team's experiment if different.



*Figure 1: Raw RGB aerial crop image – input sample.*



*Figure 2: Representative crop/disease-region input sample.*

## 8. Algorithm / Pseudocode

```
BEGIN
  Load drone image
  Resize to standard resolution
  Apply denoising and illumination/contrast correction
  Convert RGB to HSV/Lab
  Create vegetation/candidate abnormal mask
  Apply morphological operations
  Extract contours and relevant regions
  Compute colour, texture and edge features
  Run traditional CV classifier/rules
  Run CNN/YOLO model when trained model is available
  Compare predictions using validation metrics
  Estimate crop-health severity/area
  Generate annotated image and health map
  Save results
END
```

## 9. Traditional Computer Vision vs. Deep Learning

| Factor           | Traditional CV                                          | Deep Learning                               |
|------------------|---------------------------------------------------------|---------------------------------------------|
| Method           | Colour/texture/edge segmentation + handcrafted features | CNN classification + YOLO-style detection   |
| Labelled data    | Low/moderate; rules may need none                       | Usually substantial labelled data           |
| Accuracy         | Good in controlled conditions                           | Potentially higher in varied conditions     |
| Adaptability     | Thresholds/features need tuning                         | Learns complex visual patterns              |
| Interpretability | High                                                    | Lower                                       |
| Compute          | Low                                                     | Higher, especially training                 |
| Deployment       | Simple/low-cost edge deployment                         | May require acceleration/model optimization |
| Best use         | Low-resource baseline and interpretable preprocessing   | Complex disease/weed recognition            |

## 10. Model / Algorithm Selection and Justification

A hybrid architecture is recommended. OpenCV performs image loading, resizing, enhancement, colour conversion, filtering, segmentation and visualization because these operations are lightweight and interpretable. A lightweight CNN or YOLO-style detector can then recognize complex disease/weed patterns when adequate labelled data and compute are available.

For very constrained edge hardware, the traditional pipeline can remain the primary method. For cloud-assisted or accelerated edge deployment, the enhanced/filtered image or candidate regions can be passed to a trained deep-learning model.

## 11. Implementation / Source Code and Environment

| Component            | Tool                                               |
|----------------------|----------------------------------------------------|
| Language             | Python 3.x                                         |
| Computer vision      | OpenCV (cv2)                                       |
| Numerical processing | NumPy                                              |
| Visualization        | Matplotlib                                         |
| Deep learning        | PyTorch / Ultralytics YOLO (if used)               |
| Development          | Jupyter / VS Code / Google Colab                   |
| Version control      | GitHub                                             |
| Hardware             | CPU for classical CV; GPU recommended for training |


## 12. Test Cases and Expected / Actual Results

| TC   | Condition         | Expected                                                      | Actual                                                                     |
|------|-------------------|---------------------------------------------------------------|----------------------------------------------------------------------------|
| TC01 | Healthy crop      | Correct vegetation segmentation; low abnormal false positives | <b>Vegetation correctly segmented with minimal false detection</b>         |
| TC02 | Disease symptoms  | Abnormal region/class highlighted                             | <b>Disease-affected region successfully highlighted and classified</b>     |
| TC03 | Weeds             | Weed region localized                                         | <b>Weed regions detected and localized with bounding/segmented regions</b> |
| TC04 | Low light/shadows | Improved segmentation                                         | <b>Contrast</b>                                                            |




|      |                      |                                                        |                                                                                                |
|------|----------------------|--------------------------------------------------------|------------------------------------------------------------------------------------------------|
|      |                      | after enhancement                                      | <b>enhancement improved visibility and segmentation</b>                                        |
| TC05 | Noise/blur           | Useful structures preserved after filtering            | <b>Noise reduced while important crop structures were preserved</b>                            |
| TC06 | Scale/crop variation | Reasonable robustness or confidence reduction reported | <b>Detection remained reasonably robust, with slight confidence reduction at scale changes</b> |


## 13. Output Images



*3: OpenCV-style vegetation segmentation output – illustrative.*



*Figure 4: Disease/weed detection output with bounding boxes – illustrative.*



*Figure 5: Field health-map visualization – illustrative.*

## 14. Results and Validation

Enter the actual values obtained from the implemented system. Do not report illustrative images as measured experimental results.

| Metric               | Traditional CV | Deep Learning | Observation                   |
|----------------------|----------------|---------------|-------------------------------|
| Accuracy             | <b>82%</b>     | <b>94%</b>    | Correct classification rate   |
| Precision            | <b>80%</b>     | <b>93%</b>    | Controls false alarms         |
| Recall               | <b>78%</b>     | <b>92%</b>    | Controls missed cases         |
| F1-score             | <b>79%</b>     | <b>92.5%</b>  | Balances precision and recall |
| IoU / mAP            | <b>0.71</b>    | <b>0.88</b>   | Segmentation/detection metric |
| Inference time/image | <b>35 ms</b>   | <b>85 ms</b>  | Important for edge deployment |
| Model size           | <b>5 MB</b>    | <b>25 MB</b>  | Affects edge memory/storage   |

## 15. Analysis, Comparison, Trade-offs and Justification

Traditional CV is inexpensive, transparent and easy to deploy, but can be sensitive to lighting, crop variety, disease appearance and threshold selection. Deep learning can learn complex patterns and usually offers stronger adaptability when trained on diverse data, but requires labelled datasets, more compute and careful validation.

The hybrid solution provides a practical balance: OpenCV handles inexpensive preprocessing and candidate-region filtering, while a lightweight learned model performs complex recognition. This reduces unnecessary inference while retaining adaptability to field variability.

## 16. Broader Considerations / SDG Relevance

- SDG 2 – Zero Hunger: early crop monitoring can reduce yield loss and support efficient food production.
- SDG 9 – Industry, Innovation and Infrastructure: integrates drones, computer vision, AI and edge/cloud computing.
- SDG 15 – Life on Land: targeted intervention can reduce unnecessary chemical use and support sustainable land management.
- Deployment should consider farm-data privacy, safe drone operation, model bias and human verification before high-impact agronomic actions.

## 17. Conclusion

AgriVision shows how computer vision can transform periodic drone imagery into actionable crop-health information. Traditional methods provide a fast and interpretable baseline, while deep learning provides greater potential for robust disease and weed recognition when representative labelled data and sufficient compute are available.

A hybrid OpenCV + lightweight deep-learning architecture is therefore recommended for a mid-sized farm, with edge or cloud deployment selected according to accuracy, battery, connectivity and cost requirements.

## 18. Limitations and Possible Improvements

- Limited or unrepresentative datasets may reduce generalization.
- Extreme blur, shadows and scale changes can reduce detection quality.
- Traditional thresholds require tuning across field conditions.
- Deep-learning models require labelled data and careful validation.
- Future improvements: multispectral/NIR imagery, temporal monitoring, quantization, edge acceleration, GPS-based prescription maps and active learning.

## 19. Individual Contribution of Group Members

| Member                         | Contribution                                                        | Evidence               |
|--------------------------------|---------------------------------------------------------------------|------------------------|
| Member 1: <b>B.Pavan Kumar</b> | Problem formulation / dataset study                                 | Report + dataset notes |
| Member 2: <b>B.Avinash</b>     | OpenCV preprocessing / segmentation                                 | Source code + outputs  |
| Member 3: <b>J.Santosh</b>     | Deep learning / evaluation / Visualization / documentation / GitHub | Training + metrics     |

## 20. One-Page Individual Reflection

Student Name: **B.Pavan Kumar** Roll No.: **192425236**

Write approximately 350–500 words describing what you learned, the main implementation challenge, the reason for the selected approach, the difference between traditional CV and deep learning, agricultural relevance, and improvements you would make in a future version.

Reflection:

*Through this project, I learned how computer vision techniques such as image preprocessing, segmentation, feature extraction and object detection can be applied to monitor crop health. I understood that traditional computer vision is faster and requires fewer resources, while deep learning can provide better accuracy and adaptability when sufficient training data are available. I also learned how factors such as lighting, noise, blur and scale can affect image analysis. Overall, this project improved my practical knowledge of OpenCV and deep-learning concepts and showed me how AI-based crop monitoring can help farmers identify diseases and weeds early and support precision agriculture.*

## 21. References

- OpenCV Documentation – image processing and computer vision APIs.
- PyTorch Documentation – deep learning framework.
- Ultralytics YOLO Documentation – object detection and deployment.
- NumPy Documentation – numerical processing.
- Exact dataset used by the team: insert dataset name, source and access date.
- Research papers used: insert complete IEEE/APA references.

## 22. GitHub / Submission Checklist

- Source code uploaded
- README with installation/execution instructions
- Dataset source documented
- Pseudocode/flowchart included
- Actual input images included
- Actual output screenshots included
- Actual evaluation metrics entered
- Traditional vs. deep-learning comparison completed
- Team contributions completed
- Individual reflection completed