Efactor NAS API

Complete Detailed Documentation - URLs 01 to 52

Environment setup, method, purpose, verified inputs, and verified production responses

Scope
This document consolidates the complete NAS API walkthrough through URL 52. It contains 52 verified test cases covering the 47 distinct mobile API contracts, including alternate actions performed through shared PUT/DELETE routes. Runtime responses are preserved from production captures. URL 41 is retained as a verified failing test because it exposes a backend response-contract defect that should be fixed before relying on that action.

Production API base: https://efactor.tech/index.php/NAS/api/v1

Environment Setup

Use the following setup when testing these APIs in the NAS browser application, Postman, or when preparing a client integration.

Production host	https://efactor.tech
NAS web entry	https://efactor.tech/index.php/NAS
NAS API base	https://efactor.tech/index.php/NAS/api/v1
Authentication	Existing authenticated Efactor/NAS CodeIgniter session cookie
Current V1 model	Session/cookie based; the tested V1 contract is not a Bearer-token API

1. Browser Setup

For GET requests, use the authenticated browser session and send Accept: application/json when JSON is expected. For POST, PUT, and DELETE requests, use the NAS window.nasFetch() wrapper when available because it preserves credentials and applies the current CSRF/X-Requested-With requirements.

```
// Read-only GET
fetch(API_URL, {
  method: 'GET',
  credentials: 'include',
  headers: { 'Accept': 'application/json' }
});

// Unsafe request (preferred in NAS browser UI)
window.nasFetch(API_URL, {
  method: 'POST', // or PUT / DELETE
  credentials: 'include',
  headers: {
    'Accept': 'application/json',
    'Content-Type': 'application/json'
  },
  body: JSON.stringify(payload)
});
```

2. Postman Setup

- Sign in to Efactor/NAS in the browser and use the authenticated efactor.tech session cookie in Postman.
- For JSON GET requests, send Accept: application/json.
- For JSON POST/PUT/DELETE requests, send Accept: application/json, Content-Type: application/json, X-Requested-With: XMLHttpRequest, and the current CSRF header/token used by the NAS application.
- For multipart uploads, select form-data and let Postman generate the multipart Content-Type boundary. Do not manually set Content-Type: multipart/form-data.
- When troubleshooting an unexpected HTML response, disable automatic redirects temporarily and verify the session cookie and current CSRF token first.

3. Response Handling

JSON endpoints	Read the top-level success and message first, then consume endpoint-specific payload fields.
Downloads/previews	Treat successful binary responses as bytes/blob/stream; do not JSON-decode them.
NAS web entry	The /index.php/NAS entry returns HTML on success, not JSON.
Failed calls	Preserve the HTTP status and raw response body. URL 41 demonstrates a verified HTTP 500 backend contract failure.

4. Test Resource Lifecycle Used in This Document

File 803	Existing text file used for metadata, download, preview, and raw-content tests.
File 950	Disposable upload used for rename/star/trash/restore action testing.
Folder 375	Disposable folder used for rename/star/trash/restore/share testing.
Share 102	Share record created for folder 375, updated, and later revoked.

5. Coverage

The project catalog defines 47 distinct mobile API contracts. This production walkthrough records 52 URL test cases because several routes support multiple actions through the same endpoint, such as rename, star, open, trash, restore, and share lifecycle operations.

API Index - URLs 01 to 52

Each URL section starts on a new page. The URL itself is used as the primary heading; Method and Purpose are shown immediately below it.

URL 01 GET https://efactor.tech/index.php/NAS - Enter / Login to NAS
URL 02 GET https://efactor.tech/index.php/NAS/api/v1/auth/me - Get Current Logged-in NAS User
URL 03 GET https://efactor.tech/index.php/NAS/api/v1/dashboard - Get NAS Dashboard Data
URL 04 GET https://efactor.tech/index.php/NAS/api/v1/dashboard/recent - Get Recent NAS Items
URL 05 GET https://efactor.tech/index.php/NAS/api/v1/dashboard/stats - Get Dashboard Statistics
URL 06 GET https://efactor.tech/index.php/NAS/api/v1/files?view=my-drive - Get My Drive Files and Folders
URL 07 GET https://efactor.tech/index.php/NAS/api/v1/files?view=my-drive&folder_id=341 - Open a Folder in My Drive
URL 08 GET https://efactor.tech/index.php/NAS/api/v1/folders/341/info - Get Folder Information
URL 09 GET https://efactor.tech/index.php/NAS/api/v1/folders - Get Folders
URL 10 GET https://efactor.tech/index.php/NAS/api/v1/files/803/info - Get File Information
URL 11 GET https://efactor.tech/index.php/NAS/api/v1/files/803/download - Download File
URL 12 GET https://efactor.tech/index.php/NAS/api/v1/files/803/preview - Preview File
URL 13 GET https://efactor.tech/index.php/NAS/api/v1/files/803/content - Get Raw Text / Code File Content
URL 14 GET https://efactor.tech/index.php/NAS/api/v1/clusters - Get Storage Clusters
URL 15 GET https://efactor.tech/index.php/NAS/api/v1/users/search?q=an - Search NAS Users
URL 16 GET https://efactor.tech/index.php/NAS/api/v1/sync/status - Get Sync Status
URL 17 POST https://efactor.tech/index.php/NAS/api/v1/sync/init - Initialize Sync
URL 18 POST https://efactor.tech/index.php/NAS/api/v1/sync/start - Start Sync
URL 19 GET https://efactor.tech/index.php/NAS/api/v1/sync/manifest - Get Sync Manifest
URL 20 POST https://efactor.tech/index.php/NAS/api/v1/sync/folders/ensure - Ensure Sync Folder Structure
URL 21 POST https://efactor.tech/index.php/NAS/api/v1/sync/upload - Sync Upload
URL 22 POST https://efactor.tech/index.php/NAS/api/v1/sync/complete - Complete Sync
URL 23 POST https://efactor.tech/index.php/NAS/api/v1/sync/download - Sync Download
URL 24 POST https://efactor.tech/index.php/NAS/api/v1/sync/uploaded - Mark Uploaded File for Sync
URL 25 POST https://efactor.tech/index.php/NAS/api/v1/sync/repair - Repair Sync State
URL 26 GET https://efactor.tech/index.php/NAS/api/v1/sync/history - Get Sync History
URL 27 POST https://efactor.tech/index.php/NAS/api/v1/sync/cancel - Cancel Sync
URL 28 GET https://efactor.tech/index.php/NAS/api/v1/sync/folders - Get Sync Folders
URL 29 GET https://efactor.tech/index.php/NAS/api/v1/sync/unsynced - Get Unsynced Files
URL 30 GET https://efactor.tech/index.php/NAS/api/v1/sync/logs - Get Sync Logs
URL 31 POST https://efactor.tech/index.php/NAS/api/v1/sync/pause - Pause Sync
URL 32 POST https://efactor.tech/index.php/NAS/api/v1/sync/resume - Resume Sync
URL 33 GET https://efactor.tech/index.php/NAS/api/v1/preview/convert?file_id=802 - Convert / Preview File
URL 34 GET https://efactor.tech/index.php/NAS/api/v1/preview/info?file_id=802 - Get Preview Info
URL 35 GET https://efactor.tech/index.php/NAS/api/v1/preview/ppt/767 - Get PPT/PPTX Preview Data
URL 36 GET https://efactor.tech/index.php/NAS/api/v1/preview/docx/802 - Get DOC/DOCX Preview Data
URL 37 GET https://efactor.tech/index.php/NAS/api/v1/files/download-folder?folder_id=344 - Download Folder as ZIP
URL 38 POST https://efactor.tech/index.php/NAS/api/v1/files - Upload File
URL 39 PUT https://efactor.tech/index.php/NAS/api/v1/files/950 - Update/Rename File
URL 40 PUT https://efactor.tech/index.php/NAS/api/v1/files/950 - Star / Unstar File
URL 41 PUT https://efactor.tech/index.php/NAS/api/v1/files/950 - Mark File as Opened
URL 42 DELETE https://efactor.tech/index.php/NAS/api/v1/files/950 - Move File to Trash
URL 43 PUT https://efactor.tech/index.php/NAS/api/v1/files/950/restore - Restore File from Trash

URL 44 POST https://efactor.tech/index.php/NAS/api/v1/folders - Create Folder
URL 45 PUT https://efactor.tech/index.php/NAS/api/v1/folders/375 - Rename Folder
URL 46 PUT https://efactor.tech/index.php/NAS/api/v1/folders/375 - Star / Unstar Folder
URL 47 DELETE https://efactor.tech/index.php/NAS/api/v1/folders/375 - Move Folder to Trash
URL 48 PUT https://efactor.tech/index.php/NAS/api/v1/folders/375/restore - Restore Folder from Trash
URL 49 GET https://efactor.tech/index.php/NAS/api/v1/share - Get Shares
URL 50 POST https://efactor.tech/index.php/NAS/api/v1/share - Share Folder with Another User
URL 51 PUT https://efactor.tech/index.php/NAS/api/v1/share/102 - Update Share Permission
URL 52 DELETE https://efactor.tech/index.php/NAS/api/v1/share/102 - Revoke Share

URL 01 - https://efactor.tech/index.php/NAS

Enter / Login to NAS

Method	GET
Purpose	Open the NAS web application through the existing authenticated Efactor session.
Status	Verified production success

Inputs

```
Request Body:
NONE

Authentication:
Existing Efactor CodeIgniter session cookie

Example Efactor session:
user_id = 177
```

Verified Production Response

Success

```
HTTP 200
Content-Type: text/html

Response Body:
NAS Home HTML page
```

Example resolved identity:

```
Efactor user 177
        ↓
NAS user 3
        ↓
prafulsshah
```

If Efactor session is missing

```
HTTP 302
Location: /signin
```

URL 02 - https://efactor.tech/index.php/NAS/api/v1/auth/me

Get Current Logged-in NAS User

Method	GET
Purpose	Return the currently authenticated NAS user profile and account/storage identity.
Status	Verified production success

Inputs

```
Request Body:
NONE

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

Current NAS V1 does not accept the Flutter access token directly; it expects session keys.

Verified Production Response

Actual Runtime Response

```
HTTP Status:
200
```


```
{
  "success": true,
  "message": "User info retrieved",
  "user": {
    "id": 3,
    "efactor_user_id": 177,
    "username": "prafulsshah",
    "email": "prafulsshah@yahoo.com",
    "storage_limit": 10737418240,
    "storage_used": 70449567,
    "created_at": "2026-08-04 11:03:47",
    "last_login": "2026-08-19 12:10:45",
    "is_active": 1
  }
}
```

URL 03 - https://efactor.tech/index.php/NAS/api/v1/dashboard

Get NAS Dashboard Data

Method	GET
Purpose	Load the NAS dashboard overview including user, storage, statistics, and recent items.
Status	Verified production success

Inputs

```
Request Body:
NONE

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

storage_used is currently affected by double-accounting bug; do not treat quota display as authoritative until backend fix.

Verified Production Response

Actual Runtime Response

```
HTTP Status:
200
```


```
{
  "success": true,
  "message": "Dashboard data retrieved",
  "user": {
    "id": 3,
    "username": "prafulsshah",
    "email": "prafulsshah@yahoo.com",
    "initial": "P"
  },
  "storage": {
    "used": 70449567,
    "limit": 10737418240,
    "used_formatted": "67.19 MB",
    "limit_formatted": "10 GB",
    "percentage": 0.7
  },
  "stats": {
    "files": 88,
    "folders": 30,
    "shared": 33,
    "trash_files": 0,
    "trash_folders": 0,
    "trash_total": 0
  },
  "recent_items": [
    {
      "id": 934,
      "name": "innernastest.txt",
      "type": "file",
      "created_at": "2026-08-18 12:20:45",
      "file_size": 105,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
      "id": 933,
      "name": "share.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 21029,
      "file_type": "text/plain",
      "parent_id": null
    },
```

```
    {
      "id": 932,
      "name": "utils.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 4520,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
      "id": 931,
      "name": "websocket-client.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 10096,
      "file_type": "text/x-c++",
      "parent_id": null
    },
    {
      "id": 930,
      "name": "sync.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 14959,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
      "id": 357,
      "name": "NAS_TEST",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 356,
      "name": "anm1",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 355,
      "name": "NAS",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 354,
      "name": "app",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 358,
      "name": "nasassets",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    }
  ]
}
```

URL 04 - https://efactor.tech/index.php/NAS/api/v1/dashboard/recent

Get Recent NAS Items

Method	GET
Purpose	Return the most recent files and folders for the dashboard recent-items view.
Status	Verified production success

Inputs

```
Request Body:
NONE

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Verified Production Response

Actual Runtime Response

```
HTTP Status:
200
```


```
{
  "success": true,
  "message": "Recent items retrieved",
  "items": [
    {
      "id": 934,
      "name": "innernastest.txt",
      "type": "file",
      "created_at": "2026-08-18 12:20:45",
      "file_size": 105,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
      "id": 932,
      "name": "utils.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 4520,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
      "id": 931,
      "name": "websocket-client.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 10096,
      "file_type": "text/x-c++",
      "parent_id": null
    },
    {
      "id": 930,
      "name": "sync.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 14959,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
      "id": 933,
      "name": "share.js",
      "type": "file",
      "created_at": "2026-08-18 12:20:44",
      "file_size": 21029,
      "file_type": "text/plain",
      "parent_id": null
    },
    {
```

```
      "id": 356,
      "name": "anm1",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 355,
      "name": "NAS",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 358,
      "name": "nasassets",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 354,
      "name": "app",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    },
    {
      "id": 357,
      "name": "NAS_TEST",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "file_size": null,
      "file_type": null,
      "parent_id": null
    }
  ]
}
```

URL 05 - https://efactor.tech/index.php/NAS/api/v1/dashboard/stats

Get Dashboard Statistics

Method	GET
Purpose	Return dashboard counters for files, folders, shares, and Trash.
Status	Verified production success

Inputs

```
Request Body:
NONE

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Verified Production Response

Actual Runtime Response

```
HTTP Status:
200
```

```
{
  "success": true,
  "message": "Stats retrieved",
  "stats": {
    "files": 88,
    "folders": 30,
    "shared": 33,
    "trash_files": 0,
    "trash_folders": 0,
    "trash_total": 0
  }
}
```

URL 06 - https://efactor.tech/index.php/NAS/api/v1/files?view=my-drive

Get My Drive Files and Folders

Method	GET
Purpose	List files and folders in the My Drive root view.
Status	Verified production success

Inputs

```
Request Body:
NONE

Query Parameters:
view = my-drive

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

Use folder_id while preserving the originating view, especially shared/starred.

Verified Production Response

Actual Runtime Response

```
HTTP Status:
200

Response Length:
13602 characters
```


```
{
  "success": true,
  "cluster_id": null,
  "cluster_slug": "my-drive",
  "items": [
    {
      "id": 341,
      "name": "123",
      "is_folder": true,
      "created_at": "2026-08-18 10:21:21",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 356,
      "name": "anm1",
      "is_folder": true,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
```

```
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 354,
      "name": "app",
      "is_folder": true,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 1,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 308,
      "name": "folder",
      "is_folder": true,
      "created_at": "2026-08-07 10:07:30",
      "is_starred": true,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 1,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 344,
      "name": "NAS",
      "is_folder": true,
      "created_at": "2026-08-18 10:30:48",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 355,
      "name": "NAS",
      "is_folder": true,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 1,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 357,
      "name": "NAS_TEST",
      "is_folder": true,
```

```
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 319,
      "name": "NAS_TEST1",
      "is_folder": true,
      "created_at": "2026-08-12 15:26:57",
      "is_starred": true,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 358,
      "name": "nasassets",
      "is_folder": true,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 359,
      "name": "opo",
      "is_folder": true,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 339,
      "name": "oppo",
      "is_folder": true,
      "created_at": "2026-08-17 10:44:07",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
```

```
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 360,
      "name": "test",
      "is_folder": true,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 340,
      "name": "vivo",
      "is_folder": true,
      "created_at": "2026-08-17 12:17:36",
      "is_starred": false,
      "file_size": null,
      "file_size_formatted": null,
      "file_type": null,
      "cluster_id": 4,
      "type": "folder",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 886,
      "name": "Alma Linux Installations (1).pdf",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:25",
      "is_starred": false,
      "file_size": 357914,
      "file_size_formatted": "349.53 KB",
      "file_type": "application/pdf",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 887,
      "name": "Alma Linux Installations (2).pdf",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:25",
      "is_starred": false,
      "file_size": 357914,
      "file_size_formatted": "349.53 KB",
      "file_type": "application/pdf",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 802,
```

```
    "name": "Alma Linux Installations.docx",
    "is_folder": false,
    "created_at": "2026-08-07 13:14:16",
    "is_starred": false,
    "file_size": 58134,
    "file_size_formatted": "56.77 KB",
    "file_type": "application/vnd.openxmlformats-officedocument.wordprocessingml.document",
    "cluster_id": 7,
    "type": "file",
    "can_download": true,
    "is_shared": false,
    "shared_by": null,
    "is_owner": true,
    "permission": "view",
    "parent_id": null,
    "depth": 0,
    "folder_id": null
  },
  {
    "id": 888,
    "name": "APIs_25-07-24.php",
    "is_folder": false,
    "created_at": "2026-08-18 12:20:26",
    "is_starred": false,
    "file_size": 6659,
    "file_size_formatted": "6.5 KB",
    "file_type": "text/plain",
    "cluster_id": 7,
    "type": "file",
    "can_download": true,
    "is_shared": false,
    "shared_by": null,
    "is_owner": true,
    "permission": "view",
    "parent_id": null,
    "depth": 0,
    "folder_id": null
  },
  {
    "id": 915,
    "name": "arch.txt",
    "is_folder": false,
    "created_at": "2026-08-18 12:20:32",
    "is_starred": false,
    "file_size": 1836,
    "file_size_formatted": "1.79 KB",
    "file_type": "text/plain",
    "cluster_id": 1,
    "type": "file",
    "can_download": true,
    "is_shared": false,
    "shared_by": null,
    "is_owner": true,
    "permission": "view",
    "parent_id": null,
    "depth": 0,
    "folder_id": null
  },
  {
    "id": 889,
    "name": "ClusterService.php",
    "is_folder": false,
    "created_at": "2026-08-18 12:20:26",
    "is_starred": false,
    "file_size": 1335,
    "file_size_formatted": "1.3 KB",
    "file_type": "text/x-php",
    "cluster_id": 7,
    "type": "file",
    "can_download": true,
    "is_shared": false,
    "shared_by": null,
    "is_owner": true,
    "permission": "view",
    "parent_id": null,
    "depth": 0,
    "folder_id": null
  },
  {
    "id": 890,
    "name": "Database.php",
    "is_folder": false,
    "created_at": "2026-08-18 12:20:26",
    "is_starred": false,
    "file_size": 2209,
    "file_size_formatted": "2.16 KB",
    "file_type": "text/x-php",
    "cluster_id": 7,
    "type": "file",
```

```
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 892,
      "name": "file_manager_v4 (1).sql",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:26",
      "is_starred": false,
      "file_size": 45227,
      "file_size_formatted": "44.17 KB",
      "file_type": "text/plain",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 150,
      "name": "file_manager_v4.sql",
      "is_folder": false,
      "created_at": "2026-08-06 10:32:10",
      "is_starred": true,
      "file_size": 45227,
      "file_size_formatted": "44.17 KB",
      "file_type": "application/octet-stream",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 891,
      "name": "FileService.php",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:26",
      "is_starred": false,
      "file_size": 51080,
      "file_size_formatted": "49.88 KB",
      "file_type": "text/x-php",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 767,
      "name": "final_ppt (1).pptx",
      "is_folder": false,
      "created_at": "2026-08-07 09:29:52",
      "is_starred": false,
      "file_size": 7763161,
      "file_size_formatted": "7.4 MB",
      "file_type": "application/vnd.openxmlformats-officedocument.presentationml.presentation",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
```

```
    {
      "id": 798,
      "name": "IOT  SIM LIST new.xlsx",
      "is_folder": false,
      "created_at": "2026-08-07 10:26:02",
      "is_starred": false,
      "file_size": 3032384,
      "file_size_formatted": "2.89 MB",
      "file_type": "application/vnd.openxmlformats-officedocument.spreadsheetml.sheet",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 764,
      "name": "Linux Installations.pdf",
      "is_folder": false,
      "created_at": "2026-08-06 18:07:14",
      "is_starred": true,
      "file_size": 357914,
      "file_size_formatted": "349.53 KB",
      "file_type": "application/pdf",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 885,
      "name": "modalbrand.zip",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:24",
      "is_starred": false,
      "file_size": 19746,
      "file_size_formatted": "19.28 KB",
      "file_type": "application/zip",
      "cluster_id": 8,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 803,
      "name": "nastest.txt",
      "is_folder": false,
      "created_at": "2026-08-12 15:27:52",
      "is_starred": false,
      "file_size": 105,
      "file_size_formatted": "105 B",
      "file_type": "text/plain",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 884,
      "name": "Play_store_and_User_reviews_set_1 (1).csv",
      "is_folder": false,
      "created_at": "2026-08-18 11:58:44",
      "is_starred": false,
      "file_size": 349163,
      "file_size_formatted": "340.98 KB",
      "file_type": "text/csv",
```

```
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 916,
      "name": "Play_store_and_User_reviews_set_1.csv",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:32",
      "is_starred": false,
      "file_size": 349163,
      "file_size_formatted": "340.98 KB",
      "file_type": "text/plain",
      "cluster_id": 1,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 799,
      "name": "Play_store_and_User_reviews_set_1.xlsx",
      "is_folder": false,
      "created_at": "2026-08-07 10:28:32",
      "is_starred": false,
      "file_size": 1381841,
      "file_size_formatted": "1.32 MB",
      "file_type": "application/vnd.openxmlformats-officedocument.spreadsheetml.sheet",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 917,
      "name": "Play_store_and_User_reviews_set_1.xlsx",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:33",
      "is_starred": false,
      "file_size": 1381841,
      "file_size_formatted": "1.32 MB",
      "file_type": "application/vnd.openxmlformats-officedocument.spreadsheetml.sheet",
      "cluster_id": 1,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 792,
      "name": "sample-5s.mp4",
      "is_folder": false,
      "created_at": "2026-08-07 10:07:31",
      "is_starred": false,
      "file_size": 2848208,
      "file_size_formatted": "2.72 MB",
      "file_type": "video/mp4",
      "cluster_id": 1,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
```

```
      "folder_id": null
    },
    {
      "id": 765,
      "name": "sample-5s.mp4",
      "is_folder": false,
      "created_at": "2026-08-06 18:07:23",
      "is_starred": false,
      "file_size": 2848208,
      "file_size_formatted": "2.72 MB",
      "file_type": "video/mp4",
      "cluster_id": 6,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 836,
      "name": "Screenshot from 2026-08-18 10-06-00.png",
      "is_folder": false,
      "created_at": "2026-08-18 10:21:38",
      "is_starred": false,
      "file_size": 21137,
      "file_size_formatted": "20.64 KB",
      "file_type": "image/png",
      "cluster_id": 5,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 893,
      "name": "StorageService.php",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:27",
      "is_starred": false,
      "file_size": 14926,
      "file_size_formatted": "14.58 KB",
      "file_type": "text/x-php",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 838,
      "name": "sync.js",
      "is_folder": false,
      "created_at": "2026-08-18 10:29:32",
      "is_starred": false,
      "file_size": 27090,
      "file_size_formatted": "26.46 KB",
      "file_type": "text/javascript",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    },
    {
      "id": 894,
      "name": "users.sql",
      "is_folder": false,
      "created_at": "2026-08-18 12:20:27",
      "is_starred": false,
      "file_size": 3031,
```

```
      "file_size_formatted": "2.96 KB",
      "file_type": "text/plain",
      "cluster_id": 7,
      "type": "file",
      "can_download": true,
      "is_shared": false,
      "shared_by": null,
      "is_owner": true,
      "permission": "view",
      "parent_id": null,
      "depth": 0,
      "folder_id": null
    }
  ],
  "storage": {
    "used": 70449567,
    "limit": 10737418240,
    "used_formatted": "67.19 MB",
    "limit_formatted": "10 GB",
    "percentage": 0.6561127211898565
  }
}
```

URL 07 - https://efactor.tech/index.php/NAS/api/v1/files?view=my-drive&folder_id=341

Open a Folder in My Drive

Method	GET
Purpose	Open a specific folder and list its contents inside My Drive.
Status	Verified production success

Inputs

```
Request Body:
NONE

Query Parameters:
view = my-drive
folder_id = 341

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

Use folder_id while preserving the originating view, especially shared/starred.

Verified Production Response

```
HTTP Status:
200
```


```
{
  "success": true,
  "cluster_id": null,
  "cluster_slug": "my-drive",
  "items": [],
  "storage": {
    "used": 70449567,
    "limit": 10737418240,
    "used_formatted": "67.19 MB",
    "limit_formatted": "10 GB",
    "percentage": 0.6561127211898565
  }
}
```

URL 08 - https://efactor.tech/index.php/NAS/api/v1/folders/341/info

Get Folder Information

Method	GET
Purpose	Return detailed metadata and permissions for a specific folder.
Status	Verified production success

Inputs

```
Request Body:
NONE

Path Parameter:
folder_id = 341

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Verified Production Response

```
HTTP Status:
200
```

```
{
  "success": true,
  "message": "Folder info retrieved",
  "folder": {
    "id": 341,
    "name": "123",
    "owner_id": 3,
    "parent_id": null,
    "created_at": "2026-08-18 10:21:21",
    "is_starred": false,
    "is_owner": true,
    "can_download": true,
    "permission": "full",
    "shared_by": null,
    "folder_size": 0,
    "folder_size_formatted": "0 B",
    "file_count": 0
  }
}
```

URL 09 - https://efactor.tech/index.php/NAS/api/v1/folders

Get Folders

Method	GET
Purpose	List folders available to the authenticated NAS user.
Status	Verified production success

Inputs

```
Request Body:
NONE

Query Parameters:
NONE

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

The id= path currently lacks explicit owner/share authorization beyond authentication; prefer /folders/{id}/info for mobile details.

Verified Production Response

```
HTTP Status:
200
```


```
{
  "success": true,
  "message": "Folders retrieved",
  "folders": [
    {
      "id": 341,
      "display_name": "123",
      "type": "folder",
      "created_at": "2026-08-18 10:21:21",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 356,
      "display_name": "anm1",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 354,
      "display_name": "app",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 1,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 308,
      "display_name": "folder",
      "type": "folder",
      "created_at": "2026-08-07 10:07:30",
      "is_starred": 1,
      "cluster_id": 1,
      "file_size": null,
      "file_type": null
    },
```

```
    {
      "id": 344,
      "display_name": "NAS",
      "type": "folder",
      "created_at": "2026-08-18 10:30:48",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 355,
      "display_name": "NAS",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 1,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 357,
      "display_name": "NAS_TEST",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 319,
      "display_name": "NAS_TEST1",
      "type": "folder",
      "created_at": "2026-08-12 15:26:57",
      "is_starred": 1,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 358,
      "display_name": "nasassets",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 359,
      "display_name": "opo",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 339,
      "display_name": "oppo",
      "type": "folder",
      "created_at": "2026-08-17 10:44:07",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 360,
      "display_name": "test",
      "type": "folder",
      "created_at": "2026-08-18 12:20:24",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
    },
    {
      "id": 340,
      "display_name": "vivo",
      "type": "folder",
      "created_at": "2026-08-17 12:17:36",
      "is_starred": 0,
      "cluster_id": 4,
      "file_size": null,
      "file_type": null
```

```
    }
  ]
}
```

URL 10 - https://efactor.tech/index.php/NAS/api/v1/files/803/info

Get File Information

Method	GET
Purpose	Return detailed metadata, preview capability, and permissions for a specific file.
Status	Verified production success

Inputs

```
Request Body:
NONE

Path Parameter:
file_id = 803

Headers:
Accept: application/json

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Verified Production Response

```
HTTP Status:
200
```


```
{
  "success": true,
  "message": "File info retrieved",
  "file": {
    "id": 803,
    "name": "nastest.txt",
    "original_name": "nastest.txt",
    "filename": "6a7c43a00f3e6.txt",
    "size": 105,
    "size_formatted": "105 B",
    "type": "text/plain",
    "path": "user_3/documents/6a7c43a00f3e6.txt",
    "folder_id": null,
    "folder_name": null,
    "is_starred": false,
    "created_at": "2026-08-12 15:27:52",
    "can_preview": true,
    "preview_type": "text",
    "is_owner": true,
    "is_direct_share": false,
    "can_download": true,
    "permission": "full",
    "shared_by": null
  }
}
```

URL 11 - https://efactor.tech/index.php/NAS/api/v1/files/803/download

Download File

Method	GET
Purpose	Download a specific file as a binary attachment.
Status	Verified production success

Inputs

```
Request Body:
NONE

Path Parameter:
file_id = 803

Query Parameters:
NONE

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

Use streaming bytes/file response.

Verified Production Response

```
HTTP STATUS:
200

CONTENT-TYPE:
text/plain;charset=UTF-8

CONTENT-DISPOSITION:
attachment; filename="nastest.txt"

CONTENT-LENGTH:
105

BLOB SIZE:
105

BLOB TYPE:
text/plain
```

Response type:

```
FILE/BINARY RESPONSE
NOT JSON
```

Downloaded payload:

```
nastest.txt
105 bytes
```

URL 12 - https://efactor.tech/index.php/NAS/api/v1/files/803/preview

Preview File

Method	GET
Purpose	Open/stream a specific file for inline preview.
Status	Verified production success

Inputs

```
Request Body:
NONE

Path Parameter:
file_id = 803

Query Parameters:
NONE

Authentication:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

Not JSON on success.

Verified Production Response

```
HTTP STATUS:
200

CONTENT-TYPE:
text/plain;charset=UTF-8

CONTENT-DISPOSITION:
inline; filename="nastest.txt"

CONTENT-LENGTH:
105

BLOB SIZE:
105

BLOB TYPE:
text/plain
```

Response type:

```
INLINE FILE/BINARY RESPONSE
NOT JSON
```

Previewed payload:

```
nastest.txt
105 bytes
```

URL 13 - https://efactor.tech/index.php/NAS/api/v1/files/803/content

Get Raw Text / Code File Content

Method	GET
Purpose	Return the raw text/code content of a supported file.
Status	Verified production success

Inputs

```
Request Body:
NONE

Path Parameter:
file_id = 803

Query Parameters:
NONE

Authentication used in runtime test:
Existing Efactor/NAS CodeIgniter session cookie

Browser option:
credentials: include
```

Integration Note

CRITICAL: current controller bypasses getUserId/canView and sends wildcard CORS. Do not ship this endpoint to mobile until fixed.

Verified Production Response

```
HTTP STATUS:
200

CONTENT-TYPE:
text/plain;charset=UTF-8

CONTENT-DISPOSITION:
inline; filename="nastest.txt"

CONTENT-LENGTH:
105

TEXT LENGTH:
105
```

Actual response body:

```
venv\Scripts\activate


cd python_service


pip install -r requirements.txt


python -m app.main
```

Response type:

```
PLAIN TEXT / INLINE CONTENT
NOT JSON
```

Unauthenticated Output Response

```
HTTP STATUS:
200

CONTENT-TYPE:
text/plain;charset=UTF-8

CONTENT-LENGTH:
105

TEXT LENGTH:
105
```

```
venv\Scripts\activate

cd python_service

pip install -r requirements.txt

python -m app.main
```

URL 14 - https://efactor.tech/index.php/NAS/api/v1/clusters

Get Storage Clusters

Method	GET
Purpose	Return the configured NAS storage clusters/categories for the current user.
Status	Verified production success

Inputs

```
Body:
NONE

Query Parameters:
NONE

Authentication:
Existing Efactor/NAS session cookie
```

Integration Note

DB trigger handles normal new-user mappings; recovery bootstrap still deserves backend cleanup.

Verified Production Response

```
HTTP STATUS:
200

CONTENT-TYPE:
application/json; charset=UTF-8
```


```
{
  "success": true,
  "message": "Clusters retrieved",
  "clusters": [
    {
      "id": 1,
      "user_id": 0,
      "name": "My Drive",
      "slug": "my-drive",
      "icon": "fa-cloud",
      "description": "Your personal storage space",
      "is_system": 1,
      "is_default": 1,
      "sort_order": 1,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 29,
      "folder_count": 10,
      "total_size": "5408786",
      "total_count": 39
    },
    {
      "id": 2,
      "user_id": 0,
      "name": "Shared with Me",
      "slug": "shared",
      "icon": "fa-share-alt",
      "description": "Files and folders shared with you",
      "is_system": 1,
      "is_default": 0,
      "sort_order": 2,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 0,
      "folder_count": 0,
      "total_size": "0",
      "total_count": 0
    },
    {
      "id": 3,
      "user_id": 0,
      "name": "Computers",
      "slug": "computers",
      "icon": "fa-desktop",
      "description": "Files from your connected devices",
      "is_system": 1,
      "is_default": 0,
      "sort_order": 3,
      "created_at": "2026-07-27 16:52:48",
```

```
      "file_count": 0,
      "folder_count": 0,
      "total_size": "0",
      "total_count": 0
    },
    {
      "id": 4,
      "user_id": 0,
      "name": "Projects",
      "slug": "projects",
      "icon": "fa-folder-open",
      "description": "Your project files",
      "is_system": 0,
      "is_default": 0,
      "sort_order": 4,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 38,
      "folder_count": 20,
      "total_size": "833024",
      "total_count": 58
    },
    {
      "id": 5,
      "user_id": 0,
      "name": "Images",
      "slug": "images",
      "icon": "fa-image",
      "description": "All your images",
      "is_system": 0,
      "is_default": 0,
      "sort_order": 5,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 1,
      "folder_count": 0,
      "total_size": "21137",
      "total_count": 1
    },
    {
      "id": 6,
      "user_id": 0,
      "name": "Videos",
      "slug": "videos",
      "icon": "fa-video",
      "description": "All your videos",
      "is_system": 0,
      "is_default": 0,
      "sort_order": 6,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 1,
      "folder_count": 0,
      "total_size": "2848208",
      "total_count": 1
    },
    {
      "id": 7,
      "user_id": 0,
      "name": "Documents",
      "slug": "documents",
      "icon": "fa-file-alt",
      "description": "All your documents",
      "is_system": 0,
      "is_default": 0,
      "sort_order": 7,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 18,
      "folder_count": 0,
      "total_size": "13855314",
      "total_count": 18
    },
    {
      "id": 8,
      "user_id": 0,
      "name": "Archives",
      "slug": "archives",
      "icon": "fa-file-archive",
      "description": "ZIP, RAR and other archives",
      "is_system": 0,
      "is_default": 0,
      "sort_order": 8,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 1,
      "folder_count": 0,
      "total_size": "19746",
      "total_count": 1
    },
    {
      "id": 9,
      "user_id": 0,
      "name": "Starred",
```

```
      "slug": "starred",
      "icon": "fa-star",
      "description": "Your starred items",
      "is_system": 1,
      "is_default": 0,
      "sort_order": 9,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 0,
      "folder_count": 0,
      "total_size": "0",
      "total_count": 0
    },
    {
      "id": 10,
      "user_id": 0,
      "name": "Trash",
      "slug": "trash",
      "icon": "fa-trash",
      "description": "Deleted items",
      "is_system": 1,
      "is_default": 0,
      "sort_order": 10,
      "created_at": "2026-07-27 16:52:48",
      "file_count": 0,
      "folder_count": 0,
      "total_size": "0",
      "total_count": 0
    }
  ]
}
```

URL 15 - https://efactor.tech/index.php/NAS/api/v1/users/search?q=an

Search NAS Users

Method	GET
Purpose	Search NAS users to select a recipient for sharing.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameter:
q = an

Body:
NONE

Authentication:
Existing Efactor/NAS session cookie

Header:
Accept: application/json
```

Verified Production Response

```
HTTP STATUS:
200

CONTENT-TYPE:
application/json; charset=UTF-8
```

```
{
  "success": true,
  "message": "Users found",
  "users": [
    {
      "id": 7,
      "username": "pavankiran26082003",
      "email": "pavankiran26082003@gmail.com"
    },
    {
      "id": 8,
      "username": "jayaprakashnaiduarangi",
      "email": "jayaprakashnaiduarangi@gmail.com"
    }
  ]
}
```

URL 16 - https://efactor.tech/index.php/NAS/api/v1/sync/status

Get Sync Status

Method	GET
Purpose	Return the current synchronization status and queue information.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing Efactor/NAS session cookie

Header:
Accept: application/json
```

Integration Note

Server calls this browser mode; Flutter needs a native sync design, not the web File System Access flow.

Verified Production Response

```
HTTP STATUS:
200

CONTENT-TYPE:
application/json; charset=UTF-8
```


```
{
  "success": true,
  "message": "Sync status retrieved",
  "status": {
    "status": "idle",
    "session_id": null,
    "started_at": null,
    "total_files": 88,
    "files_synced": 96,
    "sync_folder": "Efactor/MyDrive",
    "client_mode": "browser",
    "last_sync": "2026-08-18 12:21:41",
    "queue_stats": {
      "pending": 0,
      "completed": 0,
      "failed": 0
    },
    "sync_enabled": true
  }
}
```

URL 17 - https://efactor.tech/index.php/NAS/api/v1/sync/init

Initialize Sync

Method	POST
Purpose	Initialize browser/client synchronization and obtain the cloud manifest/setup data.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Application-side step before API call:
User selects a destination folder.
The browser creates:
Efactor/<username>/MyDrive

Important:
The selected destination path is NOT sent in the API request body.

Postman:
1. Copy/use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. For troubleshooting, turn OFF automatic redirects in Postman.
5. If session/CSRF data is missing or invalid, the request may redirect to the NAS dashboard and Postman may display
HTML instead of JSON.
```

Integration Note

requires_directory_permission refers to browser filesystem workflow; not directly meaningful in Flutter.

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/init

CONTENT-TYPE:
application/json; charset=UTF-8
```


```
{
  "success": true,
  "message": "Browser sync initialized",
  "client_mode": "browser",
  "folder_path": "Efactor/MyDrive",
  "requires_directory_permission": true,
  "total_folders": 30,
  "total_files": 88,
  "manifest": {
    "root_name": "MyDrive",
    "cluster_roots": [
      "Documents",
```

```
    "Images",
    "Videos",
    "Projects",
    "Archives",
    "My Drive",
    "Computers"
  ],
  "folders": [
    {
      "id": 354,
      "cluster_id": 1,
      "cluster": "my-drive",
      "name": "app",
      "parent_id": null,
      "relative_path": "My Drive/app"
    },
    {
      "id": 308,
      "cluster_id": 1,
      "cluster": "my-drive",
      "name": "folder",
      "parent_id": null,
      "relative_path": "My Drive/folder"
    },
    {
      "id": 355,
      "cluster_id": 1,
      "cluster": "my-drive",
      "name": "NAS",
      "parent_id": null,
      "relative_path": "My Drive/NAS"
    },
    {
      "id": 341,
      "cluster_id": 4,
      "cluster": "projects",
      "name": "123",
      "parent_id": null,
      "relative_path": "Projects/123"
    }
  ],
  "folders_note": "Production response contains 30 folder entries.",
  "files": [
    {
      "id": 885,
      "cluster_id": 8,
      "cluster": "archives",
      "folder_id": null,
      "name": "modalbrand.zip",
      "relative_path": "Archives/modalbrand.zip",
      "size": 19746,
      "hash": "95d1cc13e23b14fa248bcdd165de2b12c50c219694f55df6a23d709f7a244c15",
      "download_url": "/files/885/download"
    },
    {
      "id": 886,
      "cluster_id": 7,
      "cluster": "documents",
      "folder_id": null,
      "name": "Alma Linux Installations (1).pdf",
      "relative_path": "Documents/Alma Linux Installations (1).pdf",
      "size": 357914,
      "hash": "00d7982c1921a9a5b26ae31f2026c6fba07778c04deac63e96d93aa45181c88d",
      "download_url": "/files/886/download"
    },
    {
      "id": 887,
      "cluster_id": 7,
      "cluster": "documents",
      "folder_id": null,
      "name": "Alma Linux Installations (2).pdf",
      "relative_path": "Documents/Alma Linux Installations (2).pdf",
      "size": 357914,
      "hash": "00d7982c1921a9a5b26ae31f2026c6fba07778c04deac63e96d93aa45181c88d",
      "download_url": "/files/887/download"
    },
    {
      "id": 802,
      "cluster_id": 7,
      "cluster": "documents",
      "folder_id": null,
      "name": "Alma Linux Installations.docx",
      "relative_path": "Documents/Alma Linux Installations.docx",
      "size": 58134,
      "hash": "bce646cba2ea74f3b4be1dfc0694a59a9e2eafd1a568dbe78743bedf52ec7fc6",
      "download_url": "/files/802/download"
    }
  ],
  "files_note": "Production response reports 88 total files. The console response supplied in chat was truncated
```

```
after the initial file entries."
  }
}
```

URL 18 - https://efactor.tech/index.php/NAS/api/v1/sync/start

Start Sync

Method	POST
Purpose	Start a synchronization session.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Postman:
1. Copy/use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. For troubleshooting, turn OFF automatic redirects in Postman.
5. If session/CSRF data is missing or invalid, the request may redirect to the NAS dashboard and Postman may display
HTML instead of JSON.
```

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/start

CONTENT-TYPE:
application/json; charset=UTF-8
```


```
{
  "success": true,
  "message": "Client sync started",
  "session_id": "sync_6a8576028946d6.57147222",
  "status": "running"
}
```

URL 19 - https://efactor.tech/index.php/NAS/api/v1/sync/manifest

Get Sync Manifest

Method	GET
Purpose	Return the current cloud synchronization manifest.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing Efactor/NAS session cookie

Header:
Accept: application/json
```

Integration Note

Manifest file.download_url is relative; mobile should resolve against API_BASE.

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/manifest

CONTENT-TYPE:
application/json; charset=UTF-8
{
  "success": true,
  "message": "Sync manifest retrieved",
  "manifest": {
    "root_name": "MyDrive",
    "cluster_roots": [
      "Documents",
      "Images",
      "Videos",
      "Projects",
      "Archives",
      "My Drive",
      "Computers"
    ],
    "folders": [
      {
        "id": 354,
        "cluster_id": 1,
        "cluster": "my-drive",
        "name": "app",
        "parent_id": null,
        "relative_path": "My Drive/app"
      },
      {
        "id": 308,
        "cluster_id": 1,
        "cluster": "my-drive",
        "name": "folder",
        "parent_id": null,
        "relative_path": "My Drive/folder"
      },
      {
        "id": 355,
        "cluster_id": 1,
        "cluster": "my-drive",
        "name": "NAS",
        "parent_id": null,
```

```
      "relative_path": "My Drive/NAS"
    },
    {
      "id": 341,
      "cluster_id": 4,
      "cluster": "projects",
      "name": "123",
      "parent_id": null,
      "relative_path": "Projects/123"
    },
    {
      "id": 356,
      "cluster_id": 4,
      "cluster": "projects",
      "name": "anm1",
      "parent_id": null,
      "relative_path": "Projects/anm1"
    },
    {
      "id": 344,
      "cluster_id": 4,
      "cluster": "projects",
      "name": "NAS",
      "parent_id": null,
      "relative_path": "Projects/NAS"
    },
    {
      "id": 357,
      "cluster_id": 4,
      "cluster": "projects",
      "name": "NAS_TEST",
      "parent_id": null,
      "relative_path": "Projects/NAS_TEST"
    },
    {
      "id": 319,
      "cluster_id": 4,
      "cluster": "projects",
      "name": "NAS_TEST1",
      "parent_id": null,
      "relative_path": "Projects/NAS_TEST1"
    }
  ],
  "folders_note": "Production response contains 30 folder entries.",
  "files": [
    {
      "id": 885,
      "cluster_id": 8,
      "cluster": "archives",
      "folder_id": null,
      "name": "modalbrand.zip",
      "relative_path": "Archives/modalbrand.zip",
      "size": 19746,
      "hash": "95d1cc13e23b14fa248bcdd165de2b12c50c219694f55df6a23d709f7a244c15",
      "download_url": "/files/885/download"
    },
    {
      "id": 886,
      "cluster_id": 7,
      "cluster": "documents",
      "folder_id": null,
      "name": "Alma Linux Installations (1).pdf",
      "relative_path": "Documents/Alma Linux Installations (1).pdf",
      "size": 357914,
      "hash": "00d7982c1921a9a5b26ae31f2026c6fba07778c04deac63e96d93aa45181c88d",
      "download_url": "/files/886/download"
    },
    {
      "id": 887,
      "cluster_id": 7,
      "cluster": "documents",
      "folder_id": null,
      "name": "Alma Linux Installations (2).pdf",
      "relative_path": "Documents/Alma Linux Installations (2).pdf",
      "size": 357914,
      "hash": "00d7982c1921a9a5b26ae31f2026c6fba07778c04deac63e96d93aa45181c88d",
      "download_url": "/files/887/download"
    },
    {
      "id": 802,
      "cluster_id": 7,
      "cluster": "documents",
      "folder_id": null,
      "name": "Alma Linux Installations.docx",
      "relative_path": "Documents/Alma Linux Installations.docx",
      "size": 58134,
      "hash": "bce646cba2ea74f3b4be1dfc0694a59a9e2eafd1a568dbe78743bedf52ec7fc6",
      "download_url": "/files/802/download"
    },
```

```
      {
        "id": 888,
        "cluster_id": 7,
        "cluster": "documents",
        "folder_id": null,
        "name": "APIs_25-07-24.php",
        "relative_path": "Documents/APIs_25-07-24.php"
      }
    ],
    "files_note": "The production console response supplied in chat was truncated after the initial file entries."
  }
}
```

URL 20 - https://efactor.tech/index.php/NAS/api/v1/sync/folders/ensure

Ensure Sync Folder Structure

Method	POST
Purpose	Ensure that the requested folder structure exists for synchronization.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "paths": [
    "Projects/NAS"
  ]
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "paths": [
       "Projects/NAS"
     ]
   }
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/folders/ensure

CONTENT-TYPE:
application/json; charset=UTF-8
```


```
{
  "success": true,
  "message": "Sync folders processed",
  "created": 0,
  "existing": 1,
  "mapping": {
    "Projects/NAS": 344
  },
  "errors": []
}
```

URL 21 - https://efactor.tech/index.php/NAS/api/v1/sync/upload

Sync Upload

Method	POST
Purpose	Upload a file through the synchronization workflow.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body Type:
form-data

Body Fields:
file = File
relative_path = Documents/Alma Linux Installations.docx

Safe Test Used:
An existing cloud file path was used so the API returns skipped=true instead of creating a duplicate file.

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> form-data:
   file          -> File -> choose Alma Linux Installations.docx
   relative_path -> Text -> Documents/Alma Linux Installations.docx
5. Do NOT manually set Content-Type: multipart/form-data.
6. For troubleshooting, turn OFF automatic redirects in Postman.
```

Integration Note

Unlike normal /files upload, current server path omits quota, allowed-extension and max-size checks.

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/upload

CONTENT-TYPE:
application/json; charset=UTF-8
```


```
{
  "success": true,
  "message": "File already exists in this cloud location",
  "skipped": true,
  "file_id": 802,
  "relative_path": "Documents/Alma Linux Installations.docx"
}
```

URL 22 - https://efactor.tech/index.php/NAS/api/v1/sync/complete

Complete Sync

Method	POST
Purpose	Mark the current synchronization session as complete and record its result counts.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "folders_created": 0,
  "uploaded": 0,
  "downloaded": 0,
  "skipped": 0,
  "errors": [],
  "synced_files": []
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "folders_created": 0,
     "uploaded": 0,
     "downloaded": 0,
     "skipped": 0,
     "errors": [],
     "synced_files": []
   }
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/complete

CONTENT-TYPE:
application/json; charset=UTF-8
```

```
{
  "success": true,
  "message": "Client sync complete: 0 folders, 0 uploads, 0 downloads, 0 skipped, 0 errors",
  "status": "completed"
}
```

URL 23 - https://efactor.tech/index.php/NAS/api/v1/sync/download

Sync Download

Method	POST
Purpose	Prepare the synchronization download manifest for client-side pulling.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: NONE
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Integration Note

For Flutter use GET /sync/manifest directly; this endpoint does not download bytes.

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/sync/download

CONTENT-TYPE:
application/json; charset=UTF-8
```

Verified production response begins:


```
{
  "success": true,
  "message": "Download manifest prepared",
  "manifest": {
    "root_name": "MyDrive",
    "cluster_roots": [
      "Documents",
      "Images",
      "Videos",
      "Projects",
      "Archives",
      "My Drive",
      "Computers"
    ],
    "folders": [
      {
        "id": 354,
        "cluster_id": 1,
        "cluster": "my-drive",
```

```
        "name": "app",
        "parent_id": null,
        "relative_path": "My Drive/app"
      },
      {
        "id": 308,
        "cluster_id": 1,
        "cluster": "my-drive",
        "name": "folder",
        "parent_id": null,
        "relative_path": "My Drive/folder"
      },
      {
        "id": 355,
        "cluster_id": 1,
        "cluster": "my-drive",
        "name": "NAS",
        "parent_id": null,
        "relative_path": "My Drive/NAS"
      },
      {
        "id": 341,
        "cluster_id": 4,
        "cluster": "projects",
        "name": "123",
        "parent_id": null,
        "relative_path": "Projects/123"
      },
      {
        "id": 344,
        "cluster_id": 4,
        "cluster": "projects",
        "name": "NAS",
        "parent_id": null,
        "relative_path": "Projects/NAS"
      }
    ],
    "files": [
      {
        "id": 885,
        "cluster_id": 8,
        "cluster": "archives",
        "folder_id": null,
        "name": "modalbrand.zip",
        "relative_path": "Archives/modalbrand.zip",
        "size": 19746,
        "hash": "95d1cc13e23b14fa248bcdd165de2b12c50c219694f55df6a23d709f7a244c15",
        "download_url": "/files/885/download"
      },
      {
        "id": 886,
        "cluster_id": 7,
        "cluster": "documents",
        "folder_id": null,
        "name": "Alma Linux Installations (1).pdf",
        "relative_path": "Documents/Alma Linux Installations (1).pdf",
        "size": 357914,
        "hash": "00d7982c1921a9a5b26ae31f2026c6fba07778c04deac63e96d93aa45181c88d",
        "download_url": "/files/886/download"
      },
      {
        "id": 887,
        "cluster_id": 7,
        "cluster": "documents",
        "folder_id": null,
        "name": "Alma Linux Installations (2).pdf",
        "relative_path": "Documents/Alma Linux Installations (2).pdf",
        "size": 357914,
        "hash": "00d7982c1921a9a5b26ae31f2026c6fba07778c04deac63e96d93aa45181c88d",
        "download_url": "/files/887/download"
      },
      {
        "id": 802,
        "cluster_id": 7,
        "cluster": "documents",
        "folder_id": null,
        "name": "Alma Linux Installations.docx",
        "relative_path": "Documents/Alma Linux Installations.docx",
        "size": 58134,
        "hash": "bce646cba2ea74f3b4be1dfc0694a59a9e2eafd1a568dbe78743bedf52ec7fc6",
        "download_url": "/files/802/download"
      }
    ]
  }
}
```


The production console response continued beyond the entries shown above.
The supplied console output was truncated during the next file record, beginning with file id 888.
Only the verified portion supplied during testing is recorded here.

URL 24 - https://efactor.tech/index.php/NAS/api/v1/sync/uploaded

Mark Uploaded File for Sync

Method	POST
Purpose	Queue an uploaded cloud file for later local/client synchronization.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "file_id": 802
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "file_id": 802
   }
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response

```
{
  "success": true,
  "message": "Cloud file queued for local synchronization",
  "file_id": 802,
  "client_pull_required": true,
  "relative_path": "Documents/Alma Linux Installations.docx"
}
```

URL 25 - https://efactor.tech/index.php/NAS/api/v1/sync/repair

Repair Sync State

Method	POST
Purpose	Repair or reconcile synchronization state for existing cloud files.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: NONE
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response


```
{
  "success": true,
  "message": "Clusters repaired",
  "total": 88,
  "fixed": 0,
  "errors": [
    "Cluster not found: documents",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: images",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: documents",
    "Cluster not found: documents",
    "Cluster not found: images",
    "Cluster not found: images",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
```

```
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: my-drive",
    "Cluster not found: documents",
    "Cluster not found: archives",
    "Cluster not found: archives",
    "Cluster not found: archives",
    "Cluster not found: videos",
    "Cluster not found: my-drive"
  ]
}
```

URL 26 - https://efactor.tech/index.php/NAS/api/v1/sync/history

Get Sync History

Method	GET
Purpose	Return synchronization history records.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Verified Production Response


```
{
  "success": true,
  "message": "Sync history retrieved",
  "history": [
    {
      "id": 25,
      "user_id": 3,
      "session_id": "sync_6a8576028946d6.57147222",
      "status": "completed",
      "started_at": "2026-08-19 14:53:14",
      "completed_at": "2026-08-19 15:40:18",
      "files_synced": 0,
      "total_files": 0,
      "last_sync_at": null,
      "error_message": null
    },
    {
      "id": 18,
      "user_id": 3,
      "session_id": "sync_6a8400eb5d96f7.97357462",
      "status": null,
      "started_at": "2026-08-18 12:21:23",
      "completed_at": "2026-08-18 12:21:23",
      "files_synced": 0,
      "total_files": 0,
      "last_sync_at": null,
      "error_message": null
    },
    {
      "id": 17,
      "user_id": 3,
      "session_id": "sync_6a8400e56f4048.68898691",
      "status": null,
      "started_at": "2026-08-18 12:21:17",
      "completed_at": "2026-08-18 12:21:18",
      "files_synced": 0,
      "total_files": 0,
      "last_sync_at": null,
      "error_message": null
    },
    {
      "id": 16,
      "user_id": 3,
      "session_id": "sync_6a8400b0006b24.84580745",
      "status": null,
```

```
      "started_at": "2026-08-18 12:20:24",
      "completed_at": "2026-08-18 12:20:45",
      "files_synced": 0,
      "total_files": 0,
      "last_sync_at": null,
      "error_message": null
    },
    {
      "id": 14,
      "user_id": 3,
      "session_id": "sync_6a83e1f9d3e4e6.74403959",
      "status": null,
      "started_at": "2026-08-18 10:09:21",
      "completed_at": "2026-08-18 10:09:22",
      "files_synced": 0,
      "total_files": 0,
      "last_sync_at": null,
      "error_message": null
    },
    {
      "id": 13,
      "user_id": 3,
      "session_id": "sync_6a83e1eb2930c2.17637435",
      "status": null,
      "started_at": "2026-08-18 10:09:07",
      "completed_at": "2026-08-18 10:09:07",
      "files_synced": 0,
      "total_files": 0,
      "last_sync_at": null,
      "error_message": null
    }
  ]
}
```

URL 27 - https://efactor.tech/index.php/NAS/api/v1/sync/cancel

Cancel Sync

Method	POST
Purpose	Cancel the current synchronization session.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: NONE
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response

```
{
  "success": true,
  "message": "Sync cancelled"
}
```

URL 28 - https://efactor.tech/index.php/NAS/api/v1/sync/folders

Get Sync Folders

Method	GET
Purpose	Return configured synchronization folders for the current user.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Verified Production Response


```
{
  "success": true,
  "message": "Sync folders retrieved",
  "folders": [
    {
      "id": 2,
      "user_id": 3,
      "local_path": "Efactor/MyDrive",
      "folder_name": "MyDrive",
      "sync_enabled": 1,
      "is_auto": 0,
      "last_sync": "2026-08-19 16:10:52",
      "created_at": "2026-08-06 09:03:46",
      "updated_at": "2026-08-19 16:10:52"
    }
  ]
}
```

URL 29 - https://efactor.tech/index.php/NAS/api/v1/sync/unsynced

Get Unsynced Files

Method	GET
Purpose	Return files that are currently unsynced/pending synchronization.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Verified Production Response

```
{
  "success": true,
  "message": "Unsynced files retrieved",
  "files": []
}
```

URL 30 - https://efactor.tech/index.php/NAS/api/v1/sync/logs

Get Sync Logs

Method	GET
Purpose	Return synchronization diagnostic/history logs.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
Optional:
limit=<number>

Default limit:
50

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Verified Production Response


```
{
  "success": true,
  "message": "Sync logs retrieved",
  "logs": [
    {
      "id": 236,
      "user_id": 3,
      "sync_type": "error",
      "file_path": "Efactor/MyDrive",
      "file_hash": null,
      "message": "Invalid sync log type [client] normalized to error. Client sync complete: 0 folders, 0 uploads, 0
downloads, 88 skipped, 0 errors",
      "created_at": "2026-08-19 16:10:52"
    },
    {
      "id": 235,
      "user_id": 3,
      "sync_type": "error",
      "file_path": "Efactor/MyDrive",
      "file_hash": null,
      "message": "Invalid sync log type [client] normalized to error. Client sync complete: 37 folders, 0 uploads, 0
downloads, 88 skipped, 0 errors",
      "created_at": "2026-08-19 16:10:46"
    },
    {
      "id": 234,
      "user_id": 3,
      "sync_type": "error",
      "file_path": "Efactor/MyDrive",
      "file_hash": null,
      "message": "Invalid sync log type [client] normalized to error. Client sync complete: 0 folders, 0 uploads, 0
downloads, 0 skipped, 0 errors",
      "created_at": "2026-08-19 15:42:17"
    },
    {
      "id": 233,
      "user_id": 3,
      "sync_type": "error",
      "file_path": "Efactor/MyDrive",
      "file_hash": null,
      "message": "Invalid sync log type [client] normalized to error. Client sync complete: 0 folders, 0 uploads, 0
```

```
downloads, 0 skipped, 0 errors",
      "created_at": "2026-08-19 15:40:18"
    },
    {
      "id": 232,
      "user_id": 3,
      "sync_type": "error",
      "file_path": "Efactor/MyDrive",
      "file_hash": null,
      "message": "Invalid sync log type [client] normalized to error. Client sync complete: 37 folders, 0 uploads, 0
downloads, 88 skipped, 0 errors",
      "created_at": "2026-08-19 14:49:05"
    },
    {
      "id": 231,
      "user_id": 3,
      "sync_type": "error",
      "file_path": "Efactor/MyDrive",
      "file_hash": null,
      "message": "Invalid sync log type [client] normalized to error. Client sync complete: 37 folders, 0 uploads, 0
downloads, 88 skipped, 0 errors",
      "created_at": "2026-08-19 14:41:03"
    },
    {
      "id": 211,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/NAS_TEST/innernastest.txt",
      "file_hash": "0be67a678f57b00158e40eac337b82494cb4c329fd1fbd61a72d762e3217aa67",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:45"
    },
    {
      "id": 207,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/sync.js",
      "file_hash": "5d39df6781c546f19549a73b891d95aeffd8d5d041b84a53a06776d48585f221",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:44"
    },
    {
      "id": 208,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/websocket-client.js",
      "file_hash": "98a4ad26d5f2ff1bacd63fbe7c4fc6b969cc22ed32a2efea813ed4799fed752d",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:44"
    },
    {
      "id": 209,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/utils.js",
      "file_hash": "d58c5d6b6a80b2b498dc6ef69eee9be90d4e68ea62b49557fb5e53500cbd330d",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:44"
    },
    {
      "id": 210,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/share.js",
      "file_hash": "9ff1d6316c3a3d3d5f2cdfdb215650251418f9e7867f529d603bb809e732af48",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:44"
    },
    {
      "id": 204,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/app_13-8-26.js",
      "file_hash": "faac70bdf8b5b372cfcfe534a22f48bc6c109333e0daff03de76b81228121f3f",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:43"
    },
    {
      "id": 205,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/excelpreview.js",
      "file_hash": "05ce82eb8cff81468320901aa7be1f6f7168a9dfc60e6e37e7bbf95d842e6a69",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:43"
    },
    {
      "id": 206,
      "user_id": 3,
```

```
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/preview.js",
      "file_hash": "4a4234688ce5cec48777a8b992a924e533500c7cb1f03a507dbf9b9ea7ced2bd",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:43"
    },
    {
      "id": 201,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/app.js",
      "file_hash": "834fce5ca9a388884f50d183d2931d03ed104c7f95c3966394f26ba791868997",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:42"
    },
    {
      "id": 202,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/app_13-8-26(latest).js",
      "file_hash": "ebd398cdde8ce4d05226533137b6acdf7ac0bdb74eee6dbd02d24202800d0b5a",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:42"
    },
    {
      "id": 203,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/config.js",
      "file_hash": "06bf2b16b556f07ae86551c9045198a7de2da06f18a7e27c89880ad8caa860bd",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:42"
    },
    {
      "id": 199,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/images/efactor.png",
      "file_hash": "346622be963209edb1152fecfc9441156bc010c74747b4707df9c4902a57c8e2",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:41"
    },
    {
      "id": 200,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/js/app_12-8-26.js",
      "file_hash": "9f17d495ba1c5393e362e84bc64381ab8330eb46cd6879b2695b628a5e359350",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:41"
    },
    {
      "id": 198,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/css/style.css",
      "file_hash": "83e7ef7fb69dee54346119106ce86cd192bced5814ef497a656c6cd3b2bb26f8",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:40"
    },
    {
      "id": 197,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/nasassets/NAS/css/home-style.css",
      "file_hash": "e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:37"
    },
    {
      "id": 196,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/NAS/StorageService.php",
      "file_hash": "06db2cbcb4edbb246e4003b702347b1be8ba9232db310f6c140e040e9cfd7ce9",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:36"
    },
    {
      "id": 195,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Projects/NAS/FileService.php",
      "file_hash": "7ed4f20b51effd6f21a7b6bdb980ee6692a36ea8a164144b1270aa96bf636520",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:35"
    },
    {
      "id": 194,
```

```
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/Play_store_and_User_reviews_set_1.xlsx",
    "file_hash": "17b15f036a9efbcec0ce5ec7bbfd01b4e654ed56abae5e0433d85380d348ce17",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:33"
  },
  {
    "id": 189,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/sync.js",
    "file_hash": "5d39df6781c546f19549a73b891d95aeffd8d5d041b84a53a06776d48585f221",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:32"
  },
  {
    "id": 190,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/websocket-client.js",
    "file_hash": "98a4ad26d5f2ff1bacd63fbe7c4fc6b969cc22ed32a2efea813ed4799fed752d",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:32"
  },
  {
    "id": 191,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/utils.js",
    "file_hash": "d58c5d6b6a80b2b498dc6ef69eee9be90d4e68ea62b49557fb5e53500cbd330d",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:32"
  },
  {
    "id": 192,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/arch.txt",
    "file_hash": "535264adba1fe527b28264cb2acd37dcfc3b557ae0c1ed5df1c3c2aed348d877",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:32"
  },
  {
    "id": 193,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/Play_store_and_User_reviews_set_1.csv",
    "file_hash": "dff6d9a15b109b8aea3a9be1ead5644a23a29ab60ef24bd2d04b972fdf663a44",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:32"
  },
  {
    "id": 186,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/excelpreview.js",
    "file_hash": "05ce82eb8cff81468320901aa7be1f6f7168a9dfc60e6e37e7bbf95d842e6a69",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:31"
  },
  {
    "id": 187,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/preview.js",
    "file_hash": "4a4234688ce5cec48777a8b992a924e533500c7cb1f03a507dbf9b9ea7ced2bd",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:31"
  },
  {
    "id": 188,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/share.js",
    "file_hash": "9ff1d6316c3a3d3d5f2cdfdb215650251418f9e7867f529d603bb809e732af48",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:31"
  },
  {
    "id": 183,
    "user_id": 3,
    "sync_type": "upload",
    "file_path": "My Drive/NAS/js/app_13-8-26(latest).js",
    "file_hash": "ebd398cdde8ce4d05226533137b6acdf7ac0bdb74eee6dbd02d24202800d0b5a",
    "message": "Uploaded from browser sync client",
    "created_at": "2026-08-18 12:20:30"
  },
  {
```

```
      "id": 184,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/js/app_13-8-26.js",
      "file_hash": "faac70bdf8b5b372cfcfe534a22f48bc6c109333e0daff03de76b81228121f3f",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:30"
    },
    {
      "id": 185,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/js/config.js",
      "file_hash": "06bf2b16b556f07ae86551c9045198a7de2da06f18a7e27c89880ad8caa860bd",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:30"
    },
    {
      "id": 179,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/css/style.css",
      "file_hash": "83e7ef7fb69dee54346119106ce86cd192bced5814ef497a656c6cd3b2bb26f8",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:29"
    },
    {
      "id": 180,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/images/efactor.png",
      "file_hash": "346622be963209edb1152fecfc9441156bc010c74747b4707df9c4902a57c8e2",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:29"
    },
    {
      "id": 181,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/js/app.js",
      "file_hash": "834fce5ca9a388884f50d183d2931d03ed104c7f95c3966394f26ba791868997",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:29"
    },
    {
      "id": 182,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/js/app_12-8-26.js",
      "file_hash": "9f17d495ba1c5393e362e84bc64381ab8330eb46cd6879b2695b628a5e359350",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:29"
    },
    {
      "id": 176,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/app/HomeController.php",
      "file_hash": "1559deb36cb6b35f1f391992f7e72a6f45cdb286792acffc05c025c219f2def2",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:28"
    },
    {
      "id": 177,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/folder/help_and_knowledge_base/articles/1755490381_1755490381_296342e3efd59334904d.png",
      "file_hash": "133006e0eb350a960835f2c7abff90d13a7b8b8d7b9bd18d4da4eb242907f975",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:28"
    },
    {
      "id": 178,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/NAS/css/home-style.css",
      "file_hash": "e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:28"
    },
    {
      "id": 170,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Documents/StorageService.php",
      "file_hash": "8c774631363631d755cee44f62378711b2c3dd6f0ae4fec04dad8ffa85eb5e33",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:27"
    },
```

```
    {
      "id": 171,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Documents/users.sql",
      "file_hash": "a499449cca1bad9b2eb4440ed0716523b2cfc9a0ebd76748cb2ae9897e646106",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:27"
    },
    {
      "id": 172,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/app/AuthController.php",
      "file_hash": "9ade2e5c0d38ff82aedd246a731c607fe4a7e90e311c225e8791fcddf1a31a3a",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:27"
    },
    {
      "id": 173,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/app/AuthService.php",
      "file_hash": "b1cd833533ee9d9ecd8c6e5d40d1afedbe7bdb94f29d5cf56f1c93662c2b0a74",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:27"
    },
    {
      "id": 174,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/app/BaseController.php",
      "file_hash": "915c8d182e847c75a565391f5a4c7d2bb73dd8692ffb7ca5225506c336abd911",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:27"
    },
    {
      "id": 175,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "My Drive/app/DashboardController.php",
      "file_hash": "9ab8706cefe430c8596a1cffef317abda18bbe92bd90083445f8b6b36f520f3f",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:27"
    },
    {
      "id": 165,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Documents/APIs_25-07-24.php",
      "file_hash": "4d324759c438250741121ebb6c0356fe319bce5c2d98750443aa09d6d3de9cd9",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:26"
    },
    {
      "id": 166,
      "user_id": 3,
      "sync_type": "upload",
      "file_path": "Documents/ClusterService.php",
      "file_hash": "491a6958b67b1a778f90f2e625a5e303c27f9683a3d588930c6abf9c97dc8ea1",
      "message": "Uploaded from browser sync client",
      "created_at": "2026-08-18 12:20:26"
    }
  ]
}
```

URL 31 - https://efactor.tech/index.php/NAS/api/v1/sync/pause

Pause Sync

Method	POST
Purpose	Pause browser/client synchronization.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: NONE
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response

```
{
  "success": true,
  "message": "Browser sync paused"
}
```

URL 32 - https://efactor.tech/index.php/NAS/api/v1/sync/resume

Resume Sync

Method	POST
Purpose	Resume browser/client synchronization.
Status	Verified production success

Inputs

```
Method:
POST

Query Parameters:
NONE

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: NONE
5. For troubleshooting, turn OFF automatic redirects in Postman.
```

Verified Production Response

```
{
  "success": true,
  "message": "Browser sync resumed"
}
```

URL 33 - https://efactor.tech/index.php/NAS/api/v1/preview/convert?file_id=802

Convert / Preview File

Method	GET
Purpose	Convert an Office document to a previewable PDF response.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
file_id=802

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/pdf

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/pdf
3. Body: NONE
```

Integration Note

Flutter may prefer downloading/previewing natively. LibreOffice temp cache is server-side.

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/preview/convert?file_id=802

CONTENT-TYPE:
application/pdf

CONTENT-DISPOSITION:
inline; filename="Alma Linux Installations.pdf"

CONTENT-LENGTH:
416957

BLOB TYPE:
application/pdf

BLOB SIZE:
416957
```

URL 34 - https://efactor.tech/index.php/NAS/api/v1/preview/info?file_id=802

Get Preview Info

Method	GET
Purpose	Return preview/conversion metadata for a file.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
file_id=802

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Integration Note

pdf_path is server filesystem information and should not be used as a mobile URL.

Verified Production Response


```
{
  "success": true,
  "message": "Preview info retrieved",
  "file_id": 802,
  "extension": "docx",
  "has_conversion": true,
  "has_cached_pdf": false,
  "pdf_path": null,
  "can_preview": true,
  "preview_type": "office"
}
```

URL 35 - https://efactor.tech/index.php/NAS/api/v1/preview/ppt/767

Get PPT/PPTX Preview Data

Method	GET
Purpose	Return PPT/PPTX preview data for a presentation file.
Status	Verified production success

Inputs

```
Method:
GET

Path Parameter:
file_id=767

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Integration Note

Current implementation returns placeholder Slide 1/2/3 data.

Verified Production Response


```
{
  "success": true,
  "message": "PPT preview retrieved",
  "file_id": 767,
  "name": "final_ppt (1).pptx",
  "slides": [
    {
      "title": "Slide 1",
      "content": "Content of slide 1"
    },
    {
      "title": "Slide 2",
      "content": "Content of slide 2"
    },
    {
      "title": "Slide 3",
      "content": "Content of slide 3"
    }
  ],
  "slide_count": 3,
  "preview_type": "ppt"
}
```

URL 36 - https://efactor.tech/index.php/NAS/api/v1/preview/docx/802

Get DOC/DOCX Preview Data

Method	GET
Purpose	Return DOC/DOCX preview data for a Word document.
Status	Verified production success

Inputs

```
Method:
GET

Path Parameter:
file_id=802

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
3. Body: NONE
```

Integration Note

DOCX currently returns placeholder content; DOC path uses strip_tags on raw bytes.

Verified Production Response


```
{
  "success": true,
  "message": "DOCX preview retrieved",
  "file_id": 802,
  "name": "Alma Linux Installations.docx",
  "content": "This is a preview of the Word document content.\n\nLorem ipsum dolor sit amet, consectetur adipiscing elit.\nSed do eiusmod tempor incididunt ut labore et dolore magna aliqua.\n\nUt enim ad minim veniam, quis nostrud exercitation ullamco laboris.\nNisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in.\n\nReprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.\nExcepteur sint occaecat cupidatat non proident, sunt in culpa qui officia.",
  "word_count": 72,
  "character_count": 462,
  "preview_type": "docx"
}
```

URL 37 - https://efactor.tech/index.php/NAS/api/v1/files/download-folder?folder_id=344

Download Folder as ZIP

Method	GET
Purpose	Download a folder and its contents as a ZIP archive.
Status	Verified production success

Inputs

```
Method:
GET

Query Parameters:
folder_id=344

Body:
NONE

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/zip

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Body: NONE
```

Integration Note

Mobile should stream to a file, not JSON-decode.

Verified Production Response

```
HTTP STATUS:
200

REDIRECTED:
false

FINAL URL:
https://efactor.tech/index.php/NAS/api/v1/files/download-folder?folder_id=344

CONTENT-TYPE:
application/zip

CONTENT-DISPOSITION:
attachment; filename="NAS.zip"

CONTENT-LENGTH:
34008

BLOB TYPE:
application/zip

BLOB SIZE:
34008
```

URL 38 - https://efactor.tech/index.php/NAS/api/v1/files

Upload File

Method	POST
Purpose	Upload a file through the standard NAS file-upload API.
Status	Verified production success

Inputs

```
Method:
POST

Body Type:
multipart/form-data

Body Fields:
file = conv.txt
cluster = documents

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Important:
Do not manually set Content-Type.
The browser/Postman must generate the multipart boundary.

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> form-data:
   file = conv.txt
   cluster = documents
5. Do not manually set Content-Type.
```

Integration Note

Normal upload currently also manually updates storage_used while DB triggers do too; storage accounting bug.

Verified Production Response


```
{
  "success": true,
  "message": "1 file(s) uploaded successfully to \"documents\" cluster",
  "uploaded": [
    "conv.txt"
  ],
  "uploaded_files": [
    950
  ],
  "folders_created": [],
  "root_folder_id": null,
  "cluster_id": 7,
  "cluster_slug": "documents",
  "total_files": 1,
  "total_folders": 0,
  "errors": []
}
```

URL 39 - https://efactor.tech/index.php/NAS/api/v1/files/950

Update/Rename File

Method	PUT
Purpose	Rename an existing NAS file.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
file_id=950

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "action": "rename",
  "new_name": "conv_url39.txt"
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "action": "rename",
     "new_name": "conv_url39.txt"
   }
```

Integration Note

Rename updates display/original_name in DB; physical stored randomized filename remains unchanged.

Verified Production Response

```
{
  "success": true,
  "message": "File renamed successfully"
}
```

URL 40 - https://efactor.tech/index.php/NAS/api/v1/files/950

Star / Unstar File

Method	PUT
Purpose	Toggle a file between starred and unstarred state.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
file_id=950

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "action": "star"
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "action": "star"
   }
```

Verified Production Response

```
{
  "success": true,
  "message": "File unstarred",
  "is_starred": false
}
```

URL 41 - https://efactor.tech/index.php/NAS/api/v1/files/950

Mark File as Opened

Method	PUT
Purpose	Mark a file as opened / update its last-opened state. The captured production test currently fails with HTTP 500.
Status	Verified production failure (HTTP 500)

Inputs

```
Method:
PUT

Path Parameter:
file_id=950

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "action": "open"
}
```

Integration Note

The production response is a server error caused by the open action returning no message while the controller requires a string message. Treat this action as unavailable until the backend response contract is corrected.

Verified Production Response

```
{
  "success": false,
  "message": "Argument 2 passed to App\\Controllers\\NAS\\BaseController::success() must be of the type string, null
given, called in /var/www/html/app/Controllers/NAS/Api/V1/FileController.php on line 291"
}
```

URL 42 - https://efactor.tech/index.php/NAS/api/v1/files/950

Move File to Trash

Method	DELETE
Purpose	Move a file to Trash using a soft delete.
Status	Verified production success

Inputs

```
Method:
DELETE

Path Parameter:
file_id=950

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "permanent": false
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "permanent": false
   }
```

Integration Note

Permanent owner delete is part of current double storage-accounting problem.

Verified Production Response

```
{
  "success": true,
  "message": "File moved to trash"
}
```

URL 43 - https://efactor.tech/index.php/NAS/api/v1/files/950/restore

Restore File from Trash

Method	PUT
Purpose	Restore a previously trashed file.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
file_id=950

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
None

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: none.
```

Verified Production Response

```
{
  "success": true,
  "message": "File restored successfully"
}
```

URL 44 - https://efactor.tech/index.php/NAS/api/v1/folders

Create Folder

Method	POST
Purpose	Create a new NAS folder in the selected storage cluster.
Status	Verified production success

Inputs

```
Method:
POST

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "name": "NAS_API_URL44_TEST_20260819",
  "parent_id": null,
  "cluster": "projects"
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "name": "NAS_API_URL44_TEST_20260819",
     "parent_id": null,
     "cluster": "projects"
   }
```

Verified Production Response

```
{
  "success": true,
  "message": "Folder created successfully in \"projects\" cluster",
  "folder_id": 375,
  "cluster_id": 4,
  "cluster_slug": "projects"
}
```

URL 45 - https://efactor.tech/index.php/NAS/api/v1/folders/375

Rename Folder

Method	PUT
Purpose	Rename an existing NAS folder and its physical/logical path.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
folder_id=375

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Action:
rename

Verified rename result:
NAS_API_URL45_RENAMED
->
NAS_API_URL45_RENAMED_again

Application Request Method:
window.nasFetch()

Postman:
Use the authenticated efactor.tech session cookie,
X-Requested-With header, current CSRF header/token,
and raw JSON body for the rename action.
```

Verified Production Response

```
{
  "success": true,
  "message": "Folder renamed successfully",
  "old_path": "user_3/projects/NAS_API_URL45_RENAMED",
  "new_path": "user_3/projects/NAS_API_URL45_RENAMED_again"
}
```

URL 46 - https://efactor.tech/index.php/NAS/api/v1/folders/375

Star / Unstar Folder

Method	PUT
Purpose	Toggle a folder between starred and unstarred state.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
folder_id=375

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "action": "star"
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "action": "star"
   }
```

Verified Production Response

```
{
  "success": true,
  "message": "Folder unstarred",
  "is_starred": false
}
```

URL 47 - https://efactor.tech/index.php/NAS/api/v1/folders/375

Move Folder to Trash

Method	DELETE
Purpose	Move a folder and its contents to Trash using a soft delete.
Status	Verified production success

Inputs

```
Method:
DELETE

Path Parameter:
folder_id=375

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "permanent": false
}

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   Content-Type: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body -> raw -> JSON:
   {
     "permanent": false
   }
```

Integration Note

Permanent folder storage accounting is currently incorrect/unsafe; fix before relying on quota.

Verified Production Response

```
{
  "success": true,
  "message": "Folder moved to trash with all contents"
}
```

URL 48 - https://efactor.tech/index.php/NAS/api/v1/folders/375/restore

Restore Folder from Trash

Method	PUT
Purpose	Restore a trashed folder tree and any files contained in it.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
folder_id=375

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
None

Application Request Method:
window.nasFetch()

Postman:
1. Use the authenticated efactor.tech session cookie.
2. Add:
   Accept: application/json
   X-Requested-With: XMLHttpRequest
3. Add the current CSRF header and token used by the NAS application.
4. Body: none.
```

Verified Production Response

```
{
  "success": true,
  "message": "Folder restored with 1 folders and 0 files",
  "folders_restored": 1,
  "files_restored": 0,
  "total_folders": 1,
  "total_files": 0
}
```

URL 49 - https://efactor.tech/index.php/NAS/api/v1/share

Get Shares

Method	GET
Purpose	Return shares received by the current user, or item-specific shares when query parameters are supplied.
Status	Verified production success

Inputs

```
Method:
GET

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json

Query Parameters:
None

Body:
None
```

Verified Production Response


```
{
  "success": true,
  "message": "Shares retrieved",
  "shares": [
    {
      "share_id": 51,
      "item_type": "folder",
      "item_id": 348,
      "item_name": "AssetsNas",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 52,
      "item_type": "folder",
      "item_id": 349,
      "item_name": "NAS",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 53,
      "item_type": "folder",
      "item_id": 352,
      "item_name": "css",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
```

```
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 54,
      "item_type": "file",
      "item_id": 875,
      "item_name": "home-style.css",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 55,
      "item_type": "file",
      "item_id": 876,
      "item_name": "style.css",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 56,
      "item_type": "folder",
      "item_id": 350,
      "item_name": "js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 57,
      "item_type": "file",
      "item_id": 861,
      "item_name": "app_14--8-26.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 58,
      "item_type": "file",
      "item_id": 860,
      "item_name": "app.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
```

```
      "share_id": 59,
      "item_type": "file",
      "item_id": 863,
      "item_name": "config_14--8-26.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 60,
      "item_type": "file",
      "item_id": 862,
      "item_name": "config.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 61,
      "item_type": "file",
      "item_id": 864,
      "item_name": "excelpreview.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 62,
      "item_type": "file",
      "item_id": 865,
      "item_name": "preview.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 63,
      "item_type": "file",
      "item_id": 866,
      "item_name": "share.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 64,
      "item_type": "file",
      "item_id": 868,
      "item_name": "sync_14--8-26.js",
```

```
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 65,
      "item_type": "file",
      "item_id": 869,
      "item_name": "sync_17-8-26.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 66,
      "item_type": "file",
      "item_id": 870,
      "item_name": "sync_18-8-26.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 67,
      "item_type": "file",
      "item_id": 867,
      "item_name": "sync.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 68,
      "item_type": "file",
      "item_id": 871,
      "item_name": "utils.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
        "id": 9,
        "username": "yeruvakoushikreddy096",
        "email": "yeruvakoushikreddy096@gmail.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 69,
      "item_type": "file",
      "item_id": 873,
      "item_name": "websocket-client_14-08-26.js",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-18 10:54:47",
      "owner": {
```

```
      "id": 9,
      "username": "yeruvakoushikreddy096",
      "email": "yeruvakoushikreddy096@gmail.com"
    },
    "can_download": false,
    "can_edit": false,
    "can_share": false
  },
  {
    "share_id": 70,
    "item_type": "file",
    "item_id": 872,
    "item_name": "websocket-client.js",
    "permissions": "view",
    "expires_at": null,
    "created_at": "2026-08-18 10:54:47",
    "owner": {
      "id": 9,
      "username": "yeruvakoushikreddy096",
      "email": "yeruvakoushikreddy096@gmail.com"
    },
    "can_download": false,
    "can_edit": false,
    "can_share": false
  },
  {
    "share_id": 49,
    "item_type": "folder",
    "item_id": 343,
    "item_name": "12345",
    "permissions": "view",
    "expires_at": null,
    "created_at": "2026-08-18 10:26:58",
    "owner": {
      "id": 6,
      "username": "sudha0819",
      "email": "sudha0819@gmail.com"
    },
    "can_download": false,
    "can_edit": false,
    "can_share": false
  },
  {
    "share_id": 50,
    "item_type": "file",
    "item_id": 837,
    "item_name": "Screenshot from 2026-08-18 10-06-00.png",
    "permissions": "view",
    "expires_at": null,
    "created_at": "2026-08-18 10:26:58",
    "owner": {
      "id": 6,
      "username": "sudha0819",
      "email": "sudha0819@gmail.com"
    },
    "can_download": false,
    "can_edit": false,
    "can_share": false
  },
  {
    "share_id": 28,
    "item_type": "file",
    "item_id": 77,
    "item_name": "IOT  SIM LIST new (1).xlsx",
    "permissions": "view",
    "expires_at": null,
    "created_at": "2026-08-07 13:53:57",
    "owner": {
      "id": 2,
      "username": "admin",
      "email": "admin@example.com"
    },
    "can_download": false,
    "can_edit": false,
    "can_share": false
  },
  {
    "share_id": 23,
    "item_type": "folder",
    "item_id": 313,
    "item_name": "b1",
    "permissions": "view",
    "expires_at": null,
    "created_at": "2026-08-07 12:09:45",
    "owner": {
      "id": 2,
      "username": "admin",
      "email": "admin@example.com"
    },
```

```
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 24,
      "item_type": "file",
      "item_id": 800,
      "item_name": "Alma Linux Installations (1).pdf",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-07 12:09:45",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 25,
      "item_type": "file",
      "item_id": 801,
      "item_name": "bye.zip",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-07 12:09:45",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 13,
      "item_type": "folder",
      "item_id": 12,
      "item_name": "anm",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-05 16:03:13",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 14,
      "item_type": "file",
      "item_id": 66,
      "item_name": "Unknown",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-05 16:03:13",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 11,
      "item_type": "folder",
      "item_id": 3,
      "item_name": "Unknown",
      "permissions": "full",
      "expires_at": null,
      "created_at": "2026-08-04 13:40:34",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": true,
      "can_edit": true,
      "can_share": true
    },
```

```
    {
      "share_id": 3,
      "item_type": "folder",
      "item_id": 6,
      "item_name": "modalbrand",
      "permissions": "download",
      "expires_at": null,
      "created_at": "2026-08-04 11:51:54",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": true,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 4,
      "item_type": "file",
      "item_id": 10,
      "item_name": "brand.php",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-04 11:51:54",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 5,
      "item_type": "file",
      "item_id": 11,
      "item_name": "modal_formbrand.php",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-04 11:51:54",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    },
    {
      "share_id": 2,
      "item_type": "folder",
      "item_id": 2,
      "item_name": "Unknown",
      "permissions": "view",
      "expires_at": null,
      "created_at": "2026-08-04 11:31:47",
      "owner": {
        "id": 2,
        "username": "admin",
        "email": "admin@example.com"
      },
      "can_download": false,
      "can_edit": false,
      "can_share": false
    }
  ]
}
```

URL 50 - https://efactor.tech/index.php/NAS/api/v1/share

Share Folder with Another User

Method	POST
Purpose	Share a NAS file or folder with another NAS user and assign a permission level.
Status	Verified production success

Inputs

```
Method:
POST

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
{
  "item_type": "folder",
  "item_id": 375,
  "share_with_user_id": 7,
  "permission": "view",
  "expires_at": null
}

Application Request Method:
window.nasFetch()
```

Verified Production Response


```
{
  "success": true,
  "message": "Item shared successfully",
  "share": {
    "share_id": 102,
    "item_type": "folder",
    "item_id": 375,
    "item_name": "NAS_API_URL45_RENAMED_again",
    "shared_with_user_id": 7,
    "shared_with_username": "pavankiran26082003",
    "shared_by_user_id": 3,
    "shared_by_username": "prafulsshah",
    "permissions": "view",
    "expires_at": null,
    "is_reshare": false
  }
}
```

URL 51 - https://efactor.tech/index.php/NAS/api/v1/share/102

Update Share Permission

Method	PUT
Purpose	Update the permission and optional expiration of an existing share.
Status	Verified production success

Inputs

```
Method:
PUT

Path Parameter:
share_id=102

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
Content-Type: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Action:
Update share permission

Note:
The exact successful production request body was not included with the returned response.
The verified server response shows the resulting permission as "share".
```

Integration Note

Current descendant propagation code likely uses recipient ID where original owner ID is needed; test/fix before relying on recursive updates.

Verified Production Response

```
{
  "success": true,
  "message": "Share updated",
  "share": {
    "share_id": 102,
    "permissions": "share",
    "expires_at": null
  }
}
```

URL 52 - https://efactor.tech/index.php/NAS/api/v1/share/102

Revoke Share

Method	DELETE
Purpose	Revoke an existing share and remove the recipient's access.
Status	Verified production success

Inputs

```
Method:
DELETE

Path Parameter:
share_id=102

Authentication:
Existing authenticated Efactor/NAS session cookie

Headers:
Accept: application/json
X-Requested-With: XMLHttpRequest
<Current CSRF Header Name>: <Current CSRF Token Value>

Body:
None
```

Verified Production Response

```
{
  "success": true,
  "message": "Share revoked successfully"
}
```

Completion Summary

This document completes the production URL-by-URL NAS API verification through URL 52. It covers the full 47-endpoint mobile contract plus additional action-specific test cases. Runtime outputs are preserved as captured; no failed response has been rewritten as a success response.

Documented test cases	52
Distinct mobile API contracts	47
Production base	https://efactor.tech/index.php/NAS/api/v1
Known verified failure	URL 41 - Mark File as Opened