CS643 Programming Assignment 2

Name: Pavan Sagar T

Docker hub link: https://hub.docker.com/repository/docker/psagar12/assignement2/general

Github: https://github.com/pavan863/cloud_assignment2

Objectives

- to use Apache Spark to train an ML model in parallel on multiple EC2 instances
- to use Spark's MLlib to develop and use an ML model in the cloud
- to use Docker to create a container for your ML model to simplify model deployment

Setup

First we have to create EMR cluster using AWS management console We should have 4 EC2 instances and using Spark for the ML application


In the 4 Ec2 instances we have one master node and 3 core nodes

Master: Running 1 m5.xlarge

Core: Running 3 m5.xlarge


After setting up our cluster we need to create S3 bucket which acts as storage and helps to fetch the required data faster and send output to that bucket

One bucket is created for the logs of the cluster and the other for storing our data



Model training and Application Prediction

Now connect to the master instance using any SSH client . I am using Putty to connect to the master node. Then using WinSCP copy the spark application to run on the cluster



In the home directory i have my training.py file which i am using to train my model using the TrainingDataset.csv

By using the command 'spark-submit training.py' we can run the application on multiple clusters with the help of serialize

The s3 bucket URI is given in the document to fetch the files from the S3 bucket and for saving the model

I have also used ValidationDataset.csv to adjust my hyperparameters and tune it to highest score possible

```
🧬 hadoop@ip-172-31-88-136:∼
                                                                     X
                   Amazon Linux 2 AMI
https://aws.amazon.com/amazon-linux-2/
13 package(s) needed for security, out of 26 available Run "sudo yum update" to apply all updates.
EEEEEEEEEEEEEEEEEE MMMMMMMM
                                     EE::::EEEEEEEEE:::E M:::::::M
                                   M::::::: M R:::::RRRRRR:::::R
          EEEEE M::::::M
 E::::E
                                  E::::E
                   M::::::M:::M
                                 M:::M:::::M
                                               R:::R
                   M:::::M M:::M M::::M
 E::::EEEEEEEEE
                                                R:::RRRRRR::::R
                   \texttt{M} :: :: : \texttt{M} \quad \texttt{M} :: : : : : \texttt{M} \quad \texttt{M} :: : : : \texttt{M}
  E::::::E
 E::::EEEEEEEEE
                                                R:::RRRRRR::::R
 E::::E
                   M:::::M
                              M:::M
                                      M:::::M
                                                R:::R
                                                          R::::R
 E::::E
             EEEEE M:::::M
                               MMM
                                      M:::::M
                                                R:::R
                                                          R::::R
EE::::EEEEEEEEE:::E M:::::M
                                      M:::::M
                                                R:::R
                                                          R::::R
M:::::M RR::::R
                                                          R::::R
EEEEEEEEEEEEEEEEE MMMMMMM
                                      MMMMMM RRRRRR
                                                           RRRRRR
[hadoop@ip-172-31-88-136 \sim]$ ls
test.py training.py
[hadoop@ip-172-31-88-136 ~]$
```

Results

Code tested ValidationDataset.csv and the scores are as below

The F1- score we are seeing is the highest score achieved using RandomForestTrees We can also see scores of other models like LogisticRegression, NaiveBayes, gradientBoostedTrees which are comparatively lowers than RandomForestTrees

Now we have to create Docker container and run our application on it using the docker file created

We use following commands to run docker container using the docker image

docker build -t docker-ml-model -f Dockerfile .

docker run docker-ml-model

After creating our docker successfully we can run our prediction test