Practical – 35: Write a program to demonstrate use of Fragment in android application.

MainActivity.java

```
package com.example.fragment;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
public class MainActivity extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
       super.onCreate(savedInstanceState);
       setContentView(R.layout.activity main);
   }
}
activity_main.xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</pre>
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout height="match parent"
    tools:context=".MainActivity">
    <TextView
        android:layout_width="wrap content"
        android:layout height="wrap content"
        android:text="Hello World!"
        app:layout constraintBottom toBottomOf="parent"
        app:layout constraintLeft toLeftOf="parent"
        app:layout_constraintRight toRightOf="parent"
        app:layout constraintTop toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
BlankFragment.java
package com.example.fragment;
import android.os.Bundle;
import androidx.fragment.app.Fragment;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
public class BlankFragment extends Fragment {
    @Override
    public View onCreateView (LayoutInflater inflater, ViewGroup container,
                             Bundle savedInstanceState) {
```

```
// Inflate the layout for this fragment
return inflater.inflate(R.layout.fragment_blank, container, false);
}
```

fragment_blank.xml

```
<?xml version="1.0" encoding="utf-8"?>
<FrameLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".BlankFragment">

    <!-- TODO: Update blank fragment layout -->
    <TextView
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:text="hello_fragment" />

</FrameLayout>
```

output:



Hello World!