



CHRISTIAN MEDICAL COLLEGE

VELLORE, TAMIL NADU - 632004. INDIA

DEPARTMENT OF CLINICAL BIOCHEMISTRY

CMC EXTERNAL QUALITY ASSURANCE SCHEME



PC-1024

MONTHLY SUMMARY REPORT - MARCH 2025

LAB NO: 14855

LAB NAME: TRUSTLAB DIAGNOSTICS PVT LTD

CONSTITUENT GROUP

Chemistry I

Date of Result Entered: 19/03/2025

Date of Result Published: 07/04/2025

PT Item: Lyophilized human serum based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	GLUCOSE	Hexokinase	Beckman AU480/680/5800/DXC70 OAU	169	131	4.53	5.93	135 mg/dL	0.67	0.91
2	UREA	Urease UV / GLDH	Beckman AU480/680/5800/DXC70 OAU	202	37	5.21	1.93	35.5 mg/dL	-0.78	0.27
3	CREATININE	Jaffes Kinetic - Alkaline picrate	Beckman AU480/680/5800/DXC70 OAU	131	1.66	7.16	0.12	1.47 mg/dL	-1.58	0.02
4	T.BILIRUBIN	Diazonium salt (Colorimetric) / Jendressik	Beckman AU480/680/5800/DXC70 OAU	147	2.9	5	0.15	2.8 mg/dL	1.33	0.02
5	T-PROTEIN	Biuret - Colorimetric	Beckman AU480/680/5800/DXC70 OAU	197	5.18	3.89	0.2	5.6 g/dL	2.1	0.03
6	ALBUMIN	BCG - colorimetric	Beckman AU480/680/5800/DXC70 OAU	198	3.27	4.39	0.14	3 g/dL	-1.93	0.02
7	CALCIUM	Arsenazo III	Beckman AU480/680/5800/DXC70 OAU	194	9.42	3.66	0.34	9.7 mg/dL	0.82	0.05
8	PHOSPHORUS	Molybdate UV / Phosphomolybdate complex	Beckman AU480/680/5800/DXC70 OAU	153	3.97	4.95	0.2	3.9 mg/dL	-0.35	0.03
9	URIC ACID	Enzymatic / Uricase Colorimetric	Beckman AU480/680/5800/DXC70 OAU	189	3.9	4.19	0.16	4 mg/dL	0.63	0.02
10	CHOLESTEROL	CHOD-PAP	Beckman AU480/680/5800/DXC70 OAU	194	116	5.11	5.93	112 mg/dL	-0.67	0.85
11	TRIGLYCERIDE	GPO-PAP / Enzymatic Colorimetric / End Point	Beckman AU480/680/5800/DXC70 OAU	190	108	6.87	7.41	105.39 mg/dL	-0.35	1.08
12	HDL	Direct method / Enzymatic colorimetric	Beckman AU480/680/5800/DXC70 OAU	178	24.6	8.2	2.02	25 mg/dL	0.2	0.3
13	SODIUM	ISE - Direct	Any Analyser (Automation / Semi Automation)	1596	132	3.26	4.3	135 mmol/L	0.7	0.22
14	POTASSIUM	ISE - Direct	Any Analyser (Automation / Semi Automation)	1597	4.07	5.09	0.21	4.19 mmol/L	0.57	0.01



CHRISTIAN MEDICAL COLLEGE

VELLORE, TAMIL NADU - 632004, INDIA

DEPARTMENT OF CLINICAL BIOCHEMISTRY

CMC EXTERNAL QUALITY ASSURANCE SCHEME



PC-1024

MONTHLY SUMMARY REPORT - MARCH 2025

LAB NO: 14855

LAB NAME: TRUSTLAB DIAGNOSTICS PVT LTD

CONSTITUENT GROUP

Chemistry I

Date of Result Entered: 19/03/2025

Date of Result Published: 07/04/2025

PT Item: Lyophilized human serum based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
15	CHLORIDE	ISE - Direct	Any Analyser (Automation / Semi Automation)	1261	98.17	4.49	4.4	99.3 mmol/L	0.26	0.25
16	AST	UV kinetic(with & without PLP (P-5-P))	Beckman AU480/680/5800/DXC70 0AU	187	104	5.7	5.93	97 U/L	-1.18	0.87
17	ALT	UV kinetic(with & without PLP (P-5-P))	Beckman AU480/680/5800/DXC70 0AU	189	101.04	7.87	7.95	99 U/L	-0.26	1.16
18	ALP	PNP AMP kinetic	Beckman AU480/680/5800/DXC70 0AU	189	68.75	9.97	6.85	64 U/L	-0.69	1
19	AMYLASE	Enzymatic Colorimetric / G7PNP Blocked	Beckman AU480/680/5800/DXC70 0AU	45	74	14.03	10.38	61.9 U/L	-1.17	3.1
20	IRON	TPTZ (Tripyridyl-S-triazine)	Beckman AU480/680/5800/DXC70 0AU	94	103.45	6.68	6.92	99 ug/dL	-0.64	1.43
21	UIBC	Nitroso-PSAP	Beckman AU480/680/5800/DXC70 0AU	64	158.7	6.82	10.83	162 ug/dL	0.3	2.71

u* - measurement of uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable (Action Signal)

Kindly note: for appeals regarding result analysis and evaluation process, please contact via phone/email as given below within one week of receiving the report.

Enquiries: for all communications, please use CMC-EQAS user ID.

Coordinator Contact Details:

E-Mail: clinqc@cmcvellore.ac.in

Contact No.: 0416-2283102

LAB ADDRESS

TRUSTLAB DIAGNOSTICS PVT LTD,
STREET NO.5, PRAKASH NAGAR, BEGUMPET,
TELANGANA

Homogeneity and Stability of the sample is passed.


Data in CMC EQAS report is confidential.

CMC EQAS does not sub contract any components.

***** End of Report *****

Pamela Christudoss

Dr. Pamela Christudoss,
CMC EQAS Coordinator,
Christian Medical College, Vellore.



CHRISTIAN MEDICAL COLLEGE

VELLORE, TAMIL NADU - 632004, INDIA

DEPARTMENT OF CLINICAL BIOCHEMISTRY

CMC EXTERNAL QUALITY ASSURANCE SCHEME

MONTHLY SUMMARY REPORT - MARCH 2025

LAB NO: 14855

LAB NAME: TRUSTLAB DIAGNOSTICS PVT LTD

CONSTITUENT GROUP

Chemistry I

Date of Result Entered: 19/03/2025

Date of Result Published: 07/04/2025

PT Item: Lyophilized human serum based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	D.BILIRUBIN	Diazonium salt (Colorimetric) / Jendrassik	Beckman AU480/680/5800/DXC70 0AU	105	1.23	5.91	0.07	1.19 mg/dL	-0.57	0.01
2	LDL	Direct method / Enzymatic colorimetric	Beckman AU480/680/5800/DXC70 0AU	64	73	6.09	4.45	73 mg/dL	0	1.11

u* - measurement of uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable (Action Signal)

Kindly note: for appeals regarding result analysis and evaluation process, please contact via phone/email as given below within one week of receiving the report.

Enquiries: for all communications, please use CMC-EQAS user ID.

Coordinator Contact Details:

E-Mail: clinqc@cmcvellore.ac.in

Contact No.: 0416-2283102

LAB ADDRESS

TRUSTLAB DIAGNOSTICS PVT LTD,
STREET NO.5, PRAKASH NAGAR, BEGUMPET,
TELANGANA

Homogeneity and Stability of the sample is passed.
Data in CMC EQAS report is confidential.
CMC EQAS does not sub contract any components.
***** End of Report *****

Pamela Christudoss

Dr. Pamela Christudoss,
CMC EQAS Coordinator,
Christian Medical College, Vellore.



CHRISTIAN MEDICAL COLLEGE

VELLORE, TAMIL NADU - 632004. INDIA

DEPARTMENT OF CLINICAL BIOCHEMISTRY CMC EXTERNAL QUALITY ASSURANCE SCHEME



PC-1024

MONTHLY SUMMARY REPORT - MARCH 2025

LAB NO: 14855

LAB NAME: **TRUSTLAB DIAGNOSTICS PVT LTD**

CONSTITUENT GROUP

HbA1c

Date of Result Entered: 19/03/2025

Date of Result Published: 07/04/2025

PT Item: Lyophilized human whole blood based

S. No.	Analyte	Method / Principle	Analyser	No. of Participants	AV	Participants		Your Value	Z Score	u*
						CV	SDPA			
1	HbA1c	HPLC-Ion Exchange	Tosoh (G8, G11 - HPLC / HPLC-723G8)	355	5.14	4.52	0.23	5.3 %	0.7	0.02

u* - measurement of uncertainty

Z-Score	Interpretation
$ z \leq 2.0$	Acceptable
$2.0 < z < 3.0$	Warning Signal
$ z \geq 3.0$	Unacceptable (Action Signal)

Kindly note: for appeals regarding result analysis and evaluation process, please contact via phone/email as given below within one week of receiving the report.

Enquiries: for all communications, please use CMC-EQAS user ID.

Coordinator Contact Details:

E-Mail: clinqc@cmcvellore.ac.in
Contact No.: 0416-2283102

LAB ADDRESS

TRUSTLAB DIAGNOSTICS PVT LTD,
STREET NO.5, PRAKASH NAGAR, BEGUMPET,
TELANGANA

Homogeneity and Stability of the sample is passed.

Data in CMC EQAS report is confidential.

CMC EQAS does not sub contract any components.

***** End of Report *****

Pamela Christudoss
Dr. Pamela Christudoss,
CMC EQAS Coordinator,
Christian Medical College, Vellore.

Reviewed:

- + Total Protein in Warning signal
- * IQC, calibration within acceptable limits.
- * To observe next cycle.

K. Anshu
7/4/25.