

Git Rebase

→ rebase is a kind of commit where the branch is being move to recent merge area

→ example




→ if we do a merge



→ if we do a rebase it will gives us a clean main branch

→ So create 2 branches main, branch-1




>> git switch -b branch-1


→ make some changes in any file and commit

>> git add .

>> git commit -m "from branch-1"



→ now switch to main branch and make some changes and commit



>> git switch main


>> git add .

>> git commit -m "from main"

→ now we are calling rebase
for that we have to move branch-1
and call Rebase

>> git switch branch_1


>> git rebase main



→ now Rebase has been done and we need to merge this, so come to main and merge

>> git switch main

>> git merge branch_1



Because there are No additional commits here
that is why Fast forward merge


```
PS D:\Git_Mastery\Git_Practiece> git merge branch_1
Updating 70e14a6..cc701f1
Fast-forward
 file2.txt | 4 +++-
 main.txt  | 2 +-
 2 files changed, 4 insertions(+), 2 deletions(-)
PS D:\Git_Mastery\Git_Practiece>
PS D:\Git_Mastery\Git_Practiece>
```

Note: while doing Rebase we should be taking care about Merge Conflicts and any Conflicts

Git Merge vs Rebase

→ git Merge will preserves History of branching and merging


→ Ex:



→ when we have more than 10/20 branches it will became a mess

→ git rebase is also Similar to git merge but it dont preserve the branch
→ instead directly merge after main


→ Ex:



→ merges a copy of the branch directly.

Imp Imp about Rebase:-

→ when we are changing a file in 2 branches and try to rebase that we have a chance of picking every Commit



→ so when you do Rebase we have to pick the one Commit at a time from red line.