
what is cherry picking


→ so we have a branch like this

* → head



→ so that red branch is in development but we have a requirement that at any cost we shout merge C5 to main branch and make that head

→ that we can do by rebase / using cherry picking



→ so picking of a selected commit is called Cherry pick

Steps:

→ get the commit id that you want pick

>> git switch main

>> git cherry-pick <commit_id>


→ we can also pick multiple commits as well

>> git cherry-pick <c1> <c2> <c4> <c9>

→ in what order that you want to merge that will matter

→ if we try to cherry pick in a non linear manner

ex:-



>> git cherry-pick c3 c1 c2 c4

→ The order might get an issue so here some commands are used

>> git cherry-pick c3 c1 c2 c4

→ pointer will commit one at a time so we need to run below command 4 times to merge all these commits

1) git cherry-pick -- continue

2) git cherry-pick -- abort → stops merging at specific commit

3) git cherry-pick -- skip

Syntax and usecases

→ when we do cherry pick if we have 2 branches and we want a specific commit to be merged (not entire) to main branch that is where cherry pick will be used.

① Switch to target Branch (main)

>> git switch main

② run the cherry pick command with commit ids

>> git cherry-pick Id1, Id2, Id3 ...

③ if we dont have any conflict it will be picked

→ if any conflict resolve and picked.

>> git cherry-pick 3a066ofd → pick one commit

>> git cherry-pick 3a066ofd, 3604ab, 912bc24

→ pick multiple commits

>> git cherry-pick 3a066ofd 912bc24

→ pick in a range of commits

If there is a conflict in cherry picking

>> git cherry-pick --continue

>> git cherry-pick --abort

>> git cherry-pick --skip

If we have multiple commit ids and there is a conflict at cherry pick (2) we can skip that cherry pick