
what is Git Stashing

→ Stash is a kind of Temporary memory where we can store our working direcry and get back to another one

→ suppose i am working on a branch dev-1 and i wrote 200 lines of code on the branch

→ Suddenly i found that i need to go to another branch and do some changes

→ but the current branch i am working is not yet saved if i switch branch that 200 lines will gone and i can't commit as well → here comes stashing.



→ now i need to move to main branch and make some changes

→ But before moving i need to stash the dev-1

Graph	Description	Date	Author	Commit
	Uncommitted Changes (1)	1 Sep 2...	*	*
	dev_1 adding Featu...	1 Sep 2...	Pavan Kumar ...	d88aa11d
	Feature Dev Started	1 Sep 2...	Pavan Kumar ...	4baa71de
	main Merge branch 'n...	1 Sep 2...	Pavan Kumar ...	204801df
	Change 6 in file5	1 Sep 2...	Pavan Kumar ...	b290da1a

development.txt

You, 52 seconds ago | 1 author (You)

```
1  i am developing a Feature from Dev_1
2
3  Adding feature 1
4
5  In Adding Feature_2 Working .....
```

under development

current_branch →

```
PS D:\Git_Mastery\Git_Practiece> git branch
  branch_1
  bug_fix
* dev_1
  feature_1
  feature_2
  main
  new_branch_1
  new_branch_2
  test_rebase_1
PS D:\Git_Mastery\Git_Practiece> git switch main
error: Your local changes to the following files would be overwritten by checkout:
        development.txt
Please commit your changes or stash them before you switch branches.
Aborting
PS D:\Git_Mastery\Git_Practiece>
```

if i would shift i don't have the 200 lines of code


But i can't commit

→ run this command to push working directory to stash


>> git stash push -m "development paused"

→ stash will be acting as a stack all of recent stashes will be on top and removed like that only

>> git stash push -m "dev_1 paused"



>> git stash push -m "dev_2 paused"



→ The most recent will come on to the top of stack

>> git stash list → shows list

>> git stash pop → applies and remove last

>> git stash drop "stash@{2}" → applies and remove

>> git stash apply → top will be applied

>> git stash apply "stash@{2}" → apply a specific stash

What is stash and Syntaxes

→ stashing means keeping the modified /working files at safe place and switching branches

>> git stash
>> git stash push
>> git stash push -m "message"

→ we can keep **tracked files** that are not **Staged** into the stash area (modified files)

>> git stash -u → for stashing untracked files.

for Inspecting Stash

>> git stash list
>> git stash show

For restoring changes

>> git stash pop → removes the stash top and applies

>> git stash apply → applies stash top only don't delete

>> git stash apply "stash@{}" → only applies specific stash

Note: when we accidentally applies other branch stash it creates a conflict so we can get rid of that conflict by running >> git reset --hard HEAD

Removing stash

>> git stash clear → deletes everything in stash

>> git stash drop 'stash@{id}' → deletes a specific stash

Very Dangerous