Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 04:33 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Kidney Basic Screen

Test Name	Observed Values	Units	Biological Reference Intervals
* SERUM CREATININE Method:Enzymatic Method (sarcosine oxidase, Peroxidase)	0.71	mg/dL	0.6 - 1.4
* UREA Method:Urease UV	20.9	mg/dL	16.8-43.2
* UREA NITROGEN (BUN) Method:Calculated	9.77	mg/dL	8 - 23
* BUN/CREATININE RATIO	13.76		
* URIC ACID Method:Uricase-Peroxidase	4.24	mg/dL	Male:3.6 -8.2 Female:2.3 - 6.1
* SODIUM Method:ISE Direct	140	mmol/L	136-145
* POTASSIUM Method:ISE Direct	4.07	mmol/L	3.5 - 5.5
* CHLORIDE Method:ISE Direct	101	mmol/L	95-105

INTERPRETATION::

kidney disease usually does not have signs or symptoms. Testing is the only way to know how your kidneys are doing. It is important to get checked for kidney disease if an individual having the key risk factors - diabetes, high blood pressure, heart disease, or a family history of kidney failure.

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 04:33 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

LIVER FUNCTION TEST (LFT)

Test Name	Observed Values	Units	Biological Reference Intervals
* TOTAL BILIRUBIN Method:Diazonium Ion	0.44	mg/dL	0.3 - 1.2
* DIRECT BILIRUBIN Method:Diazonium	0.12	mg/dL	0.0 - 0.2
* INDIRECT BILIRUBIN Method:Calculated	0.32	mg/dL	0.2 - 0.8
* SGOT / AST Method:IFCC without pyridoxaal phosphate	**35.5**	IU/L	Upto 35
* SGPT / ALT Method:Tris buffer without p5p	28.9	IU/L	Upto 45
* Alkaline Phosphatase(ALP) Method:AMP BUFFER METHOD	**135.6**	U/L	30-120
* PROTEIN-TOTAL Method:Biurate	7.65	g/dL	6.00 - 8.00
* ALBUMIN Method:BCG	4.39	g/dL	4.0-5.5
* GLOBULIN Method:Calculated	3.26	g/dL	2.5 - 3.5
* A/G RATIO Method:Calculation	1.35	-	1.0 - 2.1
* GAMMA GLUTAMYL TRANSFERASE Method:IFCC stand	30.5	U/L	Male : 9-39 Female : 11-61

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 04:33 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Lipid Profile

Test Name	Observed Values	Units	Biological Reference Intervals
* TOTAL CHOLESTEROL Method:CHOD-POD Method	**233.7**	mg/dL	Desirable : < 200 Borderline: 200 - 239 High Risk : > 240
* HDL - CHOLESTEROL Method:Direct Method	46.3	mg/dL	Desirable Level :>59 Optimal :40-59 Undesirable :<40
* TRIGLYCERIDES Method:GPO-POD Method	**205.3**	mg/dL	<203.5
* VLDL CHOLESTEROL	41.06	mg/dL	< 30
* LDL - CHOLESTEROL	146.34	mg/dL	Optimal :<100 near Optimal :100-129 Borderline High:130-159 High :160-189 Very High :>189
* CHOL / HDL Ratio.	5.05	-	-
* HDL/LDL CHOLESTEROL RATIO	0.32	Ratio	-
* LDL / HDL RATIO	3.16	Ratio	Desirable level :0.5 3.0 Borderline Risk :3.0-6.0 High Risk :>6.0

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**				
Age/Gender	: 45 Years / Male		Vial ID	:	2950340
Ref.By	: Self		Collected On	:	03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**		Registered On	:	03-Feb-2026 01:39 PM
Sample Type	: Serum		Reported On	:	03-Feb-2026 04:33 PM
Client Name	: VMEDO RETAIL-CMLKAD56		Client Code	:	CMLKAD56

Iron Deficiency Profile

Test Name	**Observed Values**	**Units**	**Biological Reference Intervals**
***** IRON Method:Colorimetric Assay	77	µg/dL	Male: 45-158 Female: 37-145
***** Total Iron Binding Capacity (TIBC) Method:Ferrozine	346.3	µg/dL	240 - 450
***** TRANSFERRIN Method:Immunoturbidometry	235.58	ug/dl	176 - 280
***** TRANSFERRIN SATURATION	22.24	%	20 - 50
***** FERRITIN Method:Chemiluminescence	62.3	ng/mL	11.0 - 306.8

INTERPRETATION::

Iron is a mineral thats essential for making red blood cells. Red blood cells carry oxygen from the lungs to the rest of the body. Iron is also important for healthy muscles, bone marrow, and organ function. Iron levels that are too low or too high can cause serious health problems.
iron levels that are too low include Pale skin, Fatigue, Weakness, Dizziness, Shortness of breath, Rapid heartbeat.
iron levels that are too high include Joint pain, Abdominal pain, Lack of energy, Weight loss.

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 04:13 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

THYROID PANEL-I

Test Name	Observed Values	Units	Biological Reference Intervals
* TOTAL TRIIODOTHYRONINE (T3) Method:CLIA	1.08	ng/mL	0.58 - 1.62
* TOTAL THYROXINE (T4) Method:CLIA	8.63	ug/dl	5.0 - 14.5
* Thyroid Stimulating Hormone.(TSH) Method:CLIA	0.855	µIU/mL	0.35 – 5.1

INTREPRATATION:

The determination of T3 is utilized in the diagnosis of T3hyperthyroidism,the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

The determination of T4 can be utilized for the following indications: the detection of hyperthyroidism, the detection of primary and secondary hypothyroidism, and the monitoring of TSH-suppression therapy.

The determination of TSH serves as the initial test in thyroid diagnostics.Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly,TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid.

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	:	**Mr. KRISHNA PADMANDA**			
Age/Gender	:	45 Years / Male	Vial ID	:	2950338
Ref.By	:	Self	Collected On	:	03-Feb-2026 01:49 PM
Req No.	:	**BNG2611264**	Registered On	:	03-Feb-2026 01:39 PM
Sample Type	:	Plasma-R	Reported On	:	03-Feb-2026 02:22 PM
Client Name	:	VMEDO RETAIL-CMLKAD56	Client Code	:	CMLKAD56

Random Blood Sugar-Glucose (RBS)

Test Name	Observed Values	Units	Biological Reference Intervals
* RANDOM BLOOD GLUCOSE	131.8	mg/dL	70 - 140

Method : Spectrophotometry

INTERPRETATION::

Symptoms of high blood glucose levels include Increased thirst, more frequent urination, Blurred vision, Fatigue, Wounds that are slow to heal

Symptoms of low blood glucose levels include Anxiety, Sweating, Trembling, Hunger, Confusion.

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**			
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 03:58 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

25-Hydroxy Vitamin D

Test Name	Observed Values	Units	Biological Reference Intervals
* 25-OH VITAMIN (VIT D3) Method:C L I A	**25.5**	ng/mL	Deficiency: <10 Insufficiency: 10-30 Sufficiency:30-100 Toxicity: >100

INTERPRETATION::

Vitamin D is a nutrient that is essential for healthy bones and teeth. There are two forms of vitamin D that are important for nutrition: vitamin D2 and vitamin D3. Vitamin D2 mainly comes from fortified foods like breakfast cereals, milk, and other dairy items. Vitamin D3 is made by your own body when you are exposed to sunlight. It is also found in some foods, including eggs and fatty fish, such as salmon, tuna, and mackerel.

Vitamin D deficiency is due to:

- Not getting enough exposure to sunlight
- Not getting enough vitamin D in your diet
- Having trouble absorbing vitamin D in your food

A low result may also observed due to body is having trouble using the vitamin as it should, and may indicate kidney or liver disease.

A vitamin D deficiency is usually treated with supplements and/or dietary changes.

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950339
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: WB-EDTA	Reported On	: 03-Feb-2026 01:56 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Complete Blood Count (CBC)

Test Name	Observed Values	Units	Biological Reference Intervals
* HAEMOGLOBIN Method:Colorimetric	14.8	gm%	14.0 -17.0
* RBC Count Method:Electrical Impedence	4.72	millions/cumm	4.50 - 5.50
* WBC Count Method:Electrical Impedence	8300	cells/cumm	4000-11000
* PLATELET COUNT Method:Impedence and Light Scattering	1.86	lakhs/cumm	1.5 - 4.5
* Packed Cell Volume(PCV) Method:Cum.RBC Pulse High detection	41.2	%	40 - 50
* MCV Method:Calculated	87	fL	80 - 100
* MCH Method:Calculated	29.5	pg	27 - 33
* M C H C Method:Calculated	33.8	g/dL	32.0 - 34.0
DIFFERENTIAL COUNT			
* NEUTROPHILS,, Method:Manual - Leishman Stain & Smear Microscopy	61	%	50-75
* LYMPHOCYTES Method:Flowcytometry	30	%	20 - 40
* EOSINOPHILS Method:Manual - Leishman Stain & Smear Microscopy	04	%	02 - 06
* MONOCYTES Method:Flowcytometry	05	%	02 - 08
* BASOPHILS Method:Manual - Leishman Stain & Smear Microscopy	00	%	0 - 1

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 03:58 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Vitamin - B12

Test Name	Observed Values	Units	Biological Reference Intervals
* Vitamin - B12 Method:CLIA	242.1	pg/mL	180 - 916

INTREPRATATION:

Vitamin B12 and folate are critical to normal DNA synthesis, which in turn affects erythrocyte maturation.3 Vitamin B12 is also necessary for myelin sheath formation and maintenance. The body uses its B12 stores very economically, reabsorbing vitamin B12 from the ileum and returning it to the liver so that very little is excreted. Clinical and laboratory findings for B12 deficiency include neurological abnormalities, decreased serum B12 levels, and increased excretion of methylmalonic acid. The impaired DNA synthesis associated with vitamin B12 deficiency causes macrocytic anemias. These anemias are characterized by abnormal maturation of erythrocyte precursors in the bone marrow, which results in the presence of megaloblasts and in decreased erythrocyte survival. Pernicious anemia is a macrocytic anemia caused by vitamin B12 deficiency that is due to lack of intrinsic factor. Low vitamin B12 intake, gastrectomy, diseases of the small intestine, malabsorption, and trans-cobalamin deficiency can also cause vitamin B12 deficiency.

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950339
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: WB-EDTA	Reported On	: 03-Feb-2026 03:53 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Glycosylated Hemoglobin (GHb/HBA1 c)

Test Name	Observed Values	Units	Biological Reference Intervals
* GLYCOSYLATED HAEMOGLOBIN (HBA1C) Method:Enzymatic method	**7.3**	%	Non-diabetic: 4.8 - 5.9 % Pre-diabetic: 5.9 - 6.5 % Diabetic: >= 6.5 %
* Approximate mean plasma glucose Method:Calculated	**162.81**		<111

INTERPRETATION::

A hemoglobin A1c (HbA1c) test measures the amount of blood sugar (glucose) attached to hemoglobin. If HbA1c levels are high, it may be a sign of diabetes, a chronic condition that can cause serious health problems, including heart disease, kidney disease, and nerve damage.

Note: The HbA1c test is not used for gestational diabetes, a type of diabetes that only affects pregnant women, or for diagnosing diabetes in children.

References
American Diabetes Association. Standards of medical care in diabetes—2014. Diabetes Care. 2014 Jan;37 Suppl 1:S14-80.

HBA1C Value in %	Average Glucose in mg/dL	Impression
4.0	68	**Non-Diabetic**
4.5	82	
5.0	97	
5.5	111	
6.0	125	**Pre-Diabetic/Good Control**
6.5	140	
7.0	154	**Diabetic/Poor Control**
7.5	169	
8.0	183	
8.5	197	
9.0	212	
9.5	226	
10.0	240	

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950340
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Serum	Reported On	: 03-Feb-2026 04:33 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Calcium

Test Name	Observed Values	Units	Biological Reference Intervals
* CALCIUM Method:Arsenazo III Method	9.08	mg/dL	8.8-10.62

INTERPRETATION::

Calcium is one of the most important minerals in the body. Calcium needed for healthy bones and teeth. Calcium is also essential for proper functioning of the nerves, muscles, and heart.

Symptoms of high calcium levels include:
- Nausea and vomiting
- More frequent urination
- Increased thirst
- Constipation
- Abdominal pain
- Loss of appetite

Symptoms of low calcium levels include:
- Tingling in the lips, tongue, fingers, and feet
- Muscle cramps
- Muscle spasms
- Irregular heartbeat

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------

Name	: **Mr. KRISHNA PADMANDA**		
Age/Gender	: 45 Years / Male	Vial ID	: 2950341
Ref.By	: Self	Collected On	: 03-Feb-2026 01:49 PM
Req No.	: **BNG2611264**	Registered On	: 03-Feb-2026 01:39 PM
Sample Type	: Urine	Reported On	: 03-Feb-2026 03:28 PM
Client Name	: VMEDO RETAIL-CMLKAD56	Client Code	: CMLKAD56

Complete Urine Analysis (CUE)

Test Name	Observed Values	Units	Biological Reference Intervals
PHYSICAL EXAMINATION			
* COLOUR	Pale Yellow	-	Pale Yellow/Amber
* APPEARANCE	CLEAR	-	Clear
* pH Method:Double Indicator	6.0	-	5.0 - 9.0
* SPECIFIC GRAVITY Method:Ion Exchange	1.030	-	1.005 - 1.030
CHEMICAL EXAMINATION			
* PROTEIN URINE Method:Protein Error of Indicators/SSA	NEGATIVE	-	Negative
* UROBILINOGEN Method:Modified Ehrilich reaction	NEGATIVE	-	Negative
* KETONE BODIES Method:Nitroprusside Reaction	NEGATIVE	-	Negative
* BILE SALTS Method:Hay's Sulphur	NEGATIVE		Negative
* BILE PIGMENTS Method:Fouchets method	NEGATIVE	-	Negative
* BLOOD Method:Peroxidase like activity	NEGATIVE	-	Negative
* NITRITE Method:Diazotization/Griess test	NEGATIVE	-	Negative
* GLUCOSE URINE Method:GOD-POD/Benedicts test	NEGATIVE	-	Negative
MICROSCOPIC EXAMINATION			
* PUS CELLS.	2-3	/HPF	0-5
* EPITHELIAL CELLS	0-1	/HPF	0-5
* RBCS	Nil	-	NIL
* CASTS	Nil	-	Absent
* CRYSTALS	Nil	-	Absent
* OTHERS	Nil	-	NIL
* BACTERIA	Nil	-	Absent

Dr Faeeza Begum MD,
KMC.No:103490
MD PATHOLOGY

-------------- End Of The Report --------------