

PARAMITA PALREGISTERED EMAIL:


paramita22pal@gmailcomGithub link of project files::

<https://github.com/pipilika10/AngEC2App.git>

Source Code # Capstone Project MEAN stack

PARAMITA PAL #simplilearn

Project Structure:



Package.json:

```
{
  "name": "ang-ec2-app",
  "version": "0.0.0",
  "scripts": {
    "ng": "ng",
    "start": "ng serve",
    "build": "ng build",
    "watch": "ng build --watch --configuration development",
    "test": "ng test"
  },
  "private": true,
  "dependencies": {
    "@angular/animations": "^16.1.0",
    "@angular/common": "^16.1.0",
    "@angular/compiler": "^16.1.0",
    "@angular/core": "^16.1.0",
    "@angular/forms": "^16.1.0",
    "@angular/platform-browser": "^16.1.0",
    "@angular/platform-browser-dynamic": "^16.1.0",
    "@angular/router": "^16.1.0",
    "@popperjs/core": "^2.11.8",
    "body-parser": "^1.20.2",
    "bootstrap": "^5.3.0",
    "express": "^4.18.2",
    "express-session": "^1.17.3",
    "mongoose": "^7.3.2",
    "ngx-bootstrap": "^11.0.2",
    "postman": "^0.2.0",
    "rxjs": "^7.8.0",
    "tslib": "^2.3.0",
    "zone.js": "^0.13.0"
  },
  "devDependencies": {
    "@angular-devkit/build-angular": "^16.1.1",
    "@angular/compiler-cli": "^16.1.0",
  }
}
```

```

    "mongoose": "^7.3.2",
    "ngx-bootstrap": "^11.0.2",
    "postman": "^0.2.0",
    "rxjs": "~7.8.0",
    "tslib": "^2.3.0",
    "zone.js": "~0.13.0"
  },
  "devDependencies": {
    "@angular-devkit/build-angular": "^16.1.1",
    "@angular/compiler-cli": "^16.1.0",
    "@types/jasmine": "~4.3.0",
    "autoprefixer": "^10.4.14",
    "css-loader": "^6.8.1",
    "jasmine-core": "~4.6.0",
    "karma": "~6.4.0",
    "karma-chrome-launcher": "~3.2.0",
    "karma-coverage": "~2.2.0",
    "karma-jasmine": "~5.1.0",
    "karma-jasmine-html-reporter": "~2.1.0",
    "postcss-loader": "^7.3.3",
    "sass": "^1.63.6",
    "sass-loader": "^13.3.2",
    "style-loader": "^3.3.3",
    "typescript": "~5.1.3"
  }
}

```

angular.json:

```

{
  "$schema": "./node_modules/@angular/cli/lib/config/schema.json",
  "version": 1,
  "newProjectRoot": "projects",
  "projects": {
    "ang_ec2_app": {
      "projectType": "application",
      "schematics": {},
      "root": "",
      "sourceRoot": "src",
      "prefix": "app",
      "architect": {
        "build": {
          "builder": "@angular-devkit/build-angular:browser",
          "options": {
            "outputPath": "dist/ang_ec2_app",
            "index": "src/index.html",

```

```
"main": "src/main.ts",
"polyfills": [
  "zone.js"
],
"tsConfig": "tsconfig.app.json",
"assets": [
  "src/favicon.ico",
  "src/assets"
],
"styles": [
  "./node_modules/ngx-bootstrap/daterangepicker/bs-daterangepicker.css",
  "./node_modules/bootstrap/dist/css/bootstrap.min.css",
  "src/styles.css"
],
"scripts": [],
},
"configurations": {
  "production": {
    "budgets": [
      {
        "type": "initial",
        "maximumWarning": "500kb",
        "maximumError": "1mb"
      },
      {
        "type": "anyComponentStyle",
        "maximumWarning": "2kb",
        "maximumError": "4kb"
      }
    ],
    "outputHashing": "all"
  },
  "development": {
    "buildOptimizer": false,
    "optimization": false,
    "vendorChunk": true,
    "extractLicenses": false,
    "sourceMap": true,
    "namedChunks": true
  }
},
"defaultConfiguration": "production"
},
"serve": {
  "builder": "@angular-devkit/build-angular:dev-server",
  "configurations": {
    "production": {
      "browserTarget": "ang_ec2_app:build:production"
    }
  }
}
```

```
    },  
    "development": {  
      "browserTarget": "ang_ec2_app:build:development"  
    }  
  },  
  "defaultConfiguration": "development"  
},  
"extract-i18n": {  
  "builder": "@angular-devkit/build-angular:extract-i18n",  
  "options": {  
    "browserTarget": "ang_ec2_app:build"  
  }  
},  
"test": {  
  "builder": "@angular-devkit/build-angular:karma",  
  "options": {  
    "polyfills": [  
      "zone.js",  
      "zone.js/testing"  
    ],  
    "tsConfig": "tsconfig.spec.json",  
    "karmaConfig": "karma.conf.js",  
    "assets": [  
      "src/favicon.ico",  
      "src/assets"  
    ],  
    "styles": [  
      "src/styles.css",  
      "../node_modules/bootstrap/dist/css/bootstrap.min.css"  
    ],  
    "scripts": []  
  }  
}  
  
}  
  
}  
  
}
```

index.html

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>AngEc2App</title>
  <base href="/">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="icon" type="image/x-icon" href="favicon.ico">
```

```

    <link href="ang_ec2_app\node_modules\bootstrap\scss"/>
  </head>
  <body>
    <app-root></app-root>
    <h2>LastLeaf</h2>
  </body>
</html>

```

error.html

```

<!DOCTYPE html>
<html>
  <head>
    <title>Error#ang_ec2_app</title>
  </head>
  <body>
    
  </body>
</html>

```

server.js

```

const express=require("express");
const app=express();
const mongoose=require("mongoose");

mongoose.connect("mongodb://127.0.0.1:27017/ang_ec2")
.then(()=>{
  console.log("Database Connection Done")
}).catch(()=>{
  console.log("Something Went Wrong")
})

const bodyParser=require("body-parser");

app.use(bodyParser.json());

app.get("/src/app-user-signup",function(req,res,next){
  users.exec(function(err,data){
    if(err)throw err;
    res.render("src/app/user_signup",{title:'userDetails',records:data})
  })
});

```

```

app.post('/src/app-user-signup', async(req, res)=>{

    const data=new userDetails(req.body)
    await data.save()
    res.send("Save Data");
})

app.post("/src/app-signin",function(req,res,next){
    users.exec(function(err,data){
        if(err)throw err;
        res.render("src/app-signin",{title:'userDetails',records:data})
    })
});

app.get("/src/app-admin-dashboard",function(req,res,next){
    users.exec(function(err,data){
        if(err)throw err;
        res.render("src/app/admin-
dashboard",{title:'availableMedicines',records:data})
    })
});

app.post('/src/app-admin-dashboard', async(req, res)=>{

    const data=new availableMedicines(req.body)
    await data.save()
    res.send("Save Data");
})

app.get("/src/app-admin-dashboard",function(req,res,next){
    users.exec(function(err,data){
        if(err)throw err;
        res.render("src/app/admin-
dashboard",{title:'availableMedicines',records:data})
    })
});

app.post('/src/app-admin-dashboard', async(req, res)=>{

    const data=new availableMedicines(req.body)
    await data.save()
    res.send("Save Data");
})

app.get("/src/app-admin-dashboard",function(req,res,next){
    users.exec(function(err,data){
        if(err)throw err;

```

```

        res.render("src/app/admin-dashboard",{title:'medPros',records:data})
    })
});

app.post('/src/app-admin-dashboard',async(req,res)=>{

    const data=new medPros(req.body)
    await data.save()
    res.send("Save Data");
})

app.get("/src/app-orders",function(req,res,next){
    users.exec(function(err,data){
        if(err)throw err;
        res.render("src/app/admin-
dashboard",{title:'userOrderDetails',records:data})
    })
});

app.post('/src/app-orders',async(req,res)=>{

    const data=new userOrderDetails(req.body)
    await data.save()
    res.send("Save Data");
})

app.listen(8080,()=>{
    console.log("http://localhost:8080");
})

```

User-signup.js

```

const mongoose=require("mongoose");

const availableMedicines=new mongoose.Schema({
    username:{
        type:String
    },
    age:{
        type:Number
    },
    useremail:{
        type:String
    },
    password:{
        type:String
    },

```



```

    contact:{
      type:String
    },
    address:{
      type:String
    },

    gender:{
      type:String
    },

    dailydose:{
      type:String
    },
    services:{
      type:String
    },
    accNo:{
      type:Number
    },
    feedback:{
      type:String
    }
  })

```

Signin.js

```

const mongoose=require("mongoose")

const userDetails=new mongoose.Schema({
  useremail:{
    type:String
  },
  passworde:{
    type:String
  }
})

```

Medicare-available.js

```

const mongoose=require("mongoose")

var medicare=[]

app.get("/",function(req,res){
  res.status(200);

```

```

        res.send("You have added these medicines/services");
        res.end();
    })

    app.post("/medicare",function(req,res){
        var med=req.body;
        console.log(med);
        medicare.push(med);
        res.send("Medicines/services added to Bag");
    })

```

admin-dashboard.js

```

const mongoose=require("mongoose")

const availableMedicines=new mongoose.Schema({
    medicinename:{
        type:String
    },
    batchno:{
        type:Number
    },
    manCompany:{
        type:String
    },
    targetDisease:{
        type:String
    },
    Exdt:{
        type:String
    },
    qntyav:{
        type:Number
    }
});

const medDevicess=new mongoose.Schema({
    devicename:{
        type:String
    },
    batchno:{
        type:Number
    },
    manCompany:{
        type:String
    },

```

```

        targetDisease:{
            type:String
        },
        Exdt:{
            type:String
        },

        deviceSp:{
            type:String
        },
        qntyav:{
            type:Number
        }
    });

const medPros=new mongoose.Schema({
    doctorName:{
        type:String
    },
    regno:{
        type:Number
    },
    Specialisation:{
        type:String
    },
    Expyears:{
        type:String
    },
    AssToHosp:{
        type:String
    }
})

```

Orders.js

```

const mongoose=require("mongoose")

const orders=new mongoose.Schema({
    order_category:{
        type:String
    },
    prodct_name:{
        type:String
    },
    batchno:{
        type:Number
    }
})

```

```

    },
    manCompany:{
        type:String
    },
    targetDisease:{
        type:String
    },
    Exdt:{
        type:String
    },
    amount:{
        type:Number
    }
}
}))

```

app-routing-modules.ts

```

import { NgModule } from '@angular/core';
import { RouterModule, Routes } from '@angular/router';

const routes: Routes = [];

@NgModule({
  imports: [RouterModule.forRoot(routes)],
  exports: [RouterModule]
})
export class AppRoutingModule { }

```

app.component.html

```

<html>
  <head>
    <title>landing page</title>
    <meta charset="ISO-8859-1">
    <meta name="viewport" content="width=device-width, initial-scale=1 ">
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+Xir8e"
crossorigin="anonymous">
<style>

    container-fluid {
        min-height: 680px;
        width: 800px;
        background-color:red;

    }

    .navbar {
        background-color:lightgoldenrodyellow;
    }

    ul {
        margin-right: 200px;
        padding-right: 200px;
    }

    li {
        margin-right: 200px;
        text-align: center;
        font-size: 24px;
    }

    .nav-item {
        width: 80px;
        margin: 20px;
        padding: 10px;
        border-radius: 15px;
    }

    a{
        font-size:24px;
        margin:50px;
        text-align:center;
    }

    h2{
        color:blue;
        text-align:center;
        font-weight:bold;
    }

    .carousel-item{
```

```

height:600px;
width:auto;
padding-top:0px;
margin-top:0px;
margin-left: 100px;
box-shadow:20px 30px 30px 10px rgba(255,0,0,2);
}

.card{
margin:10px;
margin-left:100px;
box-shadow:10px 15px 15px 5px rgba(0,0,255,2);
}

table {
background-color:aliceblue;
height: 500px;
width: 600px;
margin-left:500px;
margin-bottom:100px;
border-radius: 15px;
box-shadow: 20px 20px 0px -10px rgb(128, 128, 128,0.5);
}
td{
height:80px;
width:200px;
margin-left:100px;
border-radius:15px;
box-shadow:10px 10px 5px -5px rgb(128, 128, 128,0.5);
}
input{

width:400px;
height:50px;
border-radius:15px;
}
.btn{
width:200px;
border-radius:15px;
}
.panel{
position:relative;
float:right;
height:500px;
width:400px;
margin:100px;
border-radius:20px;
}

```

```

</style>
</head>
<body style="background-color:red;">
  <nav class="navbar navbar-default navbar-expand-md navbar-fixed-top">
    <a class="navbar-brand nav-link" href="index.html"></a>
    <div class="btn-group">
      <button type="button" class="btn btn-primary dropdown-toggle" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false"
>LastLeaf</button>
      <div class="dropdown-menu">
        <form class="px-4 py-3">
          <div class="form-group">
            <label for="exampleDropdownFormEmail1">Email address</label>
            <input type="email" class="form-control"
id="exampleDropdownFormEmail1" placeholder="email@example.com">
          </div>
          <div class="form-group">
            <label for="exampleDropdownFormPassword1">Password</label>
            <input type="password" class="form-control"
id="exampleDropdownFormPassword1" placeholder="Password">
          </div>
          <div class="form-check">
            <input type="checkbox" class="form-check-input"
id="dropdownCheck">
            <label class="form-check-label" for="dropdownCheck">
              Remember me
            </label>
          </div>
          <button type="submit" class="btn btn-primary">Sign in</button>
        </form>
        <div class="dropdown-divider"></div>
        <a class="dropdown-item" href="#">New around here? Sign up</a>
        <a class="dropdown-item" href="#">Forgot password?</a>
      </div>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-
controls="NavbarnavDropdown" aria-expanded="false" aria-label="Toggle-
navigation">
        <span class="navbar-toggler-icon" style="color:#000000;"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
        <div class="navbar-nav">
          <a class="nav-link" aria-current="page"
href="../app/app.component.html"><h6>Welcome</h6><i class="bi bi-chat-dots-
fill"></i></a>

```

```

        <a class="nav-link" href="../app/admin-dashboard/admin-
dashboard.component.html"><h6>About Us</h6><i class="bi bi-info-
circle"></i></a>
        <a class="nav-link"
href="../app/signin/signin.component.html"><h6>User Sign In</h6> <i class="bi
bi-person-fill-up"></i></a>
        <a><form class="navbar-form navbar-left" role="search">
            <div class="form-group">
                <input type="text" class="form-control"
placeholder="Search"><i class="bi bi-search"></i>
            </div>
            <button type="submit" class="btn btn-default">Submit</button>
        </form></a>
    </div>
</div></div></nav>
<div class="container-fluid">
    <div id="carouselExampleCaptions" class="carousel slide">
        <div class="carousel-indicators">
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="0" class="active" aria-current="true" aria-label="Slide
1"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="1" aria-label="Slide 2"></button>
            <button type="button" data-bs-target="#carouselExampleCaptions"
data-bs-slide-to="2" aria-label="Slide 3"></button>
        </div>
        <div class="carousel-inner">
            <div class="carousel-item active">
                
                <div class="carousel-caption d-none d-md-block">
                    <h5>First slide label</h5>
                    <p>Some representative placeholder content for the first
slide.</p>
                </div>
            </div>
            <div class="carousel-item">
                
                <div class="carousel-caption d-none d-md-block">
                    <h5>Second slide label</h5>
                    <p>Some representative placeholder content for the second
slide.</p>
                </div>
            </div>
            <div class="carousel-item">
                
                <div class="carousel-caption d-none d-md-block">
                    <h5>Third slide label</h5>

```



```

        <p>Some representative placeholder content for the third
slide.</p>
    </div>
</div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="next">
    <span class="carousel-control-next-icon" style="color:black;" aria-
hidden="true"></span>
    <span class="visually-hidden">Next</span>
</button>
</div>
<div class="row text-center">

    <div class="card"
style="width:24rem;height:32rem;position:relative;">
        
        <div class="card-body">
            <h4 class="card-title">WE are ALIVE</h4>
            <p class="card-text">Read <b>OUR</b> All Medicare
services</p>
            <a href="#" class="btn btn-primary">CHECK</a>
        </div>
    </div>

    <div class="card"
style="width:24rem;height:32rem;position:relative;">
        
        <div class="card-body">
            <h4 class="card-title">Medicines</h4>
            <p class="card-text">A Step Ahead of All</p>
            <a href="#" class="btn btn-primary">CHECK</a>
        </div>
    </div>

    <div class="card"
style="width:24rem;height:32rem;position:relative;">
        
        <div class="card-body">
            <h4 class="card-title">Tech Friendly</h4>
            <p class="card-text">New Techy Turns</p>

```



```

import { RouterTestingModule } from '@angular/router/testing';
import { AppComponent } from './app.component';

describe('AppComponent', () => {
  beforeEach(() => TestBed.configureTestingModule({
    imports: [RouterTestingModule],
    declarations: [AppComponent]
  }));

  it('should create the app', () => {
    const fixture = TestBed.createComponent(AppComponent);
    const app = fixture.componentInstance;
    expect(app).toBeTruthy();
  });

  it(`should have as title 'ang_ec2_app'`, () => {
    const fixture = TestBed.createComponent(AppComponent);
    const app = fixture.componentInstance;
    expect(app.title).toEqual('ang_ec2_app');
  });

  it('should render title', () => {
    const fixture = TestBed.createComponent(AppComponent);
    fixture.detectChanges();
    const compiled = fixture.nativeElement as HTMLElement;
    expect(compiled.querySelector('.content
span')?.textContent).toContain('ang_ec2_app app is running!');
  });
});

```

app.component.ts

```

@Component({
  selector: 'app-root',
  templateUrl: './app.component.html',
  styleUrls: ['./app.component.css']
})
export class AppComponent {
  title = 'ang_ec2_app';
}

```

app.module.ts

```

import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';

import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { AdminDashboardComponent } from './admin-dashboard/admin-
dashboard.component';
import { MedicareAvailableComponent } from './medicare-available/medicare-
available.component';
import { UserSignupComponent } from './user-signup/user-signup.component';
import { SigninComponent } from './signin/signin.component';
import { OrdersComponent } from './orders/orders.component';
import { BrowserAnimationsModule } from '@angular/platform-
browser/animations';
import { UsersComponent } from './admin-dashboard/users/users.component';

@NgModule({
  declarations: [
    AppComponent,
    AdminDashboardComponent,
    MedicareAvailableComponent,
    UserSignupComponent,
    SigninComponent,
    OrdersComponent,
    UsersComponent
  ],
  imports: [
    BrowserModule,
    AppRoutingModule,
    BrowserAnimationsModule
  ],
  providers: [],
  bootstrap: [AppComponent]
})
export class AppModule { }

```

app.service.spec.ts

```

import { TestBed } from '@angular/core/testing';

import { AppService } from './app.service';

describe('AppService', () => {
  let service: AppService;

```

```

beforeEach(() => {
  TestBed.configureTestingModule({});
  service = TestBed.inject(AppService);
});

it('should be created', () => {
  expect(service).toBeTruthy();
});
});

```

app.service.ts

```

import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';


@Injectable({
  providedIn: 'root'
})
export class AppService {

  constructor(private http: HttpClient) { }

  rootURL="/api";
  getUsers(){
    return this.http.get(this.rootURL+"/users")
  }

  addUser(user:any){
    return this.http.post(this.rootURL+"/user",{user})
  }
}

```



User-signup.component.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<meta name="viewport" content="width=device-width, initial-scale=1 ">
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+Xir8e"
crossorigin="anonymous">
<style>
    container-fluid {
        min-height: 680px;
        width: 800px;
        background-color:blue;
    }

    .navbar {
        background-color:lightgoldenrodyellow;
    }

    ul {
        margin-right: 200px;
```

```

        padding-right: 200px;
    }

    li {
        margin-right: 200px;
        text-align: center;
        font-size: 24px;
    }
    .nav-item {
        width: 80px;
        margin: 20px;
        padding: 10px;
        border-radius: 15px;
    }

    a{
        font-size:24px;
        margin:50px;
        text-align:center;
    }

    h2{
color:blue;
        text-align:center;
        font-weight:bold;
    }

        table {
background-color:aliceblue;
            height: 400px;
            width: 600px;
            margin-left:500px;
            margin-bottom:100px;
            border-radius: 15px;
            box-shadow: 20px 20px 0px -10px rgb(128, 128, 128,0.5);
        }
        td{
            height:50px;
            width:200px;
            margin-left:100px;
            border-radius:15px;
            box-shadow:10px 10px 5px -5px rgb(128, 128, 128,0.5);
        }
        input{

            width:400px;
            height:50px;

```



```

        border-radius:15px;
    }
    .btn{
        width:200px;
        border-radius:15px;
    }
    .panel{
        position:relative;
        float:right;
        height:500px;
        width:400px;
        margin:100px;
        border-radius:20px;
    }
    .dropdown-item{
        height:20px;
        width:auto;
        background-color: blue;
        color:aliceblue;
        font-size: small;
    }
    checkbox{
        height:5px;
        width:5px;
    }
    #c1{
        height:25px;
    }
</style>

```

```
<title>AngularEC2App # Register</title>
```

```
</head>
```

```
<body>
```

```

    <nav class="navbar navbar-default navbar-expand-md navbar-fixed-top">
        <div class="container">
            <a class="navbar-brand nav-link" href="#">LastLeaf</a>
            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-
controls="NavbarnavDropdown" aria-expanded="false" aria-label="Toggle-
navigation">
                <span class="navbar-toggler-icon" style="color:#000000;"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
                <div class="navbar-nav">

```

```

        <a class="nav-link" aria-current="page"
href="index.html"><h6>Welcome</h6><i class="bi bi-chat-dots-fill"></i></a>
        <a class="nav-link" href="aboutus.html"><h6>About Us</h6><i
class="bi bi-info-circle"></i></a>
        <a class="nav-link" href="user_signin.html"><h6>User Sign In</h6>
<i class="bi bi-person-fill-up"></i></a>
        <form class="navbar-form navbar-left" role="search">
            <div class="form-group">
                <input type="text" class="form-control"
placeholder="Search"><i class="bi bi-search"></i>
            </div>
        </form>
    </div></div></div></nav>
<div class="container-fluid">
    <h2><b>Lets Connect</b></h2>
    <form action="" method="POST" enctype="multipart/form-
data">
        <table>
            <tr><td>Enter name:</td><td><input type="text"
name="username" placeholder="Username" id="uname" required/></td></tr>
            <tr><td>Enter age:</td><td><input type="text"
name="age" placeholder="age" id="uname" required/></td></tr>
            <tr><td>Enter email:</td><td><input type="email"
name="useremail" placeholder="UserEmail" id="uemail" required/></td></tr>
            <tr><td>Enter password:</td><td><input type="password"
name="password" placeholder="Password" id="upass" required/></td></tr>
            <tr><td>Enter contact:</td><td><input type="text"
name="contact" placeholder="contact" id="uname" required/></td></tr>
            <tr><td>Enter address:</td><td><input type="text"
name="address" placeholder="address" id="uemail" required/></td></tr>
            <tr><td>Male:<input type="radio" name="gender"
id="umale">Female<input type="radio" name="gender"
id="ufemale"></td><td>dailydose:<input type="checkbox" name="dd"
id="med1">Meet doc:<input type="checkbox" name="md" id="dm"></td></tr>
            <tr><td>Choose Services:</td><td><div class="btn-group">
                <button type="button" class="btn btn-danger">Required Medicare</button>
                <button type="button" class="btn btn-danger dropdown-toggle dropdown-toggle-
split" data-bs-toggle="dropdown" aria-expanded="false">
                    <span class="visually-hidden">Medicine</span>
                </button>
                <ul class="dropdown-menu">
                    <li>Medicine Purchase<input type="checkbox" name="services" id="c1"><a
class="dropdown-item" href="../medicare-available/medicare-
available.component.html">Check</a></li>
                    <li>Medical Equipments<input type="checkbox" name="services" id="c1"/><a
class="dropdown-item" href="../medicare-available/medicare-
available.component.html">check</a></li>

```

```

        <li>Consult Doctor<input type="checkbox" name="services" id="c1"/><a
class="dropdown-item" href="../medicare-available/medicare-
available.component.html">Check</a></li>
        <li><hr class="dropdown-divider"></li>
        <li><a class="dropdown-item" href="../medicare-available/medicare-
available.component.html"><input type="checkbox" name="emergency"
id="c1"/></a></li>
    </ul>
</div></td></tr>

        <tr><td>submit prescription in
.jpeg/.jpg/.png</td><td><input type="file" name="image" id="prescription"
required/></td></tr>

        <tr><td><input type="reset" value="Refresh" class="btn
btn-lg-active" /></td><td><input type="submit" class="btn btn-success"
value="Register" onkeyup="getReceipt();" /></td></tr>

    </table>

</form>
</div>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>
</body>
</html>

```

User-signup.component.ts

```

import { Component } from '@angular/core';

@Component({
  selector: 'app-user-signup',
  templateUrl: './user-signup.component.html',
  styleUrls: ['./user-signup.component.css']
})
export class UserSignupComponent {

}

```

signin.component.html

```
<!DOCTYPE html>
```

```

<html>
<head>
<meta charset="ISO-8859-1">
<meta name="viewport" content="width=device-width, initial-scale=1 ">
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWFspD3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+Xir8e"
crossorigin="anonymous">
<style>
    container-fluid {
        min-height: 500px;
        width: 800px;
        background-color:blue;
    }

    .navbar {
        background-color:lightgoldenrodyellow;
    }

    ul {
        margin-right: 200px;
        padding-right: 200px;
    }

    li {
        margin-right: 200px;
        text-align: center;
        font-size: 24px;
    }

    .nav-item {
        width: 80px;
        margin: 20px;
        padding: 10px;
        border-radius: 15px;
    }

    a{
        font-size:24px;
        margin:50px;
        text-align:center;
    }

```

```

h2{
color:blue;
text-align:center;
font-weight:bold;
}

table {
background-color:aliceblue;
height: 400px;
width: 600px;
margin-left:500px;
margin-bottom:100px;
border-radius: 15px;
box-shadow: 20px 20px 0px -10px rgb(128, 128, 128,0.5);
}
td{
height:50px;
width:200px;
margin-left:100px;
border-radius:15px;
box-shadow:10px 10px 5px -5px rgb(128, 128, 128,0.5);
}
input{

width:400px;
height:50px;
border-radius:15px;
}
.btn{
width:200px;
border-radius:15px;
}
.panel{
position:relative;
height:500px;
width:400px;
margin:100px;
margin-left:300px;
border-radius:20px;
}
.dropdown-item{
height:20px;
width:auto;
color:aliceblue;
font-size: small;
}
checkbox{

```

```

        height:5px;
        width:5px;
    }
    #c1{
        height:25px;
    }
</style>

<title>AngularEC2App # Register</title>

</head>
<body>
    <nav class="navbar navbar-default navbar-expand-md navbar-fixed-top">
        <div class="container">
            <a class="navbar-brand nav-link" href="#">LastLeaf</a>
            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-
controls="NavbarnavDropdown" aria-expanded="false" aria-label="Toggle-
navigation">
                <span class="navbar-toggler-icon" style="color:#000000;"></span>
            </button>

            <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
                <div class="navbar-nav">
                    <a class="nav-link" aria-current="page"
href="index.html"><h6>Welcome</h6><i class="bi bi-chat-dots-fill"></i></a>
                    <a class="nav-link" href="#"><h6>About Us</h6><i class="bi bi-
info-circle"></i></a>
                    <a class="nav-link" href="#"><h6>User Profile</h6><i class="bi bi-
person-rolodex"></i></a>
                    <a class="nav-link" href="#"><h6>Doctor Present</h6><i class="bi
bi-info-circle"></i></a>
                    <a class="nav-link" href="#"><h6>User Bye</h6><i class="bi bi-box-
arrow-right"></i></a>
                    <a><form class="navbar-form navbar-left" role="search">
                        <div class="form-group">
                            <input type="text" class="form-control"
placeholder="Search"><i class="bi bi-search"></i>
                        </div>
                        <button type="submit" class="btn btn-default">Submit</button>
                    </form></a>
                </div>
            </div></div></nav>
<div class="container-fluid">
    <h2><b>Lets Connect</b></h2>

```

```
<form action="" method="POST" enctype="multipart/form-
data">

    <div class="panel panel-primary">

        <label for="exampleDropdownFormEmail1"
class="form-label">Email address</label>
        <input type="email" class="form-control"
id="exampleDropdownFormEmail1" placeholder="email@example.com">

        <label for="exampleDropdownFormPassword1"
class="form-label">Password</label>
        <input type="password" class="form-control"
id="exampleDropdownFormPassword1" placeholder="Password">

        <div class="form-check">
            <input type="checkbox" class="form-check-
input" id="dropdownCheck">
            <label class="form-check-label"
for="dropdownCheck">
                Remember me
            </label>
        </div>

        <button type="submit" class="btn btn-primary">Sign
in</button>

        <a class="dropdown-item" href="#">New around here?
Sign up</a>
        <a class="dropdown-item" href="#">Forgot
password?</a>

    </div>

</form>
</div>
<footer style="text-align:center;">
    <div class="container">

        <div class="row">
            <div class="col-md-12">
                <button class="btn btn-primary" type="button"
style="width:800px;height:100px;" data-bs-toggle="offcanvas" data-bs-
target="#offcanvasBottom" aria-controls="offcanvasBottom">Contact Us<i
class="bi bi-arrow-down-up"></i></button>

<div class="offcanvas offcanvas-bottom" tabindex="-1" id="offcanvasBottom"
aria-labelledby="offcanvasBottomLabel">
    <div class="offcanvas-header">
```

[illegible]

Signin.component.ts


```
import { Component } from '@angular/core';

@Component({
  selector: 'app-signin',
  templateUrl: './signin.component.html',
  styleUrls: ['./signin.component.css']
})
export class SigninComponent {

}
```

Medicare-available.component.html

```
<!DOCTYPE html>
<html>
  <head>
<meta charset="ISO-8859-1">
<meta name="viewport" content="width=device-width, initial-scale=1 ">
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+Xir8e"
crossorigin="anonymous">
  <style>
    container-fluid {
      min-height: 680px;
      width: 800px;
      background-color:blue;
    }

    .navbar {
      background-color:lightgoldenrodyellow;
    }

    ul {
      margin-right: 200px;
      padding-right: 200px;
    }

    li {
      margin-right: 200px;
      text-align: center;
```

```

        font-size: 24px;
    }
    .nav-item {
        width: 80px;
        margin: 20px;
        padding: 10px;
        border-radius: 15px;
    }

    a{
        font-size:24px;
        margin:50px;
        text-align:center;
    }

    h2{
color:blue;
        text-align:center;
        font-weight:bold;
    }

        table {
background-color:aliceblue;
            height: 400px;
            width: 600px;
            margin-left:500px;
            margin-bottom:100px;
            border-radius: 15px;
            box-shadow: 20px 20px 0px -10px rgb(128, 128, 128,0.5);
        }
        td{
            height:50px;
            width:200px;
            margin-left:100px;
            border-radius:15px;
            box-shadow:10px 10px 5px -5px rgb(128, 128, 128,0.5);
        }
        input{

            width:400px;
            height:50px;
            border-radius:15px;
        }
        .btn{
            width:200px;
            border-radius:15px;
        }
    }

```

```

.col-sm{
    margin:20px;
}
.card{
    margin:30px;
    padding:10px;
    box-shadow:5px 10px 10px -2px rgba(0,0,0,2);
    border-radius:15px;
    position:relative;
}
.panel{
    position:relative;
    float:right;
    height:500px;
    width:400px;
    margin:100px;
    border-radius:20px;
}
</style>

<title>AngularEC2App # EmergencyServices</title>

</head>
<body>
    <nav class="navbar navbar-default navbar-expand-md navbar-fixed-top">
        <div class="container">
            <a class="navbar-brand nav-link" href="aboutus.html">LastLeaf</a>
            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-
controls="NavbarnavDropdown" aria-expanded="false" aria-label="Toggle-
navigation">
                <span class="navbar-toggler-icon"
style="color:#000000;"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
                <div class="navbar-nav">
                    <a class="nav-link" aria-current="page"
href="index.html"><h6>Welcome</h6><i class="bi bi-chat-dots-fill"></i></a>
                    <a class="nav-link" href="aboutus.html"><h6>About Us</h6><i
class="bi bi-info-circle"></i></a>
                    <a class="nav-link" href="user_profile.html"><h6>User
Profile</h6><i class="bi bi-person-rolodex"></i></a>
                    <a class="nav-link" href="docAvailable.html"><h6>Doctor
Present</h6><i class="bi bi-info-circle"></i></a>
                    <a class="nav-link" href="user_signout.html"><h6>User
Bye</h6><i class="bi bi-box-arrow-right"></i></a>

```

```

        <h6>SOS</h6><i class="bi bi-telephone-outbound-
fill">1234567809</i>
        <a><form class="navbar-form navbar-left" role="search">
            <div class="form-group">
                <input type="text" class="form-control"
placeholder="Search"><i class="bi bi-search"></i>
            </div>
            <button type="submit" class="btn btn-
default">Submit</button>
        </form></a>
    </div>
</div></div></nav>
<div class="container-fluid">

    <div class="row text-center">
        <div class="card" style="width: 20rem;height:16rem;">
            
            <div class="card-body">
                <p class="card-text">Emergency Services are social
responsibility</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>
        <div class="card" style="width: 20rem;height:18rem;">
            
            <div class="card-body">
                <p class="card-text">Attending to Calls for Emergency Medicare</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>

        <div class="card" style="width: 20rem;height:16rem;">
            
            <div class="card-body">
                <p class="card-text">Supplying medicines at odd hours and
places</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>

    </div>
    <div class="row text-center">
        <div class="card" style="width: 20rem;height:16rem;">

```

```

        
        <div class="card-body">
            <p class="card-text">Rescue at odd hours and places</p>
            <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
        </div>
    </div>
    <div class="card" style="width: 20rem;height:18rem;">
        
        <div class="card-body">
            <p class="card-text">Arranging Quick Hospitalisation Services</p>
            <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
        </div>
    </div>

    <div class="card" style="width: 20rem;height:18rem;">
        
        <div class="card-body">
            <p class="card-text">Providing Ambulance services </p>
            <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
        </div>
    </div>

    </div>
    <div class="row text-center">
        <div class="card" style="width: 20rem;height:20rem;">
            
            <div class="card-body">
                <p class="card-text">Rescue at odd hours and places</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>

        <div class="card" style="width: 20rem;height:20rem;">
            
            <div class="card-body">
                <p class="card-text">Arranging Quick Hospitalisation Services</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>

        <div class="card" style="width: 20rem;height:20rem;">

```

```

        
        <div class="card-body">
            <p class="card-text">Providing Ambulance services </p>
            <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
        </div>
    </div>
    <div class="row text-center">
        <div class="card" style="width: 20rem;height:18rem;">
            
            <div class="card-body">
                <p class="card-text">Cardiac and Surgical Issues</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>

        <div class="card" style="width: 20rem;height:18rem;">
            
            <div class="card-body">
                <p class="card-text">Dermatological Problems</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>

        <div class="card" style="width: 20rem;height:20rem;">
            
            <div class="card-body">
                <p class="card-text">Emergency Services are social
responsibility</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>
        <div class="card" style="width: 20rem;height:22rem;">
            
            <div class="card-body">
                <p class="card-text">Attending to Calls for Emergency
Medicare</p>
                <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
            </div>
        </div>
    </div>

```

```

    </div>
  </div>

  <div class="card" style="width: 20rem;height:22rem;">
    
    <div class="card-body">
      <p class="card-text">Supplying medicines at odd hours and
places</p>
      <a><input type="submit" value="Add to Cart" class="btn btn-
primary"/><i class="bi bi-cart2"></i></a>
    </div>
  </div>
  <button class="btn btn-primary" type="button" data-bs-
toggle="offcanvas" data-bs-target="#offcanvasRight" aria-
controls="offcanvasRight">Check Hospitals Here</button>

<div class="offcanvas offcanvas-end" tabindex="-1" id="offcanvasRight" aria-
labelledby="offcanvasRightLabel">
<div class="offcanvas-header">
  <h5 class="offcanvas-title" id="offcanvasRightLabel">Find Hospitals</h5>
  <button type="button" class="btn-close" data-bs-dismiss="offcanvas" aria-
label="Close"></button>
</div>
<div class="offcanvas-body">
  <nav class="nav flex-column">
    <a class="nav-link active" aria-current="page" href="#">Emergency</a>
    <a class="nav-link" href="#">ABC hospital</a>
    <a class="nav-link" href="#">DEF hospital</a>
    <a class="nav-link disabled">GOVT Services</a>
  </nav>
</div>
</div></div>
  </div>

  <footer style="text-align:center;">
    <div class="container">
      <div class="row">
        <div class="col-md-12">
          <button class="btn btn-primary" type="button"
style="width:800px;height:100px;" data-bs-toggle="offcanvas" data-bs-
target="#offcanvasBottom" aria-controls="offcanvasBottom">Contact Us<i
class="bi bi-arrow-down-up"></i></button>

          <div class="offcanvas offcanvas-bottom" tabindex="-1"
id="offcanvasBottom" aria-labelledby="offcanvasBottomLabel">
            <div class="offcanvas-header">

```



```

@Component({
  selector: 'app-medicare-available',
  templateUrl: './medicare-available.component.html',
  styleUrls: ['./medicare-available.component.css']
})
export class MedicareAvailableComponent {

}

```

Orders.component.html

```

<!DOCTYPE html>
<html>
  <head><meta charset="ISO-8859-1">
    <meta name="viewport" content="width=device-width, initial-scale=1 ">
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWFspD3yD65VohhpooC0mLASjC"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+Xir8e"
crossorigin="anonymous">
    <style>
      container-fluid {
        min-height: 680px;
        width: 800px;
        background-color:blue;

      }

      .navbar {
        background-color:lightgoldenrodyellow;
      }

      ul {
        margin-right: 200px;
        padding-right: 200px;
      }

      li {
        margin-right: 200px;
        text-align: center;
        font-size: 24px;
      }

      .nav-item {

```

```

        width: 80px;
        margin: 20px;
        padding: 10px;
        border-radius: 15px;
    }

    a{
        font-size:24px;
        margin:50px;
        text-align:center;
    }

    h2{
        color:blue;
        text-align:center;
        font-weight:bold;
    }

    table {
background-color:aliceblue;
        height: 300px;
        width: 200px;
        margin-left:300px;
        margin-bottom:100px;
        border-radius: 15px;
        box-shadow: 10px 10px 0px -10px rgb(128, 128, 128,0.5);
    }
    td{
        height:50px;
        width:50px;
        margin-left:100px;
        border-radius:15px;
        box-shadow:10px 10px 5px -5px rgb(128, 128, 128,0.5);
    }
    input{

        width:100px;
        height:50px;
        border-radius:15px;
    }
    .btn{
        width:200px;
        border-radius:15px;
    }
    .col-sm{
margin:20px;
    }
}

```

```

        .card{
            margin:30px;
            padding:10px;
            box-shadow:5px 10px 10px -2px rgba(0,0,0,2);
            border-radius:15px;
            position:relative;
        }
        .panel{
            position:relative;
            float:right;
            height:400px;
            width:400px;
            margin:100px;
            border-radius:20px;
        }
    }
</style>

```

```

<title>AngularEC2App # EmergencyServices</title>

```

```

</head>

```

```

<body>

```

```

    <nav class="navbar navbar-default navbar-expand-md navbar-fixed-top">
        <div class="container">
            <a class="navbar-brand nav-link" href="index.html">LastLeaf</a>
            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-
controls="NavbarnavDropdown" aria-expanded="false" aria-label="Toggle-
navigation">
                <span class="navbar-toggler-icon"
style="color:#000000;"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
                <div class="navbar-nav">
                    <a class="nav-link" aria-current="page"
href="index.html"><h6>Welcome</h6><i class="bi bi-chat-dots-fill"></i></a>
                    <a class="nav-link" href="#"><h6>About Us</h6><i class="bi bi-
info-circle"></i></a>
                    <a class="nav-link" href="#"><h6>User Profile</h6><i class="bi
bi-person-rolodex"></i></a>
                    <a class="nav-link" href="#"><h6>Doctor Present</h6><i
class="bi bi-info-circle"></i></a>
                    <a class="nav-link" href="#"><h6>User Bye</h6><i class="bi bi-
box-arrow-right"></i></a>
                    <h6>SOS</h6><i class="bi bi-telephone-outbound-
fill">1234567809</i>
                    <a><form class="navbar-form navbar-left" role="search">

```

```

        <div class="form-group">
            <input type="text" class="form-control"
placeholder="Search"><i class="bi bi-search"></i>
        </div>
        <button type="submit" class="btn btn-
default">Submit</button>
    </form></a>
</div>
</div></div></nav>
<div class="container-fluid">

    <div class="row text-center">
        <table>
            <tr><th><h4><b>Your Orders</b></h4></th><th>Action</th><th>Cost of
items</th></tr>
            <tr><td><div class="card" style="width: 12rem;height:12rem;">
                
                <div class="card-body">
                    <p class="card-text">Medicines for Digestive Problems</p>
                </div></div></td><td><a href="receipt.html"><input type="button"
value="Confirm Order" /></a><br/>
                    <a href="wishlist.html"><input type="submit" value=" Move to
Wishlist" class="btn btn-danger"/><i class="bi bi-heart-fill"></i></a></td>
                <td>₹300</td></tr>
            <tr><td><div class="card" style="width: 12rem;height:12rem;">
                
                <div class="card-body">
                    <p class="card-text">Health Supplements</p></div></div></td>
                    <td><a href="receipt.html"><input type="button" value="Confirm
Order" /></a><br/><a href="wishlist.html"><input type="submit" value=" Move to
Wishlist" class="btn btn-danger"/><i class="bi bi-heart-fill"></i></a></td>
                <td>₹500</td></tr>

            <tr><td><div class="card" style="width: 12rem;height:12rem;">
                
                <div class="card-body">
                    <p class="card-text">Injection supplies</p></div></div></td>
                    <td><a href="receipt.html"><input type="button" value="Confirm
Order" /></a><br/> <a href="wishlist.html"><input type="submit" value=" Move
to Wishlist" class="btn btn-danger"/><i class="bi bi-heart-fill"></i></a></td>
                <td>₹210</td></tr>

            <tr><td><div class="card" style="width: 12rem;height:12rem;">

```

```

        
        <div class="card-body">
            <p class="card-text">FirstAid Kit</p></div></div></td>
            <td><a href="receipt.html"><input type="button" value="Confirm
Order" /></a><br/> <a href="wishlist.html"><input type="submit" value=" Move
to Wishlist" class="btn btn-danger"/><i class="bi bi-heart-fill"></i></a></td>
            <td>₹450</td></tr>
            <tr><td><b>Total Payable amount:</b></td><td><a
href="payment.html">Proceed to Payment</a></td><td>₹1460</td></tr>
        </table>
    </div></div>
    <footer style="text-align:center;">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <button class="btn btn-primary" type="button"
style="width:800px;height:100px;" data-bs-toggle="offcanvas" data-bs-
target="#offcanvasBottom" aria-controls="offcanvasBottom">Contact Us<i
class="bi bi-arrow-down-up"></i></button>

                    <div class="offcanvas offcanvas-bottom" tabindex="-1"
id="offcanvasBottom" aria-labelledby="offcanvasBottomLabel">
                        <div class="offcanvas-header">
                            <h5 class="offcanvas-title" id="offcanvasBottomLabel"
style="color:red;"><i class="bi bi-volume-up-fill"></i><b>OUR hours are for
you and yours</b></h5>
                            <button type="button" class="btn-close" data-bs-
dismiss="offcanvas" aria-label="Close"></button>
                        </div>
                        <div class="offcanvas-body small">
                            .<div class="accordion" id="accordionExample">
                                <div class="accordion-item">
                                    <h2 class="accordion-header">
                                        <button class="accordion-button" type="button" data-bs-
toggle="collapse" data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">
                                            <i class="bi bi-person-heart"></i> Trust out Effots. We are
here to help you out.
                                        </button>
                                    </h2>
                                    <div id="collapseOne" class="accordion-collapse collapse show"
data-bs-parent="#accordionExample">
                                        <div class="accordion-body">
                                            <strong>Developer Connect :: <i class="bi bi-telephone-
fill"></i>Call us <i>1234567809</i>
                                            <i class="bi bi-chat-square-text-fill"></i><br/><i class="bi
bi-chat-right-text"></i>chat with us: <i class="bi bi-whatsapp"></i><br/>

```

[illegible]

Orders.component.ts

```
import { Component } from '@angular/core';

@Component({
  selector: 'app-orders',
  templateUrl: './orders.component.html',
  styleUrls: ['./orders.component.css']
})
export class OrdersComponent {

}
```

Full project files including all images are uploaded in the github repository:

https://github.com/pipilika10/ang_ec2_app.git

admin-dashboard.component.html

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="ISO-8859-1">
    <meta name="viewport" content="width=device-width, initial-scale=1 ">
```

```

    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWFspD3yD65VohhpUuCOmLASjC"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+Xir8e"
crossorigin="anonymous">
    <style>
        container-fluid {
            min-height: 680px;
            width: 800px;
            background-color:blue;

        }

        .navbar {
            background-color:lightgoldenrodyellow;
        }

        ul {
            margin-right: 200px;
            padding-right: 200px;
        }

        li {
            margin-right: 200px;
            text-align: center;
            font-size: 24px;
        }

        .nav-item {
            width: 80px;
            margin: 20px;
            padding: 10px;
            border-radius: 15px;

        }

        a{
            font-size:24px;
            margin:50px;
            text-align:center;
        }

        h2{
            color:blue;
            text-align:center;

```

```

        font-weight:bold;
    }

    table {
background-color:aliceblue;
        height: 400px;
        width: 600px;
        margin-left:500px;
        margin-bottom:100px;
        border-radius: 15px;
        box-shadow: 20px 20px 0px -10px rgb(128, 128, 128,0.5);
    }
    td{
        height:50px;
        width:200px;
        margin-left:100px;
        border-radius:15px;
        box-shadow:10px 10px 5px -5px rgb(128, 128, 128,0.5);
    }
    input{

        width:400px;
        height:50px;
        border-radius:15px;
    }
    .btn{
        width:200px;
        border-radius:15px;
    }
    .panel{
        position:relative;
        float:right;
        height:500px;
        width:400px;
        margin:100px;
        border-radius:20px;
    }
</style>

<title>AngularEC2App # Register</title>

</head>
<body>
    <nav class="navbar navbar-default navbar-expand-md navbar-fixed-
top">
        <div class="container">

```



```

        <a class="navbar-brand nav-link" href="#">LastLeaf</a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNavAltMarkup" aria-
controls="NavbarnavDropdown" aria-expanded="false" aria-label="Toggle-
navigation">
            <span class="navbar-toggler-icon"
style="color:#000000;"></span>
        </button>
        <div class="collapse navbar-collapse"
id="navbarNavAltMarkup">
            <div class="navbar-nav">
                <a class="nav-link" aria-current="page"
href="index.html"><h6>Welcome</h6><i class="bi bi-chat-dots-fill"></i></a>
                <a class="nav-link" href="#"><h6>About Us</h6><i class="bi
bi-info-circle"></i></a>
                <a class="nav-link" href="#"><h6>User Profile</h6><i
class="bi bi-person-rolodex"></i></a>
                <a class="nav-link" href="#"><h6>Doctor Present</h6><i
class="bi bi-info-circle"></i></a>
                <a class="nav-link" href="#"><h6>User Bye</h6><i class="bi
bi-box-arrow-right"></i></a>
                <a><form class="navbar-form navbar-left" role="search">
                    <div class="form-group">
                        <input type="text" class="form-control"
placeholder="Search"><i class="bi bi-search"></i>
                    </div>
                    <button type="submit" class="btn btn-
default">Submit</button>
                </form></a>
            </div>
        </div></div></nav>
        <div class="container-fluid">
            <div class="row text-center">
                <div class="card" style="width: 20rem;height:16rem;">
                    
                    <div class="card-body">
                        <p class="card-text"><b>ADD</b>Basic Madicare Facilities</p>
                        <div class="dropdown">
                            <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                                Add Basic Facilities
                            </button>
                            <form class="dropdown-menu p-4">

```

```

        <div class="mb-3">
            <label for="exampleDropdownFormEmail2" class="form-
label">Name of facility</label>
            <input type="email" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
        </div>
        <div class="mb-3">
            <label for="exampleDropdownFormPassword2" class="form-
label">Category</label>
            <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
        </div>
        <div class="mb-3">
            <div class="form-check">
                <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                <label class="form-check-label" for="dropdownCheck2">
                    Are You Sure?
                </label>
            </div>
        </div>
        <button type="submit" class="btn btn-
primary">Proceed</button>
    </form>
</div>
</div>
</div>
<div class="card" style="width: 20rem;height:18rem;">
    
    <div class="card-body">
        <p class="card-text"><b>Find and Set Available
Medicined</b></p>
        <div class="dropdown">
            <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                Set Medicine
            </button>
            <form class="dropdown-menu p-4">
                <div class="mb-3">
                    <label for="exampleDropdownFormEmail2" class="form-
label">Name of Medicine</label>
                    <input type="email" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
                </div>
                <div class="mb-3">
                    <label for="exampleDropdownFormPassword2" class="form-
label">Batch No</label>

```

```

        <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
    </div>
    <div class="mb-3">
        <div class="form-check">
            <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                <label class="form-check-label" for="dropdownCheck2">
                    Do you want to Add It?
                </label>
            </div>
        </div>
        <button type="submit" class="btn btn-
primary">Proceed</button>
    </form>
</div>
</div>
</div>

<div class="card" style="width: 12rem;height:4rem;">
    
    <div class="card-body">
        <p class="card-text"><b>Add Available Doctors</b></p>
        <div class="dropdown">
            <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                Available Doctors
            </button>
            <form class="dropdown-menu p-4">
                <div class="mb-3">
                    <label for="exampleDropdownFormEmail2" class="form-
label">Name of Doctor</label>
                    <input type="text" class="form-control" id="exampledoc"
placeholder="name doc">
                </div>
                <div class="mb-3">
                    <label for="exampleDropdownFormPassword2" class="form-
label">Field of Specialisation</label>
                    <input type="text" class="form-control" id="exampleSp"
placeholder="Specialisation">
                </div>
                <div class="mb-3">
                    <div class="form-check">
                        <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                            <label class="form-check-label" for="dropdownCheck2">

```

```

                Are you Sure?
            </label>
        </div>
    </div>
    <button type="submit" class="btn btn-
primary">Proceed</button>
    </form>
</div>
</div>
<div class="card" style="width: 18rem;height:12rem;">
    
    <div class="card-body">
        <p class="card-text"><b>ADD </b>Injection Facilities</p>
        <div class="dropdown">
            <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                Add Injection Facility
            </button>
            <form class="dropdown-menu p-4">
                <div class="mb-3">
                    <label for="exampleDropdownFormEmail2" class="form-
label">Injection Facility</label>
                    <input type="text" class="form-control" id="inject"
placeholder="injection">
                </div>
                <div class="mb-3">
                    <label for="injection" class="form-
label">Additions</label>
                    <input type="text" class="form-control" id="injection"
placeholder="additions">
                </div>
                <div class="mb-3">
                    <div class="form-check">
                        <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                        <label class="form-check-label" for="dropdownCheck2">
                            Do you want to add?
                        </label>
                    </div>
                </div>
            <button type="submit" class="btn btn-
primary">Proceed</button>
        </form>
    </div>
</div>

```

```

        </div>
    </div>
    <div class="row text-center">
        <div class="card" style="width: 20rem;height:18rem;">
            
            <div class="card-body">
                <p class="card-text">Cardiac and Surgical Issues</p>
                <div class="dropdown">
                    <button type="button" class="btn btn-primary dropdown-toggle"
data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-close="outside">
                        Dropdown form
                    </button>
                    <form class="dropdown-menu p-4">
                        <div class="mb-3">
                            <label for="exampleDropdownFormEmail2" class="form-
label">Email address</label>
                            <input type="email" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
                        </div>
                        <div class="mb-3">
                            <label for="exampleDropdownFormPassword2" class="form-
label">Password</label>
                            <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
                        </div>
                        <div class="mb-3">
                            <div class="form-check">
                                <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                                <label class="form-check-label" for="dropdownCheck2">
                                    Remember me
                                </label>
                            </div>
                        </div>
                        <button type="submit" class="btn btn-primary">Sign
in</button>
                    </form>
                </div>
            </div>
        </div>
        <div class="card" style="width: 20rem;height:18rem;">
            
            <div class="card-body">
                <p class="card-text">Dermatological Problems</p>
                <div class="dropdown">

```

```

        <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
            Dropdown form
        </button>
        <form class="dropdown-menu p-4">
            <div class="mb-3">
                <label for="exampleDropdownFormEmail2" class="form-
label">Email address</label>
                <input type="email" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
            </div>
            <div class="mb-3">
                <label for="exampleDropdownFormPassword2" class="form-
label">Password</label>
                <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
            </div>
            <div class="mb-3">
                <div class="form-check">
                    <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                    <label class="form-check-label" for="dropdownCheck2">
                        Remember me
                    </label>
                </div>
            </div>
            <button type="submit" class="btn btn-primary">Sign
in</button>
        </form>
    </div>
</div>
</div>

    <div class="card" style="width: 20rem;height:20rem;">
        
        <div class="card-body">
            <p class="card-text">Emergency Services are social
responsibility</p>
            <div class="dropdown">
                <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                    Dropdown form
                </button>
                <form class="dropdown-menu p-4">

```

```

        <div class="mb-3">
            <label for="exampleDropdownFormEmail2" class="form-
label">Email address</label>
            <input type="email" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
        </div>
        <div class="mb-3">
            <label for="exampleDropdownFormPassword2" class="form-
label">Password</label>
            <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
        </div>
        <div class="mb-3">
            <div class="form-check">
                <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
                <label class="form-check-label"
for="dropdownCheck2">
                    Remember me
                </label>
            </div>
        </div>
        <button type="submit" class="btn btn-primary">Sign
in</button>
    </form>
</div>
</div>
</div>
<div class="card" style="width: 20rem;height:22rem;">
    
    <div class="card-body">
        <p class="card-text">Attending to Calls for Emergency
Medicare</p>
        <div class="dropdown">
            <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                Dropdown form
            </button>
            <form class="dropdown-menu p-4">
                <div class="mb-3">
                    <label for="exampleDropdownFormEmail2" class="form-
label">Email address</label>
                    <input type="email" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
                </div>
                <div class="mb-3">

```

```

        <label for="exampleDropdownFormPassword2" class="form-
label">Password</label>
        <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
    </div>
    <div class="mb-3">
        <div class="form-check">
            <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
            <label class="form-check-label"
for="dropdownCheck2">
                Remember me
            </label>
        </div>
    </div>
    <button type="submit" class="btn btn-primary">Sign
in</button>
    </form>
</div>
</div>
</div>

<div class="card" style="width: 20rem;height:22rem;">
    
    <div class="card-body">
        <p class="card-text">Supplying medicines at odd hours and
places</p>
        <div class="dropdown">
            <button type="button" class="btn btn-primary dropdown-
toggle" data-bs-toggle="dropdown" aria-expanded="false" data-bs-auto-
close="outside">
                Medicine Supply
            </button>
            <form class="dropdown-menu p-4">
                <div class="mb-3">
                    <label for="medicineSupply" class="form-label">Name of
Suppliers</label>
                    <input type="text" class="form-control"
id="exampleDropdownFormEmail2" placeholder="email@example.com">
                </div>
                <div class="mb-3">
                    <label for="LocationSuppliers" class="form-
label">Location</label>
                    <input type="password" class="form-control"
id="exampleDropdownFormPassword2" placeholder="Password">
                </div>
                <div class="mb-3">

```



```

        <div class="form-check">
            <input type="checkbox" class="form-check-input"
id="dropdownCheck2">
            <label class="form-check-label"
for="dropdownCheck2">
                Remember me
            </label>
        </div>
    </div>
    <button type="submit" class="btn btn-primary">Sign
in</button>

    </form>
</div>
</div>
</div>
    <button class="btn btn-primary" type="button" data-bs-
toggle="offcanvas" data-bs-target="#offcanvasRight" aria-
controls="offcanvasRight">See UserDetails List</button>

<div class="offcanvas offcanvas-end" tabindex="-1" id="offcanvasRight" aria-
labelledby="offcanvasRightLabel">
    <div class="offcanvas-header">
        <h5 class="offcanvas-title" id="offcanvasRightLabel">Find Users</h5>
        <button type="button" class="btn-close" data-bs-dismiss="offcanvas" aria-
label="Close"></button>
    </div>
    <div class="offcanvas-body">
        <nav class="nav flex-column" style="background-color:red;border-width:
50px;border-color: antiquewhite;">
            <div class="admin-dashboard">
                <h4>Users Created</h4>
                <div class="number"></div>
                <div class="btn"><button class="btn btn-danger"
(click)="getAllUsers()">Get All Users</button></div>
            </div>
        </nav>
    </div>
</div></div>

    </div>

    <footer style="text-align:center;">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <button class="btn btn-primary" type="button"
style="width:800px;height:100px;" data-bs-toggle="offcanvas" data-bs-

```

[illegible]

```
</html>
```

```
adminimport { Component, Input, Output, EventEmitter } from '@angular/core';

@Component({
  selector: 'app-admin-dashboard',
  templateUrl: './admin-dashboard.component.html',
  styleUrls: ['./admin-dashboard.component.css']
})
export class AdminDashboardComponent {

  constructor(){}
  @Input() useerCount=0;
  @Output() getUsersEvent=new EventEmitter();

  getAllUsers(){
    this.getUsersEvent.emit('get all users');
  }
}
```

-dashboard.component.ts