




Exp 11 :



exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
CST Studio Suite
Learning Edition
Farfields
Farfield Plot
Phi
Theta



exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
Lossy metal surface impedance (Vacuum filling): Nth Order Model, N=1 (Fit)
Impedance / Ω
Frequency / GHz
Z'' (Fit)
Z'' (Theory)
Z' (Fit)
Z' (Theory)



exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
Time Signals [Real]
W^(1/2)
Time / ns
i1
i2
o1,1
o2,1
o1,2
o2,2


exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
Reference Impedance [Real Part]
Impedance / Ω
Frequency / GHz
ZRef 1(1)
ZRef 2(1)


exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
Power in W [Real Part]
Power Accepted
Power Outgoing all Ports
Power Stimulated
W
Frequency / GHz
0.55
0.5
0.45
0.4
0.35
0.3
0.25
0.2
0.15
0.1
0.05
8
8.5
9
9.5
10
10.5
11
11.5
12
Navigation Tree
Result Navigator
Messages
Successfully finished Secondary Quantity Evaluation.
Successfully finished Secondary Quantity Evaluation.
3 warnings occurred.
Ready


exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
Power in W [Real Part]
Power Accepted
Power Outgoing all Ports
Power Stimulated
W
Frequency / GHz
0.55
0.5
0.45
0.4
0.35
0.3
0.25
0.2
0.15
0.1
0.05
8
8.5
9
9.5
10
10.5
11
11.5
12
Navigation Tree
Result Navigator
Messages
Successfully finished Secondary Quantity Evaluation.
Successfully finished Secondary Quantity Evaluation.
3 warnings occurred.
Ready


exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
S-Parameters Balance [Magnitude]
Balance [1]
Balance [2]
Frequency / GHz
0.5
0.49
0.48
0.47
0.46
0.45
0.44
0.43
0.42
0.41
8
8.5
9
9.5
10
10.5
11
11.5
12


exp 11 rectangular - CST Studio Suite 2026 - [Learning Edition]
S-Parameters [Magnitude]
S1,1
S2,1
S1,2
S2,2
dB
Frequency / GHz
-5
-10
-15
-20
-25
-30
-35
-40
8
8.5
9
9.5
10
10.5
11
11.5
12