

Mangalore



University

A report on the project

**THE SERENE SHELF
E-Commerce Website**

*Submitted to Mangalore University in partial
Fulfillment of the requirements for the*

BACHELOR OF COMPUTER APPLICATION

By

Neha (U05CI22S0049)

**Department of Computer Application
MILAGRES COLLEGE
KALLIANPUR – 576 114**

June 2024-2025

MILAGRES COLLEGE, KALLIANPUR - 576 114

Department of Computer Science

Certificate

Certified that the Project Work entitled
THE SERENE SHELF

is a bonafied work carried out by
NEHA

in partial fulfillment for the award of Degree of Bachelor of Computer Applications of the Mangalore University during the year 2024-2025. The project report has been approved as it satisfies the academic requirements in respect of project work prescribed for the Bachelor of Computer Applications.

Project Guide

Head of the Department

Principal

Name of the Student :

NEHA

University Register Number :

U05CI22S0049

Examiners: 1.

2.

ACKNOWLEDGEMENT

We have taken efforts in "**THE SERENE SHELF**" website however, it would not have been possible without the kind support and help of many individuals, I would like to extend my sincere thanks to all of them.

First and foremost, we would like to express our sincere gratitude to our principal **Dr. Vincent Alva** for providing us the challenging opportunity to undertake Mini Project work for the completion of our BCA course.

We would like to express our gratitude to **Mrs. Sushma A Shetty**, HOD of BCA Department for her valuable suggestions and encouragement.

We would also like to express a whole hearted gratitude to our project guide **Mrs. Sushma A Shetty** for their guidance and constant supervision as well as for providing necessary information and support in completing the website.

Neha

INDEX

Chapter No.	Title	Page No.
1.	Introduction • Objectives • Features • Modules	5-6
2.	Software Requirements Specification • Purpose • Scope • Overall Description	7-11
3.	System Design • Context Flow Diagram	12
4.	Database Design • Physical Design	13-16
5.	Program Code Listing	17-32
6.	User Interface	33-35
7.	Testing • Test Reports	36-39
8.	Conclusion • Bibliography	40

CHAPTER 1

INTRODUCTION

INTRODUCTION:

This project aims to create a comprehensive software solution for managing a gift shop's inventory, sales, and customer interaction. It's designed to streamline operations, enhance efficiency, and improve the overall customer experience. The system will encompass features such as product management, sales transaction processing, inventory tracking, and potentially customer relationship management.

- **TITLE OF THE PROJECT**

"The Serene Shelf"

- **OVERVIEW:**

The Serene Shelf is a software solution designed to streamline the operations of a gift shop by managing inventory, processing sales transactions, and enhancing customer interaction. The system will offer robust features including product management, inventory tracking, and sales processing. Additionally, it may integrate customer relationship management (CRM) capabilities to help the shop engage with customers more effectively, ultimately improving the customer experience and operational efficiency.

OBJECTIVES OF THE PROJECT:

- To create a user-friendly website that allows the gift shop to reach a wider customer base.
- To provide a 24/7 online platform for customers to browse and purchase gifts.
- To develop a robust product catalogue with detailed descriptions and images.
- To create an intuitive and easy to navigate website interface.

FEATURES:

- **Clear Categorization:** Easily browse gifts by recipient, occasion, or interest.
- **Detailed Product Descriptions:** Get a comprehensive understanding of each item with high-quality images and thorough descriptions.

- **Streamlined Checkout Process:** Complete your purchase in just a few clicks with our secure and efficient checkout system.

TOOLS/PLATFORMS USED:

- **Software:**
 - **Front End:** HTML, CSS and JavaScript
 - **Back End:** PHP and MySQL
 - **Platform:** Visual Studio Code
- **Hardware:**
 - Any Standard Monitor
 - Standard Keyboard
 - 2 GB RAM or More
 - CPU Intel® Core™ i5-1035G1

MODULES:

- User
- Admin

TESTING TOOLS:

- Manual testing with a set of real-time data.

EXPECTED OUTCOME:

- A fully functional online store with a shopping cart, secure payment gateway integration, and order management system.
- Expanding the customer base beyond the physical store's reach.
- Responsive customer support.
- Automating online sales and order processing can reduce manual labor and improve efficiency.

CHAPTER 2

SOFTWARE REQUIREMENTS SPECIFICATION

INTRODUCTION:

A software requirement specification (SRS) is a comprehensive description on the intended purpose and environment for software under development. The SRS fully describes what the software will do and how it will be expected to perform.

An SRS minimizes the time and effort required by developer to achieve desired goals and also minimize the development cost. A good SRS defines how an application will interact with systems software, other programs and human world in a wide variety of real-world situation.

PURPOSE:

The purpose of this document is to specify each requirement of the system in detail, while helping the client obtain a better understanding of the project. The document describes the project target audience and its user interface, hardware and software requirements. In short, the purpose of this SRS document is to provide detailed overview of our software product, its parameters, and goals.

SCOPE:

The document specifies requirements of the system. The validation of the process is done through software requirement specification. If there are any changes in the software in future, the changes are done through software requirement specification. First, the developer is responsible in case any change is seen in near future. The clarification must be changed in the recording of the system requirement specification.

OVERALL DESCRIPTION:

- **General Constraints:**
 - Login and password are used for identification of user.
 - Admin must be educated enough to use system.

ASSUMPTIONS:

- It is assumed that the project is being installed in the system which satisfies hardware and software configuration.
- Users will be having valid Email and Password to access the website. Users should provide correct details about them.
- Admin should be careful in updating and removing any data knowingly or unknowingly which will lead to inconsistency of the database.

SYSTEM REQUIREMENT:

- **Hardware:**
 - Any standard Monitor
 - Standard Keyboard
 - 2 GB RAM or more
 - CPU Intel® Core™ i5-1035G1
- **Software:**
 - Visual Code with HTML, CSS, PHP, XAMPP

FUNCTIONAL REQUIREMENTS:

Functionality	Description	User Type	Input	Output
User Registration	Allows new users to sign up with username, password, email, and join date.	Customer	Username, Password, Email	Confirmation of account creation
User Login	Enables registered users to log in.	Customer	Username, Password	Access to user dashboard
Admin Login	Allows admin to securely access the admin panel.	Admin	Username, Password	Access to admin dashboard
Browse Products	Lets' users browse and view available products.	Customer	Search/filter criteria	Product listing
View Product Details	Displays details of a selected product.	Customer	Product ID	Product info page
Add to Cart	Allows users to add products to their cart with a specific quantity.	Customer	Product ID, Quantity	Product added to cart confirmation
Manage Cart	Lets' users update quantities or remove products	Customer	Cart item updates	Updated cart

	from their cart.			
Add to Wishlist	Enables users to save products for future reference.	Customer	Product ID	Product added to wish list
Manage Wishlist	Allows users to remove items from their wish list.	Customer	Product ID	Wishlist updated
Place Order	Users can place an order with items from their cart.	Customer	Cart contents, shipping info	Order confirmation
View Orders	Displays list of past orders placed by the user.	Customer	User ID	Order history
Add New Product	Admin can add new products to the shop.	Admin	Product name, description, image, price, quantity	Product successfully added
Edit/Delete Product	Admin can update or remove products from the shop.	Admin	Product ID, updated details	Product updated/deleted
View All Users	Admin can view a list of registered users.	Admin		User list

View Carts/Wish lists/Orders	User	Admin can view individual user carts, wish lists, and order history.	Admin	User ID	Display user data
Logout		Allows users/admins to securely log out.	Customer/Admin		Return to login/home page

CHAPTER 3


SYSTEM DESIGN

SYSTEM DESIGN:

System design is the process of defining elements of a system like modules, architecture, components and their interfaces and data for a system based on the specified requirements. It is the process of defining, developing and designing systems which satisfies the specific needs and requirements of a business or organization.

CONTEXT FLOW DIAGRAM (CFD):

- CFD are used to describe the detailed logic of a business process or a business rule.
- The Context Flow Diagram is a one in which the entire system is treated as a single process.
- It lists all the major inputs and outputs for the system.
- It will show the flow of control through the different program.



CHAPTER 4

DATABASE DESIGN

INTRODUCTION:

The database design is a critical component of the project, providing a structured framework for storing, managing, and retrieving data efficiently. It outlines the logical and physical structure of the database, including tables, relationships, keys, and constraints. A well-designed database ensures data integrity, supports system functionality, and enhances performance. This section presents the schema, data flow, and rationale behind the chosen design to align with the project's requirements and scalability needs.

PHYSICAL DESIGN:

Database Name: serene_shelf



cart

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐ 2	user_id	int(11)			No	None			Change Drop More
☐ 3	product_id	int(11)			No	None			Change Drop More
☐ 4	quantity	int(11)			No	1			Change Drop More
☐ 5	added_at	timestamp			No	current_timestamp()			Change Drop More

orders

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 user_id	int(11)			No	None			Change Drop More
☐	3 shipping_address	text	utf8mb4_general_ci		No	None			Change Drop More
☐	4 order_date	datetime			Yes	current_timestamp()			Change Drop More
☐	5 total_amount	decimal(10,2)			No	None			Change Drop More
☐	6 status	varchar(20)	utf8mb4_general_ci		Yes	Pending			Change Drop More
☐	7 payment_status	varchar(20)	utf8mb4_general_ci		Yes	Pending			Change Drop More
☐	8 payment_method	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	9 transaction_id	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	10 payment_proof	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More

order_items

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 order_id	int(11)			No	None			Change Drop More
☐	3 product_id	int(11)			No	None			Change Drop More
☐	4 quantity	int(11)			No	None			Change Drop More
☐	5 price	decimal(10,2)			No	None			Change Drop More

products

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 name	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	3 description	text	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	4 price	decimal(10,2)			Yes	NULL			Change Drop More
☐	5 image	varchar(255)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐	6 category	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More






users

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 username	varchar(50)	utf8mb4_general_ci		No	None			Change Drop More
☐	3 password	varchar(255)	utf8mb4_general_ci		No	None			Change Drop More
☐	4 role	enum('user', 'admin')	utf8mb4_general_ci		No	None			Change Drop More


wishlist

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐	1 id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐	2 user_id	int(11)			No	None			Change Drop More
☐	3 product_id	int(11)			No	None			Change Drop More
☐	4 added_at	timestamp			No	current_timestamp()			Change Drop More

ENTITY RELATIONSHIP DIAGRAM TABLE WITH SYMBOL MEANINGS:

Symbol	Meaning
	Entity
	Weak Entity
	Relationship
	Identifying Relationship
	Attribute
	Key Attribute
	Multivalued Attribute
	Composite Attribute
	Cardinality ratio 1: N for E1:E2 in R
	Structured constraint (Min, Max) on participation of E in R

ER DIAGRAM:



CHAPTER 5

PROGRAM CODE LISTING

login.php

```
<?php
session_start();
include 'db.php';

$username = trim($_POST['username']);
$password = trim($_POST['password']);
$role = trim($_POST['role']);

// Admin login (hardcoded)
if ($role === 'admin') {
    $admin_username = 'admin';
    $admin_password = 'admin123';
    if ($username === $admin_username && $password === $admin_password) {
        $_SESSION['username'] = $admin_username;
        $_SESSION['role'] = 'admin';
        header("Location: admin_dashboard.php");
        exit;
    } else {
        echo "
        <div id='errorModal' class='modal'>
            <div class='modal-content'>
                <span class='close'>&times;</span>
                <h2>Invalid Admin Credentials</h2>
                <button onclick='window.location.href=\"login.html\"'>Try Again</button>
            </div>
        </div>
        </div>
        <script>
            var modal = document.getElementById('errorModal');
            var span = document.getElementsByClassName('close')[0];
            modal.style.display = 'block';
            span.onclick = function() {
```

```

    modal.style.display = 'none';
  }
  window.onclick = function(event) {
    if (event.target == modal) {
      modal.style.display = 'none';
    }
  }
</script>
<style>
  .modal {
    display: none;
    position: fixed;
    z-index: 1;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    overflow: auto;
    background-color: rgba(0, 0, 0, 0.4);
  }

  .close:hover,
  .close:focus {
    color: black;
    text-decoration: none;
  }
  button {
    background-color: #000;
    color: white;
    border: none;
    padding: 1rem 2rem;
    font-size: 1rem;
    cursor: pointer;
    border-radius: 4px;

```

```

        transition: background-color 0.3s;
    }
    button:hover {
        background-color: #333;
    }
</style>";
exit;
}
}

$sql = "SELECT * FROM users WHERE username='$username' AND password='$password' AND
role='user'";

$result = $conn->query($sql);
if ($result->num_rows === 1) {
    $user = $result->fetch_assoc(); // get user row as assoc array
    $_SESSION['username'] = $username;
    $_SESSION['role'] = 'user';
    $_SESSION['user_id'] = $user['id']; // store user id in session
    header("Location: home.html");
    exit;
} else {
    echo "
<div id='errorModal' class='modal'>
    <div class='modal-content'>
        <span class='close'>&times;</span>
        <h2>Invalid User Credentials</h2>
        <button onclick='window.location.href=\"login.html\"'>Try Again</button>
    </div>
</div>
<script>
    var modal = document.getElementById('errorModal');
    var span = document.getElementsByClassName('close')[0];
    modal.style.display = 'block';
    span.onclick = function() {
        modal.style.display = 'none';
    }
}

```

```

window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = 'none';
    }
}
</script>
<style>
.modal {
    display: none;
    position: fixed;
    z-index: 1;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    overflow: auto;
    background-color: rgba(0, 0, 0, 0.4);
}
button {
    background-color: #000;
    color: white;
    border: none;
    padding: 1rem 2rem;
    font-size: 1rem;
    cursor: pointer;
    border-radius: 4px;
    transition: background-color 0.3s;
}
button:hover {
    background-color: #333;
}
</style>";
exit;
}

```

```
$conn->close();
```

```
?>
```

signup.php

```
<?php
```

```
include 'db.php';
```

```
$username = $_POST['username'];
```

```
$password = $_POST['password'];
```

```
$role = $_POST['role'];
```

```
if ($role === 'admin') {
```

```
    die("Admin registration is not allowed.");
```

```
}
```

```
// Prevent empty fields or SQL injection
```

```
$username = trim($conn->real_escape_string($username));
```

```
$password = trim($conn->real_escape_string($password));
```

```
$role = trim($conn->real_escape_string($role));
```

```
// Insert into database
```

```
$sql = "INSERT INTO users (username, password, role) VALUES ('$username', '$password', '$role')";
```

```
if ($conn->query($sql) === TRUE) {
```

```
    echo "Signup successful! <a href='login.html'>Login now</a>";
```

```
} else {
```

```
    echo "Error: " . $conn->error;
```

```
}
```

```
$conn->close();
```

```
?>
```

shop.php

```
<?php
```

```

$conn = new mysqli("localhost", "root", "", "serene_shelf");
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$search = isset($_GET['search']) ? $conn->real_escape_string($_GET['search']) : "";
$category = isset($_GET['category']) ? $conn->real_escape_string($_GET['category']) : "";
$sql = "SELECT * FROM products WHERE 1=1";
if (!empty($search)) {
    $sql .= " AND (name LIKE '%$search%' OR description LIKE '%$search%')";
}
if (!empty($category)) {
    $sql .= " AND category = '$category'";
}
$sql .= " ORDER BY id DESC";
$result = $conn->query($sql);
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <title>The Serene Shelf | Shop</title>
    <style>
        html, body {
            height: 100%;
            margin: 0;
            font-family: 'Helvetica Neue', sans-serif;
            background-color: #ffffff;
            color: #222;
            display: flex;
            flex-direction: column;
        }
        header {
            background-color: #000;

```

```

    color: white;
    padding: 1rem 2rem;
    display: flex;
    justify-content: space-between;
    align-items: center;
    flex-wrap: wrap;
  }
  header h1 {
    font-size: 1.4rem;
    margin: 0;
    letter-spacing: 1px;
  }
  nav {
    display: flex;
    gap: 1.2rem;
    flex-wrap: wrap;
    margin-top: 0.3rem;
  }
  .cart-form input[type="number"] {
    background: white;
    border: 2px solid black;
    color: black;
    padding: 6px 10px;
    border-radius: 6px;
    font-size: 1rem;
    width: 60px;
    text-align: center;
    outline: none;
  }
</style>
</head>
<body>
  <header>
    <h1>The Serene Shelf</h1>

```

```

<nav>

  <a href="home.html">Home</a>

  <a href="about.html">About</a>

  <a href="contact.html">Contact</a>

  <a href="wishlist.php">Wishlist</a>

  <a href="cart.php">Cart</a>

  <a href="profile.php">Profile</a>

</nav>

</header>

<main>

  <form method="GET" class="filter-form">

    <input type="text" name="search" placeholder="🔍 Search for Products." value="<?=
htmlspecialchars($search) ?>" />

    <select name="category">

      <option value="">All Categories</option>

      <option value="books" <?= $category === 'books' ? 'selected' : '' ?>>Books</option>

      <option value="decor" <?= $category === 'decor' ? 'selected' : '' ?>>Decor</option>

      <option value="wellness" <?= $category === 'wellness' ? 'selected' : '' ?>>Wellness</option>

      <option value="stationary" <?= $category === 'stationary' ? 'selected' : '' ?>>Stationary</option>

      <option value="gifts" <?= $category === 'gifts' ? 'selected' : '' ?>>Gifts</option>

    </select>

    <button type="submit" class="button-outline">Search</button>

  </form>

  <section class="products">

    <?php if ($result && $result->num_rows > 0): ?>

      <?php while ($product = $result->fetch_assoc()): ?>

        <div class="product-card">

          " />

          <h3><?= htmlspecialchars($product['name']) ?></h3>

          <p><?= htmlspecialchars($product['description']) ?></p>

          <div class="price">₹<?= number_format($product['price'], 2) ?></div>

          <form action="add_to_wishlist.php" method="post">

            <input type="hidden" name="product_id" value="<?= $product['id'] ?>">

            <button type="submit">❤️ Add to Wishlist</button>

```



```

    </form>

    <form method="POST" action="add_to_cart.php" class="cart-form">
        <input type="hidden" name="product_id" value="<?= $product['id'] ?>">
        <input type="number" name="quantity" value="1" min="1">

        <button type="submit">  Add to Cart</button>
    </form>
</div>

<?php endwhile; ?>

<?php else: ?>
    <p>No products found.</p>
<?php endif; ?>
</section>
</main>
<footer class="footer">
    &copy; 2025 The Serene Shelf. All rights reserved.
</footer>
</body>
</html>
<?php $conn->close(); ?>

```

admin_dashboard.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <title>Admin Dashboard | The Serene Shelf</title>
    <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600&display=swap"
    rel="stylesheet">
    <style>
        :root {
            --primary: #000;
            --hover: #222;
            --accent: #f9f9f9;
            --danger: #d32f2f;

```

```

--text: #333;
--bg: #f4f4f4;
--border: #ddd;
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: 'Inter', sans-serif;
  background-color: var(--bg);
  color: var(--text);
}

header {
  background-color: var(--primary);
  color: #fff;
  padding: 1rem 2rem;
  display: flex;
  justify-content: space-between;
  align-items: center;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.08);
}

header h1 {
  font-size: 1.6rem;
  font-weight: 600;
}

nav a {
  color: #fff;

```

```

margin-left: 1.5rem;
text-decoration: none;
font-weight: 500;
transition: color 0.3s;
}
nav a:hover {
  color: #aaa;
}
.dashboard {
  padding: 3rem 2rem;
  max-width: 1200px;
  margin: auto;
  form {
    background-color: #fff;
    padding: 2rem;
    border-radius: 12px;
    box-shadow: 0 6px 16px rgba(0, 0, 0, 0.06);
    transition: transform 0.2s ease;
  }
  form:hover {
    transform: translateY(-5px);
  }
  form h2 {
    font-size: 1.3rem;
    margin-bottom: 1.2rem;
    color: var(--primary);
  }
  label {
    font-weight: 600;
    font-size: 0.95rem;
    display: block;
    margin-bottom: 6px;
    margin-top: 1rem;
  }

```

```

button {
  margin-top: 1rem;
  padding: 0.75rem 1.2rem;
  border: none;
  border-radius: 8px;
  font-weight: 600;
  cursor: pointer;
  font-size: 1rem;
  transition: background-color 0.3s ease;
}

.manage-btn {
  display: block;
  margin: 3rem auto 2rem;
  padding: 14px 32px;
  background-color: var(--primary);
  color: #fff;
  text-align: center;
  font-weight: 600;
  border-radius: 10px;
  text-decoration: none;
  font-size: 1rem;
  box-shadow: 0 6px 14px rgba(0,0,0,0.08);
  transition: background-color 0.3s;
}

.links a:hover {
  border-color: var(--primary);
}

#successMessage {
  background-color: #e9f6ea;
  color: #1a3d1f;
  border-left: 5px solid #2e7d32;
  padding: 1rem;
  margin: 1.5rem auto;
  width: 90%;
}

```

```

    max-width: 600px;
    border-radius: 8px;
    text-align: center;
    font-size: 0.95rem;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.05);
  }
  @media (max-width: 600px) {
    header {
      flex-direction: column;
      align-items: flex-start;
    }
    nav {
      margin-top: 0.75rem;
    }
  }
</style>
</head>
<body>
<?php if (isset($_GET['message'])): ?>
  <div id="successMessage">
    <?= htmlspecialchars($_GET['message']) ?>
  </div>
<script>
  setTimeout(() => {
    const msg = document.getElementById("successMessage");
    if (msg) {
      msg.style.opacity = "0";
      setTimeout(() => msg.style.display = "none", 1000);
    }
  }, 4000);
</script>
<?php endif; ?>

<header>

```

```

<h1>Admin Dashboard</h1>

<nav>

  <a href="home.html">View Site</a>

  <a href="logout.php">Logout</a>

</nav>

</header>

<div class="dashboard">

  <h2>Welcome, Admin</h2>

  <div class="actions">

    <!-- Add Product -->

    <form action="admin_add_product.php" method="POST" enctype="multipart/form-data">

      <h2>Add Product</h2>

      <label>Product Name</label>

      <input type="text" name="name" required>

      <label>Description</label>

      <textarea name="description" rows="3" required></textarea>

      <label>Price (₹)</label>

      <input type="number" name="price" step="0.01" required>

      <label>Category</label>

      <select name="category" required>

        <option value="" disabled selected>Select Category</option>

        <option>Books</option>

        <option>Decor</option>

        <option>Wellness</option>

        <option>Stationery</option>

        <option>Gifts</option>

      </select>

      <label>Product Image</label>

```

```

<input type="file" name="image" accept="image/*" required>

<button type="submit" name="submit">Add</button>
</form>

<!-- Edit Product -->
<form action="admin_edit_product.php" method="POST" enctype="multipart/form-data">
  <h2>Edit Product</h2>
  <label>Product ID</label>
  <input type="number" name="id" required>

  <label>New Name</label>
  <input type="text" name="name" required>

  <label>New Description</label>
  <textarea name="description" rows="3" required></textarea>

  <label>New Price (₹)</label>
  <input type="number" name="price" step="0.01" required>

  <label>New Category</label>
  <select name="category" required>
    <option value="" disabled selected>Select Category</option>
    <option>Books</option>
    <option>Decor</option>
    <option>Wellness</option>
    <option>Stationery</option>
    <option>Gifts</option>
  </select>

  <label>New Image (optional)</label>
  <input type="file" name="image" accept="image/*">

  <button type="submit" name="submit">Update</button>

```

```
</form>

<!-- Delete Product -->
<form action="admin_delete_product.php" method="POST">
  <h2>Delete Product</h2>
  <label>Product ID</label>
  <input type="number" name="id" required>
  <button type="submit" name="submit" class="danger">Delete</button>
</form>
</div>

<a href="admin_product_list.php" class="manage-btn">View & Manage Products</a>

<div class="links">
  <a href="admin_view_wishlists.php">View All Wishlists</a>
  <a href="admin_view_carts.php">View All Carts</a>
  <a href="admin_orders.php">View All Orders</a>
</div>
</div>

</body>
</html>
```


CHAPTER 6

USER INTERFACE



Login to The Serene Shelf

Username

Password

Login as

Login

Don't have an account? [Sign up here](#)

Create an Account


Choose a Username

Choose a Password

Sign up as

Sign Up

Already have an account? [Login here](#)



The Serene Shelf

[Home](#)
[About](#)
[Contact](#)
[Wishlist](#)
[Cart](#)
[Profile](#)

All Categories

Search



Wardah Skincare Kit

Kit Comprising of Moisturizer, Toner, Cleansing Milk, Lip Balm, and Exfoliator.

₹900.00

♥ Add to Wishlist



Vilvah Skincare Kit

Kit of Lip Balm, Lip Scrub, Rose Water, Oat Milk Soap, and Face Mask.

₹350.00

♥ Add to Wishlist



Biotique Kit

Set of Lip Balm, Face Wash, and Body Wash.

₹400.00

♥ Add to Wishlist



Simple Skincare Kit

Toner, Moisturizer, Scrub, Cleansing Wipes, Eye Makeup Remover, and Cleansing Lotion.

₹500.00

♥ Add to Wishlist

The Serene Shelf

[Home](#)
[Shop](#)
[Contact](#)
[Wishlist](#)
[Cart](#)
[Profile](#)

About Us

Welcome to The Serene Shelf, where elegance meets tranquility. Our collection features handpicked gifts, decor, and accessories that bring calmness and style into your life. From minimalist vases to handcrafted candle holders, we strive to offer products that elevate any space with their timeless beauty.

Founded on a love for simplicity and serenity, The Serene Shelf is your go-to destination for thoughtfully curated pieces that add sophistication and warmth to any environment.

Thank you for choosing us to be a part of your home.

[Back to Home](#)
[Back to Shop](#)

© 2025 The Serene Shelf. All rights reserved.

The Serene Shelf

[Home](#)
[Shop](#)
[About](#)
[Wishlist](#)
[Cart](#)
[Profile](#)

Contact Us

We're always here to assist you with any questions or inquiries. Feel free to reach out to us.

Email: contact@thesereneshelf.com

Phone Number: 9844824233

WhatsApp: 9844824233

Instagram: @thesereneshelf

[Back to Home](#)
[Back to Shop](#)

© 2025 The Serene Shelf. All rights reserved.

My Wishlist



One Indian Girl

₹300.00

Remove



Minimalist Planner

₹300.00

Remove



Biotique Kit

₹400.00

Remove

[← Back to Shop](#)

Your Cart



Vilvah Skincare Kit
 ₹350.00 × 1 = ₹350.00

[Update](#)
[Remove](#)

Cart Total: ₹350.00

Shipping Address:

Enter full address and contact number

Place Order

Admin Dashboard

[View Site](#)
[Logout](#)

Welcome, Admin

Add Product

Product Name

Description

Price (₹)

Category

Select Category ▼

Product Image

No file chosen

Add

Edit Product

Product ID

New Name

New Description

New Price (₹)

New Category

Select Category ▼

New Image (optional)

No file chosen

Update

Delete Product

Product ID

Delete

[View & Manage Products](#)

[View All Wishlists](#)
[View All Carts](#)
[View All Orders](#)

CHAPTER 7

TESTING

INTRODUCTION:

Testing is the phase where errors from the earlier phase also must be tested. It is the process of examining something with intension of finding the errors.

Testing a program that consists of providing the program with the set of test inputs and observing if the program behaves as expected. If the program fails, then the condition under which a failure occurs is noted for debugging and correction.

TEST REPORTS:

UNIT TESTING:

Testing at the unit level is very much essential because the error is accurate.

Unit testing is testing of different units or modules of a system in isolation

Testing is done to check whether each module in the software works properly so that it gives desired outputs to the given inputs.

Login Page:

Testcase ID	Test Description	Expected Result	Actual Result	Remarks
1	Correct admin credentials	Redirect to admin_dashboard.php	Redirect to admin_dashboard.php	OK
2	Incorrect admin password	Display message "Invalid admin credentials"	Display message "Invalid admin credentials"	OK
3	Valid user credentials from database	Redirect home.html	Redirect home.html	OK
4	Invalid user password	Display message "Enter user credentials"	Display message "Enter user credentials"	OK

5	Empty user name field	Display message"Enter username"	Display message"Enter username"	OK
6	Empty password field	Display message"Enter password"	Display message"Enter password"	OK
7	SQL injection attempt in username	Reject login and show error	Reject login and show error	OK
8	Role mismatch (user tries to login as admin)	Display message"Invalid admin credentials"	Display message"Invalid admin credentials"	OK

Signup Page:

Testcase ID	Test Description	Expected Result	Actual Result	Remarks
1	Valid user registration	Message: "Signup successful!" and link to login	Message: "Signup successful!" and link to login	OK
2	Admin role selected during signup	Message "admin registration is not allowed"	Message "admin registration is not allowed"	OK
3	Empty username filed	Display error or prevent submission	Display error or prevent submission	OK
4	Empty password filed	Display error or prevent submission	Display error or prevent submission	OK
5	Username with SQL injection(' OR 1=1--)	Prevented and escaped input	Prevented and escaped input	OK
6	Duplicate username	Display error from db (eg."duplicate entry")	Display error from db (eg."duplicate entry")	OK
7	Invalid role(eg. Hacker)	Either rejected or inserted based on role validation	Either rejected or inserted based on role validation	Caution
8	All field blank	Prevent submission	Prevent submission	OK

Password Reset Page:

Testcase ID	Test Description	Expected Result	Actual Result	Remarks
1	Fields left empty	Message: "All fields are required."	Message: "All fields are required."	OK
2	New and confirm password do not match	Message: "New password and confirmation do not match."	Message: "New password and confirmation do not match."	OK
3	Incorrect current password	Message: "Current password is incorrect."	Message: "Current password is incorrect."	OK
4	Valid current password and matching new one	Message: "Password changed successfully."	Message: "Password changed successfully."	OK

INTEGRATION TESTING:

In the Integration testing all the code modules are put together and tested and tested for desired outputs. The modules unit tested are integrated and tested. All the modules are combined in the testing step. The entire program is tested as the whole. The integration testing is carried out using integrated test plans prepared in the design phase of the system development as guide. All the errors found in the system are corrected for the next testing steps. The modules which are tested show expected results.

General Test Case for registration Button:

Testcase ID	Test Description	Expected Result	Actual Result	Remarks
1	Register Button	Register information in the database if all unit testing satisfied. display proper message Else the error	User registration process is completed	OK

General Test case for Login Button:

Testcase ID	Test Description	Expected Result	Actual Result	Remarks
1	Login Button	Logs in the user if all unit testing is satisfied. Else display the proper error message"	User will logged in Home page	ok

General Test case for Logout Button:

Testcase ID	Test Description	Expected Result	Actual Result	Remarks
1	Logout Button	User will be logged out and session will be abandoned	User will be logged out from home page	ok

WHITE BOX TESTING:

This is one of the testing methods. This will be tested at the outside environment, which means accessing the server. 1.e. Accessing data from the database. This will check whether data is retrieved correctly or not will be seen. The main error in white box testing will be occurred due to the database connectivity Here MySQL is used as backend database. Here for the project some tables are created. In the programs they have to be clearly specified.

BLACK BOX TESTING:

This is another important test method will check only internal code loops, conditional loops will be checked. In the code if he is a particular user then only the user will get some privileges. So here comparison testing has been done. If there is any error has occurred an error message will be raised. modification in code.

SYSTEM TESTING:

In the system testing entire system is tested as whole with all forms, code, modules and class modules. After the integration testing the whole system is tested in different environments and it is found that the system has performed well without any runtime errors. Hence, after the testing it is concluded that the system will work fine in all environments.

CHAPTER 8

CONCLUSION

The development of the gift shop project, *The Serene Shelf*, marks a significant step toward providing a seamless and user-friendly online shopping experience. This project successfully implements essential e-commerce features, including user and admin authentication, product browsing, cart and wish list management, and order placement functionality. The admin panel allows efficient management of inventory and monitoring of customer interactions, ensuring smooth operation and scalability.

Throughout the project, technologies such as HTML, CSS, PHP, and MySQL were effectively integrated to build a dynamic and responsive website. The system architecture promotes modularity and maintainability, allowing future enhancements like payment integration, advanced search filters, or customer feedback systems.

In conclusion, this project not only fulfills its core objectives but also lays a strong foundation for expanding the platform into a fully-featured e-commerce solution that can adapt to growing business needs and customer expectations.

BIBLIOGRAPHY:

- ChatGPT
- W3Schools
- YouTube