

Make an E-commerce website for sporty shoe

Open Pom.xml add Dependencies

```
<?xml version="1.0" encoding="UTF-8"?>

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">

<modelVersion>4.0.0</modelVersion>

<parent>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-parent</artifactId>

<version>2.5.1</version>

<relativePath/> <!-- lookup parent from repository -->

</parent>

<groupId>com.project</groupId>

<artifactId>SportyShoes</artifactId>

<version>0.0.1-SNAPSHOT</version>

<name>SportyShoes</name>

<description>phase3 project for Spring Boot</description>

<properties>

<java.version>11</java.version>

</properties>

<dependencies>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-data-jdbc</artifactId>
```

```
</dependency>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-thymeleaf</artifactId>

</dependency>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-web</artifactId>

</dependency>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-webflux</artifactId>

</dependency>

<dependency>

    <groupId>org.eclipse.persistence</groupId>

    <artifactId>javax.persistence</artifactId>

    <version>2.1.0</version>

    <scope>compile</scope>

</dependency>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-devtools</artifactId>

<scope>runtime</scope>

<optional>true</optional>

</dependency>

<dependency>
```

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-test</artifactId>

<scope>test</scope>

</dependency>

<dependency>

<groupId>io.projectreactor</groupId>

<artifactId>reactor-test</artifactId>

<scope>test</scope>

</dependency>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-batch</artifactId>

</dependency>

<dependency>

<groupId>org.projectlombok</groupId>

<artifactId>lombok</artifactId>

<optional>true</optional>

</dependency>

<dependency>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-starter-data-jpa</artifactId>

</dependency>

<dependency>

```
        <groupId>org.springframework.boot</groupId>

        <artifactId>spring-boot-starter-web-services</artifactId>

    </dependency>

    <dependency>

    <groupId>com.h2database</groupId>

    <artifactId>h2</artifactId>

    <scope>runtime</scope>

    </dependency>

    <dependency>

    <groupId>mysql</groupId>

    <artifactId>mysql-connector-java</artifactId>

    <scope>runtime</scope>

    </dependency>

    </dependencies>

    <build>

    <plugins>

    <plugin>

    <groupId>org.springframework.boot</groupId>

    <artifactId>spring-boot-maven-plugin</artifactId>

    </plugin>

    </plugins>

    </build>

</project>
```

By default Spring creates package com.project.SportyShoes

Create GlobalExceptionHandler.java

```
package com.project.SportyShoes;

import org.springframework.web.bind.annotation.ControllerAdvice;
import org.springframework.web.bind.annotation.ExceptionHandler;

@ControllerAdvice

public class GlobalExceptionHandler {

    @ExceptionHandler(Exception.class)

    public String handleException1(Exception e) {

        e.printStackTrace();

        return "Some error has occurred, please contact to administrator";

    }

}
```

Create SportyShoesApplication.java

```
package com.project.SportyShoes;

import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;

@SpringBootApplication

public class SportyShoesApplication {

    public static void main(String[] args) {

        SpringApplication.run(SportyShoesApplication.class, args);

    }

}
```

```
}
```

```
}
```

Create package com.project.SportyShoes.controller

Create CategoriesController.java

```
package com.project.SportyShoes.controller;

import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.ModelAttribute;
import org.springframework.web.bind.annotation.PathVariable;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestMethod;

import com.project.SportyShoes.entity.Categories;
import com.project.SportyShoes.service.CategoriesService;

@Controller

public class CategoriesController {

    @Autowired

    private CategoriesService catserv;

    @RequestMapping("/listcat")

    public String viewListPage(Model model)

    {
```

```

List<Categories> listCategories= catserv.listAll();

model.addAttribute("listCategories", listCategories);

return "manage";

}

@RequestMapping("/new")

public String addNewCatPage(Model model)

{

Categories categories= new Categories();

model.addAttribute("categories", categories);

return "new_category";

}

@RequestMapping(value = "/save", method = RequestMethod.POST)

public String saveCategory(@ModelAttribute("categories") Categories categories, Model m)

{

catserv.save(categories);

List<Categories> listCategories= catserv.listAll();

m.addAttribute("listCategories", listCategories);

return "manage";

}

@RequestMapping("/delete/{id}")

public String deleteCategory(@PathVariable(name ="id") long id, Model m)

{

catserv.delete(id);

List<Categories> listCategories= catserv.listAll();

m.addAttribute("listCategories", listCategories);

return "manage";

```

```
}  
  
}
```

Create LoginController.java

```
package com.project.SportyShoes.controller;  
  
import org.springframework.beans.factory.annotation.Autowired;  
  
import org.springframework.stereotype.Controller;  
  
import org.springframework.web.bind.annotation.GetMapping;  
  
import org.springframework.web.bind.annotation.ModelAttribute;  
  
import org.springframework.web.bind.annotation.PostMapping;  
  
import org.springframework.web.bind.annotation.RequestMapping;  
  
import org.springframework.web.servlet.ModelAndView;  
  
import com.project.SportyShoes.entity.Login;  
  
import com.project.SportyShoes.service.LoginService;  
  
@Controller  
  
public class LoginController {  
  
    @Autowired  
  
    private LoginService ls;  
  
        @GetMapping("/")  
  
    public ModelAndView login() {  
  
        ModelAndView mav = new ModelAndView("login");  
  
        mav.addObject("user", new Login());  
  
        return mav;  
  
    }  
  
        @PostMapping("/adminlogin")  
  
    public String signUp(@ModelAttribute("user") Login user ) {  
  
        Login oauthUser = null;
```



```

System.out.println("from login"+ user);

if(user.getPassword() != "" ) {

System.out.println("logging in");

oauthUser = ls.signgin(user.getUsername(), user.getPassword());

return "menu";

} else {

if (user.getNewPassword() != "" ) {

System.out.println("Changing new password");

                oauthUser = ls.changePassword(user.getUsername(), user.getNewPassword());

if(oauthUser == null ) {

return "invalid_credentials";

}

return "menu";

}

return "invalid_credentials";

}

}

//@GetMapping("/forgotPassword")

//public String update(@ModelAttribute("user") Login user){

//Login changepw = userService.updatePassword(user.);

//System.out.println(changepw);

//if(Objects.nonNull(changepw))

//{

//return "redirect:/" ;

//} else {

//return "redirect:/login";

```

```

//}

//}

//{{

//}}

@RequestMapping("/logout")

public String logoutDo()

{

return "conform_logout";

}

//@PostMapping("/reset")

//public String resetPassword(@ModelAttribute("userchange") Login user) {

//System.out.println("form reset");

//Boolean changePassword = ls.changePassword(user.getUsername(), user.getPassword());

//if(!changePassword) {

// return "usernotfound";

//}}

//return "menu";

//}}

/* @GetMapping("/forgotpw")

public String resetPassword1(@ModelAttribute("change") Login change ) {

System.out.println("from login"+ change);

Boolean oauthUser = ls.changePassword(change.getUsername(), change.getPassword());

System.out.print(oauthUser);

if(Objects.nonNull(oauthUser))

{

return "menu";

```

```
} else {  
  
    return "invalid_credentials";  
  
}  
  
}*/  
  
}
```

Create ProductController.java

```
package com.project.SportyShoes.controller;  
  
import java.util.List;  
  
import org.springframework.beans.factory.annotation.Autowired;  
  
import org.springframework.stereotype.Controller;  
  
import org.springframework.ui.Model;  
  
import org.springframework.web.bind.annotation.ModelAttribute;  
  
import org.springframework.web.bind.annotation.RequestMapping;  
  
import org.springframework.web.bind.annotation.RequestMethod;  
  
  
import com.project.SportyShoes.entity.Categories;  
  
import com.project.SportyShoes.entity.Product;  
  
import com.project.SportyShoes.service.ProductService;  
  
  
@Controller  
  
public class ProductController {  
  
    @Autowired  
  
    public ProductService prodserv;  
  
    @RequestMapping("/listprod")
```

```

    public String viewListProductPage(Model model)

    {

        List<Product> listProduct= prodserv.listAll();

        model.addAttribute("listProduct", listProduct);

        return "product_manage";

    }

    @RequestMapping("/newproduct")

    public String addNewProductPage(Model model)

    {

        Product product= new Product();

        model.addAttribute("product", product);

        return "new_product";

    }

    @RequestMapping(value = "/saveproduct", method = RequestMethod.POST)

    public String saveCategory(@ModelAttribute("product") Product product, Model md)

    {

        prodserv.save(product);

        List<Product> listProduct= prodserv.listAll();

        md.addAttribute("listProduct", listProduct);

        return "product_manage";

    }

}

```

Create UserDetailsController.java

```

package com.project.SportyShoes.controller;

```

```
import java.util.ArrayList;

import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;

import org.springframework.stereotype.Controller;

import org.springframework.ui.Model;

import org.springframework.web.bind.annotation.GetMapping;

import org.springframework.web.bind.annotation.GetMapping;

import org.springframework.web.bind.annotation.PathVariable;

import org.springframework.web.bind.annotation.RequestMapping;

import org.springframework.web.bind.annotation.RequestParam;

import org.springframework.web.servlet.ModelAndView;

import com.project.SportyShoes.entity.UserDetails;

import com.project.SportyShoes.service.UserDetailsService;
```

```
@Controller
```

```
public class UserDetailsController {
```

```
@Autowired
```

```
UserDetailsService userservice;
```

```
//@GetMapping("/list")
```

```
//public List<UserDetails> getUserDetails()
```

```
//{
```

```
//List<UserDetails> listuser = new ArrayList<UserDetails>();
```

```
//listuser= userservice.getUsers();
```

```
// return listuser;
```

```
//}
```

```

@GetMapping("/index")

public String viewUserDetails(Model model)

{

List<UserDetails> listUsers= userservice.listAll();

System.out.println("listUsers" + listUsers);

model.addAttribute("listUsers",listUsers);

return "/index";

}

// @GetMapping("/find")

// public List<UserDetails> findusername(@RequestParam("username") String username)

// {

// List<UserDetails> searchuser =new ArrayList<UserDetails>();

// searchuser = userservice.get(username);

// System.out.println("user"+ searchuser);

// return searchuser;

// }

@GetMapping("/user/{username}")

public String findUserName(@PathVariable(name="username")String username)

{

System.out.println("i am here");

ModelAndView mav = new ModelAndView("find");

List<UserDetails> userdetails=userservice.get(username);

mav.addObject("userdetails", userdetails);

return "finduser";

}

}

```

Create package com.project.SportyShoes.entity

Create BaseEntity.java

```
package com.project.SportyShoes.entity;

import lombok.Data;

import lombok.EqualsAndHashCode;

import javax.persistence.Column;

import javax.persistence.EntityListeners;

import javax.persistence.MappedSuperclass;

import java.util.Date;

@MappedSuperclass

@Data

@EqualsAndHashCode

@EntityListeners(EntityListener.class)

public abstract class BaseEntity {

    @Column(nullable = false, updatable = false)

    private Date createDate;

    @Column(insertable = false)

    private Date lastUpdateDate;

    public Date getCreateDate() {

        return createDate;

    }

    public void setCreateDate(Date createDate) {

        this.createDate = createDate;

    }

    public Date getLastUpdateDate() {

        return lastUpdateDate;

    }

}
```

```

    }

    public void setLastUpdateDate(Date lastUpdateDate) {

        this.lastUpdateDate = lastUpdateDate;

    }

}

```

Create Categories.java

```

package com.project.SportyShoes.entity;

import javax.persistence.Entity;

import javax.persistence.GeneratedValue;

import javax.persistence.GenerationType;

import javax.persistence.Id;

import javax.persistence.Table;

@Entity

@Table(name="categories")

public class Categories {

    @Id

    @GeneratedValue(strategy=GenerationType.IDENTITY)

    private long id;

    private String categoryName;

        public long getId() {

            return id;

        }

        public void setId(long id) {

            this.id = id;

        }

    public Categories() {

```



```
super();

// TODO Auto-generated constructor stub

}

public Categories(long id, String categoryName) {

super();

this.id = id;

this.categoryName = categoryName;

}

@Override

public String toString() {

return "Categories [id=" + id + ", categoryName=" + categoryName + "]";

}

public String getCategoryName() {

return categoryName;

}

public void setCategoryName(String categoryName) {

this.categoryName = categoryName;

}

/*public String women;

public String men;

public String kids;

public Categories() {

super();

// TODO Auto-generated constructor stub

}

public Categories(long id, String women, String men, String kids) {
```

```
super();

this.id = id;

this.women = women;

this.men = men;

this.kids = kids;

}

public long getId() {

return id;

}

public void setId(long id) {

this.id = id;

}

public String getWomen() {

return women;

}

public void setWomen(String women) {

this.women = women;

}

public String getMen() {

return men;

}

public void setMen(String men) {

this.men = men;

}

public String getKids() {

return kids;
```

```

    }

    public void setKids(String kids) {

        this.kids = kids;

    }

    @Override

    public String toString() {

        return "Categories [id=" + id + ", women=" + women + ", men=" + men + ", kids=" + kids + "];

    }*/

}

```

Create EntityListener.java

```

package com.project.SportyShoes.entity;

import javax.persistence.PrePersist;

import javax.persistence.PreUpdate;

import java.util.Date;

public class EntityListener {

    @PrePersist

    public void prePersist(BaseEntity entity) {

        Date now = new Date();

        entity.setCreateDate(now);

    }
}

```

```
@PreUpdate

public void preUpdate(BaseEntity entity) {

    Date now = new Date();

    entity.setLastUpdateDate(now);

}

}
```

Create Login.java

```
package com.project.SportyShoes.entity;

import javax.persistence.Entity;

import javax.persistence.GeneratedValue;

import javax.persistence.GenerationType;

import javax.persistence.Id;

import javax.persistence.Table;

@Entity

@Table(name="login")

public class Login {

    @Id

    @GeneratedValue(strategy= GenerationType.IDENTITY)

    private Long id;

    private String username;

    private String password;

    private String newPassword;
```

```
public String getNewPassword() {

    return newPassword;

}

public void setNewPassword(String newPassword) {

    this.newPassword = newPassword;

}

public Login(Long id, String username, String password, String newPassword) {

    super();

    this.id = id;

    this.username = username;

    this.password = password;

    this.newPassword = newPassword;

}

public Login() {

    super();

    // TODO Auto-generated constructor stub

}

public Login(Long id, String username, String password) {

    super();

    this.id = id;

    this.username = username;

    this.password = password;

}

public Long getId() {

    return id;

}
```

```

public void setId(Long id) {

    this.id = id;

}

public String getUsername() {

    return username;

}

public void setUsername(String username) {

    this.username = username;

}

public String getPassword() {

    return password;

}

public void setPassword(String password) {

    this.password = password;

}

@Override

public String toString() {

    return "Login [id=" + id + ", username=" + username + ", password=" + password + ",
    newPassword=" + newPassword+ "]";

}

}

```

Create Product.java

```

package com.project.SportyShoes.entity;

import javax.persistence.Entity;

import javax.persistence.GeneratedValue;

import javax.persistence.GenerationType;

import javax.persistence.Id;

```

```
import javax.persistence.Table;

@Entity

@Table(name="product")

public class Product {

    @Id

    @GeneratedValue(strategy=GenerationType.IDENTITY)

    private long id;

    private String productName;

    private String category;

    private long price;

    private Boolean status;

    private String size;

    public Product() {

        super();

        // TODO Auto-generated constructor stub

    }

    public long getId() {

        return id;

    }

    public void setId(long id) {

        this.id = id;

    }

    public String getProductName() {

        return productName;

    }

    public void setProductName(String productName) {
```

```
this.productName = productName;

}

public String getCategory() {

return category;

}

public void setCategory(String category) {

this.category = category;

}

public long getPrice() {

return price;

}

public void setPrice(long price) {

this.price = price;

}

public Boolean getStatus() {

return status;

}

public void setStatus(Boolean status) {

this.status = status;

}

public String getSize() {

return size;

}

public void setSize(String size) {

this.size = size;

}
```


@Override

```
public String toString() {
```

```
    return "Product [id=" + id + ", productName=" + productName + ", category=" + category + ", price=" + price + ", status=" + status + ", size=" + size + "];"
```

```
}
```

```
public Product(long id, String productName, String category, long price, Boolean status, String size) {
```

```
    super();
```

```
    this.id = id;
```

```
    this.productName = productName;
```

```
    this.category = category;
```

```
    this.price = price;
```

```
    this.status = status;
```

```
    this.size = size;
```

```
}
```

```
}
```

Create UserDetails.java

```
package com.project.SportyShoes.entity;
```

```
import java.sql.Date;
```

```
import javax.persistence.Entity;
```

```
import javax.persistence.GeneratedValue;
```

```
import javax.persistence.GenerationType;
```

```
import javax.persistence.Id;
```

```
import javax.persistence.Table;
```

```
@Entity(name = "userdetails")

@Table(name="userdetails")

public class UserDetails extends BaseEntity {

    @Id

    @GeneratedValue(strategy= GenerationType.IDENTITY)

    public long userId;

    public String username;

    public String emailId;

    public String phone;

    public String productPurchased;

    public Date purchaseDate;

    public String category;

    public UserDetails() {

        super();

        // TODO Auto-generated constructor stub

    }

    public UserDetails(long userId, String username, String emailId, String phone, String
productPurchased,

    Date purchaseDate, String category) {

        super();

        this.userId = userId;

        this.username = username;

        this.emailId = emailId;

        this.phone = phone;

        this.productPurchased = productPurchased;

        this.purchaseDate = purchaseDate;

        this.category = category;
```

```
}

public long getUserId() {

return userId;

}

public void setUserId(long userId) {

this.userId = userId;

}

public String getUsername() {

return username;

}

public void setUsername(String username) {

this.username = username;

}

public String getEmailId() {

return emailId;

}

public void setEmailId(String emailId) {

this.emailId = emailId;

}

public String getPhone() {

return phone;

}

public void setPhone(String phone) {

this.phone = phone;

}

public String getProductPurchased() {
```

```

return productPerchased;

}

public void setProductPerchased(String productPerchased) {

this.productPerchased = productPerchased;

}

public Date getPerchaseDate() {

return perchaseDate;

}

public void setPerchaseDate(Date perchaseDate) {

this.perchaseDate = perchaseDate;

}

public String getCategory() {

return category;

}

public void setCategory(String category) {

this.category = category;

}

@Override

public String toString() {

return "UserDetails [userId=" + userId + ", username=" + username + ", emailId=" + emailId + ",
phone=" + phone

+ ", productPerchased=" + productPerchased + ", perchaseDate=" + perchaseDate + ", category=" +
category

+ "]\n";

}

}

```

Create package com.project.SportyShoes.jdbc

Create CategoriesRepository.java

```
package com.project.SportyShoes.jdbc;

import org.springframework.data.jpa.repository.JpaRepository;

import com.project.SportyShoes.entity.Categories;

public interface CategoriesRepository extends JpaRepository<Categories, Long> {

}
```

Create LoginRepository.java

```
package com.project.SportyShoes.jdbc;

import org.springframework.data.jpa.repository.JpaRepository;

import org.springframework.data.jpa.repository.Modifying;

import org.springframework.data.jpa.repository.Query;

import org.springframework.data.repository.query.Param;

import org.springframework.stereotype.Repository;

import com.project.SportyShoes.entity.Login;

import lombok.val;

@Repository

public interface LoginRepository extends JpaRepository<Login, Long> {

    Login findByUsernameAndPassword(String username, String password);

    Login findByUsername(String username);

    //Login findByEmail(String emailId);

    //Login findByResetPassword(String resetPassword);

    @Modifying
```

```
@Query("update Login log set log.password = :password where log.id = :id")

void changePassword(@Param(value="password") String password, @Param(value = "id") Long id);

}
```

Create ProductRepository.java

```
package com.project.SportyShoes.jdbc;

import org.springframework.data.jpa.repository.JpaRepository;

import com.project.SportyShoes.entity.Product;

public interface ProductRepository extends JpaRepository<Product, Long>{

}
```

Create UserDetailsRepository.java

```
package com.project.SportyShoes.jdbc;

import java.util.List;

import org.springframework.data.jpa.repository.JpaRepository;

import org.springframework.stereotype.Repository;

import com.project.SportyShoes.entity.UserDetails;

@Repository

public interface UserDetailsRepository extends JpaRepository<UserDetails, Long> {

    public List<UserDetails> findByusername(String username);

}
```

Create package com.project.SportyShoes.service

Create CategoriesService.java

```
package com.project.SportyShoes.service;

import java.util.List;

import javax.transaction.Transactional;

import org.springframework.beans.factory.annotation.Autowired;

import org.springframework.stereotype.Service;
```

```
import com.project.SportyShoes.entity.Categories;  
  
import com.project.SportyShoes.jdbc.CategoriesRepository;
```

```
@Service
```

```
@Transactional
```

```
public class CategoriesService {
```

```
@Autowired
```

```
private CategoriesRepository catrepo;
```

```
public List<Categories> listAll()
```

```
{
```

```
    return catrepo.findAll();
```

```
}
```

```
public void save(Categories categories)
```

```
{
```

```
    catrepo.save(categories);
```

```
}
```

```
public Categories get(long id)
```

```
{
```

```
    return catrepo.findById(id).get();
```

```
}
```

```
public void delete(long id)
```

```
{
```

```
    catrepo.deleteById(id);
```

```
}
```

```
}
```

Create LoginService.java

```
package com.project.SportyShoes.service;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service;

import com.project.SportyShoes.entity.Login;
import com.project.SportyShoes.entity.UserDetails;
import com.project.SportyShoes.jdbc.LoginRepository;

@Service

public class LoginService{

    @Autowired

    private LoginRepository repo;

    public Login signin(String username, String password) {

        Login user = repo.findByUsernameAndPassword(username, password);

        System.out.println("from service" + user);

        return user;

    }

    public Login changePassword(String username, String newpassword) {

        // TODO Auto-generated method stub

        Login uplogin = null;

        Login user1 = repo.findByUsername(username);

        if(user1 !=null ) {
```



```

System.out.println("user1" + user1);

repo.changePassword(newpassword, user1.getId());

uplogin = repo.findByUsername(username);

System.out.println("Password Changed");

return uplogin;

}

return null;

}

}

// Login login=repo.findByEmail(email);

// if(login != null)

//{

// login.setResetPassword(resetPassword);

//repo.save(login);

//}

//else {

//System.out.println("couldnot find the emailid");

//}

// }

//catch (Exception e) {

//e.printStackTrace(e.getMessage());

//}

//}

//public Login getByResetPassword(String resetPassword)

//{

```

```
// return repo.findByResetPassword(resetPassword);  
  
//}  
  
//}
```

Create ProductService.java

```
package com.project.SportyShoes.service;  
  
import java.util.List;  
  
import org.springframework.beans.factory.annotation.Autowired;  
  
import org.springframework.stereotype.Service;  
  
import com.project.SportyShoes.entity.Categories;  
  
import com.project.SportyShoes.entity.Product;  
  
import com.project.SportyShoes.jdbc.ProductRepository;  
  
  
@Service  
  
public class ProductService {  
  
    @Autowired  
  
    public ProductRepository prodrepo;  
  
    public List<Product> listAll()  
  
    {  
  
        return prodrepo.findAll();  
  
    }  
  
    public void save(Product product)  
  
    {  
  
        prodrepo.save(product);  
  
    }  
  
}
```

Create UserDetailsService.java

```
package com.project.SportyShoes.service;

import java.util.ArrayList;

import java.util.List;

import org.springframework.beans.factory.annotation.Autowired;

import org.springframework.stereotype.Service;

import com.project.SportyShoes.entity.UserDetails;

import com.project.SportyShoes.jdbc.UserDetailsRepository;

@Service

public class UserDetailsService {

    @Autowired

    UserDetailsRepository userRepo;

    //public List<UserDetails> listAll(){

    //List<UserDetails> ud=new ArrayList<UserDetails>();

    //ud= userRepo.findAll();

    //System.out.println("userdetails "+ud);

    //return ud;

    //}

    public List<UserDetails> listAll()

    {

        return userRepo.findAll();

    }

    public List<UserDetails> get(String username) {

        return userRepo.findByusername(username);

    }

}
```

```

    }

    /*public List<UserDetails> searchUsers(String username) {

    List<UserDetails> su= new ArrayList<UserDetails>();

    su= userRepo.findByusername(username);

    return su;

    }*/

    }

```

Src/main/resources

Open application.properties

```

spring.datasource.url=jdbc:mysql://localhost:3306/mywork

spring.datasource.username=root

spring.datasource.password=password

#auto create tables fromspring boot

spring.jpa.generate-ddl=true

spring.jpa.hibernate.ddl-auto = update

server.port = 8080

#logging.level.root=WARN

logging.level.org.springframework.web: DEBUG

spring.jpa.open-in-view=true

spring.thymeleaf.cache=true

spring.thymeleaf.prefix=classpath:/templates/

spring.thymeleaf.suffix=.html

spring.jpa.show-sql=true

api.base.path = http://localhost:/mywork

```

Create Folder templates and

Create conform_logout.html.

```
<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Insert title here</title>

</head>

<body>

<a href="/">Conform Logout</a>


</body>

</html>
```

Create finduser.html

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml"

__xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="ISO-8859-1">

<title>Insert title here</title>

</head>

<body>

<div aling="center">
```

```

<H3>Find User By UserName</H3>

<br>

<form action="#" th:action="@{/find{username}}" th:object="${userdetails}" method="post">

    <table border="0" cellpadding="10">

        <tr>

            <td>UserName:</td>

            <td><input type="text" th:field="*{username}"/>

            </td>

            <tr>

                <td colspan="2"><button type="submit">Search</button> </td>

            </tr>

        </table>

    </form>

</div>

</body>

</html>

```

Create Index.html

```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml"

    xmlns:th="http://www.thymeleaf.org">

    <head>

        <meta charset="ISO-8859-1">

        <title>List OF User Details</title>

    </head>

    <body>

        <div align="center">

```

<H1>List of All The Users</H1>

<table border="1" cellpadding="10">

<thead>

<tr>

<th>UserId</th>

<th>UserName</th>

<th>email Id</th>

<th>Phone</th>

<th>Product Purchased</th>

<th>Perchase Date</th>

<th>Category</th>

<th>Create Date</th>

<th>Last Update Date</th>

</tr>

</thead>

<tbody>

<tr th:each="userdetails : \${listUsers}">

<td th:text="\${userdetails.userId}">UserId</td>

<td th:text="\${userdetails.username}">UserName</td>

<td th:text="\${userdetails.emailId}">email Id</td>

<td th:text="\${userdetails.phone}">Phone</td>

<td th:text="\${userdetails.productPurchased}">Product Purchased</td>

<td th:text="\${userdetails.perchaseDate}">Perchase Date</td>

<td th:text="\${userdetails.category}">Category</td>

<td th:text="\${userdetails.createDate}">Create Date</td>

```
<td th:text="{userdetails.lastUpdateDate}">Last Update Date</td>

</tr>

</tbody>

</table>

<a href="/logout">LogOut</a>

</div>

</body>

</html>
```

Create invalid_credentials.html

```
<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Insert title here</title>

</head>

<body>

<h1>Invalid Credentials</h1><br>

<br>

<a href="/">try Again</a>

</body>

</html>
```

Create login.html

```
<!DOCTYPE html>

<html>

<head>
```



```
<meta charset="ISO-8859-1">
```

```
<title>Insert title here</title>
```

```
</head>
```

```
<body>
```

```
<div align="center">
```

```
<h2>Welcome To Sporty Shoes Web App!!!</h2>
```

```
<table width="100%" height="100%" border="0" cellpadding="0" align="center">
```

```
<tr>
```

```
<td align="center" valign="middle">
```

```
<table class="table-bordered" width="350" border="0" cellpadding="3" cellspacing="3" bgcolor="#ffffff">
```

```
<form action="#" th:action="@{/adminlogin}" th:object="${user}" method="post">
```

```
<tr>
```

```
<td height="25" colspan="2" align="left" valign="middle" bgcolor="#ffffff" class="style2">
```

```
<div align="center">
```

```
<strong>Admin Login</strong>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Username</td>
```

```
<td><input type="text" th:field="*{username}"
```

```
class="form-control" /></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Password</td>
```

```

<td><input type="password" th:field="*{password}"
class="form-control" /></td>

</tr>

<tr>

<td>New Password</td>

<td><input type="password" th:field="*{newPassword}"
class="form-control" /></td>

</tr>

<tr>

<td colspan="2"><button type="submit" class="btn btn-
info" align="right">login/change password</button></td>

</tr>

</form>

</table>

</td>

</tr>

</table>

</body>

</html>

```

Create manage.html

```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml" xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="ISO-8859-1">

<title>Manage Category Unit</title>

</head>

<body>

```

```

<div align="center">

<h1>Categories List</h1><br>

<div align="center">

<a href="/new">Create New Category</a>

</div>

<table border="1" cellpadding="10"><thead><tr>

<th>id</th>

<th>Name</th>

<th>Action</th>

</tr>

</thead>

<tbody>

<tr th:each="categories : ${listCategories}">

<td th:text="${categories.id}">id</td>

<td th:text="${categories.categoryName}">Name</td>

<td><a th:href="@{/delete/{id}(id=${categories.id})}">Delete</a></td>

</tr>

</tbody>

</table>

<a href="/logout">LogOut</a>

</div>

</body>

</html>

```

Create menu.html

```

<!DOCTYPE html>

<html>

```

```
<head>

<meta charset="ISO-8859-1">

<title>Insert title here</title>

</head>

<body>

<h1>Admin Work System</h1>

<a href="/listcat">Click here to Manage Categories</a><br>

<a href="/index">Click here to view the list of users</a><br>

<a href="/listprod">Click here to view the products List</a><br>

<br>

<br>

<a href="/logout">LogOut</a>

</body>

</html>
```

Create new_category.html

```
<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml"

____xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="ISO-8859-1">

<title>Create New Category</title>

</head>

<body>

<div aling="center">

<h1>Create New Category</h1>
```

```

<br/>

<form action="#" th:action="@{/save}" th:object="${categories}"
    method="post">

    <table border="0" cellpadding="10">

        <tr>

            <td>Name:</td>

            <td><input type="text" th:field="*{categoryName}" /></td>

        </tr>

        <tr>

            <td colspan="2"><button type="submit">Save</button> </td>

        </tr>

    </table>

</form>

<a href="/logout">LogOut</a>

</div>

</body>

</html>

```

Create new_product.html

```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml"
    xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="ISO-8859-1">

<title>Create New Category</title>

</head>

```

```
<body>

<div align="center">

<h1>Create New Product</h1>

<br/>

<form action="#" th:action="@{/saveproduct}" th:object="${product}"

    method="post">

<table border="0" cellpadding="10">

    <tr>

        <td>Product Name:</td>

        <td><input type="text" th:field="*{productName}" /></td>

    </tr>

    <tr>

        <td>Category:</td>

        <td><input type="text" th:field="*{category}" /></td>

    </tr>

    <tr>

        <td>Price:</td>

        <td><input type="text" th:field="*{price}" /></td>

    </tr>

    <tr>

        <td>Status:</td>

        <td><input type="text" th:field="*{status}" /></td>

    </tr>

    <tr>

        <td>size:</td>
```

```

        <td><input type="text" th:field="*{size}" /></td>

    </tr>

    <tr>

        <td colspan="2"><button type="submit">Save</button> </td>

    </tr>

</table>

</form>

```

```

</div>

</body>

</html>

```

Create product_manage.html

```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml"xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="ISO-8859-1">

<title>Manage Product Unit</title>

</head>

<body>

<div align="center">

<h1>Products List</h1><br>

<h2><b><a href="/newproduct">Create New ProductList</a></b></h2>

<table border="1" cellpadding="10">

```

```

<thead>

<tr>

<th>Product id</th>

<th>Product Name</th>

<th>Category</th>

<th>Price</th>

<th>Status</th>

<th>size</th>

</tr>

</thead>

<tbody>

<tr th:each="product : ${listProduct}">

<td th:text="${product.id}">Product id</td>

<td th:text="${product.productName}">Product Name</td>

<td th:text="${product.category}">Category</td>

<td th:text="${product.price}">Price</td>

<td th:text="${product.status}">Status</td>

<td th:text="${product.size}">size</td>

</tr></tbody>

</table>

<a href="/logout">LogOut</a>

</div>

</body>

</html>

```

Create relogin.html


```

<td>New Password</td>

<td><input type="password" th:field="**{password}" name="password" /></td>

</tr>

<tr>

<td colspan="2"><button type="submit" class="btn btn-info" align="right">Change
Password</button></td>

</tr>

</form>

</table>

</td>

</tr>

</table>

</body>

</html>

```

Create usernotfound.html

```

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml" xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="ISO-8859-1">

<title>User Not Found</title>

</head>

<body>

<h1>User not found !</h1>

</body>

</html>

```