

## HANDLING USER AUTHENTICATION

### Open pom.xml add dependencies

```
<?xml version="1.0" encoding="UTF-8"?>

<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>

    <groupId>org.springframework.boot</groupId>

    <artifactId>spring-boot-starter-parent</artifactId>

    <version>2.4.3</version>

    <relativePath /> <!-- lookup parent from repository -->

  </parent>

  <groupId>com.project</groupId>

  <artifactId>Authentication</artifactId>

  <version>0.0.1-SNAPSHOT</version>

  <name>Authentication</name>

  <description>Demo project for Spring Boot</description>

  <properties>

    <java.version>1.8</java.version>

  </properties>

  <dependencies>

    <dependency>

      <groupId>org.springframework.boot</groupId>

      <artifactId>spring-boot-starter-data-jpa</artifactId>

    </dependency>
```

```
<dependency>  
  
<groupId>org.springframework.boot</groupId>  
  
<artifactId>spring-boot-starter-jersey</artifactId>  
  
</dependency>
```

```
<dependency>  
  
<groupId>org.springframework.boot</groupId>  
  
<artifactId>spring-boot-starter-web</artifactId>  
  
</dependency>
```

```
<dependency>  
  
<groupId>org.springframework.boot</groupId>  
  
<artifactId>spring-boot-devtools</artifactId>  
  
<scope>runtime</scope>  
  
<optional>true</optional>  
  
</dependency>
```

```
<dependency>  
  
<groupId>org.springframework.boot</groupId>  
  
<artifactId>spring-boot-starter-test</artifactId>  
  
<scope>test</scope>  
  
</dependency>
```

```
<dependency>  
  
<groupId>org.apache.tomcat.embed</groupId>  
  
<artifactId>tomcat-embed-jasper</artifactId>  
  
<scope>provided</scope>  
  
</dependency>
```

<dependency>

<groupId>javax.xml.bind</groupId>

<artifactId>jaxb-api</artifactId>

</dependency>

<dependency>

<groupId>org.javassist</groupId>

<artifactId>javassist</artifactId>

<version>3.25.0-GA</version>

</dependency>

<dependency>

<groupId>javax.servlet</groupId>

<artifactId>jstl</artifactId>

<version>1.2</version>

</dependency>

<dependency>

<groupId>org.projectlombok</groupId>

<artifactId>lombok-maven-plugin</artifactId>

<version>1.18.18.0</version>

<type>maven-plugin</type>

</dependency>

<dependency>

<groupId>com.h2database</groupId>

<artifactId>h2</artifactId>

```
<scope>runtime</scope>

</dependency>

</dependencies>


<build>

<plugins>

<plugin>

<groupId>org.springframework.boot</groupId>

<artifactId>spring-boot-maven-plugin</artifactId>

<configuration>

</configuration>

</plugin>

<plugin>

<groupId>org.projectlombok</groupId>

<artifactId>lombok-maven-plugin</artifactId>

<version>1.18.18.0</version>

</plugin>

</plugins>

</build>


</project>
```

**Create package com.project.Authentication**

**Create AuthenticationApplication.java**

```
package com.project.Authentication;
```

```
import org.springframework.boot.SpringApplication;

import org.springframework.boot.autoconfigure.SpringBootApplication;

import org.springframework.context.annotation.Import;

import com.project.Authentication.controllers.AuthenticationController;

import com.project.Authentication.entities.User;

import com.project.Authentication.exceptions.UserNotFoundException;

import com.project.Authentication.services.AuthenticationService;
```

```
@SpringBootApplication
```

```
@Import({
```

```
    AuthenticationController.class,
```

```
    UserNotFoundException.class,
```

```
    AuthenticationService.class,
```

```
    User.class
```

```
});
```

```
public class AuthenticationApplication {
```

```
    public static void main(String[] args) {
```

```
        SpringApplication.run(AuthenticationApplication.class, args);
```

```
    }
```

```
}
```

**Create package com.project.Authentication.controller**

**Create AuthenticationController.java**

```
package com.project.Authentication.controllers;
```

```
import org.slf4j.Logger;
```

```
import org.slf4j.LoggerFactory;

import org.springframework.beans.factory.annotation.Autowired;

import org.springframework.stereotype.Controller;

import org.springframework.web.bind.annotation.GetMapping;

import org.springframework.web.bind.annotation.PostMapping;

import org.springframework.web.bind.annotation.RequestParam;

import com.project.Authentication.entities.User;

import com.project.Authentication.services.AuthenticationService;

@Controller

public class AuthenticationController {

    Logger logger = LoggerFactory.getLogger(AuthenticationController.class);

    @Autowired

    AuthenticationService authService;

    @GetMapping("/")

    public String showGreeting() {

        return "greeting";

    }

    @GetMapping("/Auth")

    public String showLogin() {

        return "authenticate";

    }

    @PostMapping("/Auth")

    public String authenticateUser(@RequestParam("username") String username,
        @RequestParam("password") String pswd) {

        User user = authService.GetUserByName(username);

        logger.info(user.getName() + " attempted to login with " + user.getPassword());

        String path = (authService.isValidPassword(pswd, user.getPassword())) ? "success" : "failure";
```

```
logger.info("The path return: " + path);

return path;

}

}
```

## Create package `com.project.Authentication.entities`

### Crate `User.java`

```
package com.project.Authentication.entities;

import javax.persistence.Column;
import javax.persistence.Entity;
import javax.persistence.GeneratedValue;
import javax.persistence.GenerationType;
import javax.persistence.Id;
import javax.persistence.Table;
import javax.validation.constraints.NotNull;

@Entity
@Table(name = "user")
public class User {

    @Id
    @GeneratedValue(strategy = GenerationType.AUTO)
    @NotNull
    private Integer id;

    @Column(name = "name")
```

@NotNull

private String name;

@Column(name = "email")

@NotNull

private String email;

@Column(name = "password")

@NotNull

private String password;

public User() {

super();

}

public User(@NotNull String name, @NotNull String password) {

this.name = name;

this.password = password;

}

public User(@NotNull String name, @NotNull String email, @NotNull String password) {

super();

this.name = name;

this.email = email;

this.password = password;

}



```
public Integer getId() {  
  
    return id;  
  
}
```

```
public void setId(Integer id) {  
  
    this.id = id;  
  
}
```

```
public String getName() {  
  
    return name;  
  
}
```

```
public void setName(String name) {  
  
    this.name = name;  
  
}
```

```
public String getEmail() {  
  
    return email;  
  
}
```

```
public void setEmail(String email) {  
  
    this.email = email;  
  
}
```

```
public String getPassword() {
```

```
return password;
```

```
}
```

```
public void setPassword(String password) {
```

```
    this.password = password;
```

```
}
```

```
@Override
```

```
public String toString() {
```

```
    return "User [id=" + id + ", name=" + name + ", email=" + email + ", password=" + password + "];
```

```
}
```

```
}
```

## Create package `com.project.Authentication.exceptions`

### Create `UserNotFoundException.java`

```
package com.project.Authentication.exceptions;
```

```
public class UserNotFoundException extends RuntimeException {
```

```
private static final long serialVersionUID = 1L;
```

```
}
```

## Create package `com.project.Authentication.repositories`

### Create `AuthenticationRepository.java`

```
package com.project.Authentication.repositories;
```

```
import java.util.Optional;
```

```
import org.springframework.data.repository.CrudRepository;
```

```
import org.springframework.stereotype.Repository;
```

```
import com.project.Authentication.entities.User;
```

```
@Repository

public interface AuthenticationRepository extends CrudRepository<User, Integer> {

    public Optional<User> findUserByName(String name);

}
```

## Create package com.project.Authentication.services

### Create AuthenticationService.java

```
package com.project.Authentication.services;

import java.util.Optional;

import org.springframework.beans.factory.annotation.Autowired;

import org.springframework.stereotype.Service;

import com.project.Authentication.entities.User;

import com.project.Authentication.exceptions.UserNotFoundException;

import com.project.Authentication.repositories.AuthenticationRepository;

@Service

public class AuthenticationService {

    @Autowired

    AuthenticationRepository authRepo;

    public User GetUserByName(String name) {

        Optional<User> found = authRepo.findUserByName(name);

        if(found.isPresent()) return found.get();

        else throw new UserNotFoundException();

    }

    public Boolean isValidPassword(String cmp, String actual) {

        return ((cmp.equals(actual)) ? true : false);

    }

}
```

## application.properties

```
spring.jpa.hibernate.ddl-auto=update

spring.datasource.url=jdbc:mysql://localhost:3306/mywork

spring.datasource.username=root

spring.datasource.password=password


logging.level.org.springframework.web: DEBUG

spring.mvc.view.prefix=/WEB-INF/jsp/

spring.mvc.view.suffix=.jsp

server.port=8080
```

## Create authenticate.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>

<%@ taglib prefix="form" uri="http://www.springframework.org/tags/form"%>


<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Authentication Page</title>

</head>

<h2>Login Page</h2>

<body>
```

welcome to the authentication page

```
<form:form action="Auth" method="post" commandName="login">

<label for="username"> Username:</label>

<input name="username" id="username" type="text" placeholder="Username" required/>

<label for="password">Password:</label>

<input name="password" id="password" type="password" placeholder="Password" required/>

<input type="submit" name="Submit"/>

</form:form>

</body>

</html>
```

### Create failure.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>

<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Failed Login</title>

</head>

<body>

<h1>You failed your login pal!

</h1><br/>

<a href="/Auth">Attempt Login again</a>

</body>

</html>
```

## Create greeting.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>

<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Landing Page</title>

</head>

<h2>Welcome Page</h2>

<body>

you reached the landing page

<a href="Auth">Login</a>

</body>

</html>
```

## Create success.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>

<!DOCTYPE html>

<html>

<head>

<meta charset="ISO-8859-1">

<title>Successful Login Page</title>

</head>

<body>

<h1>Successful Login</h1>
```

</body>

</html>