Create Partner Code Group (Reward Item Group) Flow

Overview of steps

- 1. Step1 Upload file
- 2. Step2 Create Reward Item Group
- 3. Step3 Publish REWARD_ITEM_GROUP_CREATED.v1 and consume it
- 4. Step4 Publish REWARD_ITEM_GROUP_DEPLOYED.v1 and consume it


Step1 - Upload file

Repo	dtcloyalty-admin-rewardsadmin-filemanager
API Endpoint	http://localhost:8080/files/upload
Example Parameters	program_id=018a2bd5-fdc2-77ce-9367-7d700186d5ae partner_id=8834025b-b51d-4669-9973-200f07a9ed54
Body	Key = file Type = File Value = File to be uploaded

Sample file



Request



API Response

```
"id": "0947507f-2055-4894-adf6-94713a59d7ca",
    "name": "10_Codes069.txt",
    "size": 170,
    "type": "text/plain",
    "program_id": "018a2bd5-fdc2-77ce-9367-7d700186d5ae",
    "partner_id": "8834025b-b51d-4669-9973-200f07a9ed54",
    "metadata": {
      "description": "SAVED FILE 8834025b-b51d-4669-9973-
200f07a9ed54/10 Codes069.txt",
      "container_name": "kaz",
      "tags": [
        "UploadDate=2024-12-29",
        "ProgramId=018a2bd5-fdc2-77ce-9367-7d700186d5ae",
        "PartnerId=8834025b-b51d-4669-9973-200f07a9ed54",
        "FileName=8834025b-b51d-4669-9973-200f07a9ed54/10_Codes069.txt"
      ],
      "uploaded_by": "SYSTEM",
      "uploaded_at": "2024-12-29 10:38:17"
]
```

Step2 - Create Reward Item Group


Repo	dtcloyalty-admin-rewardsadmin-rewardsmanager
API Endpoint	http://localhost:8080/reward-item-groups

Sample Request Body

```
"name": "KZrewarditemgroup145",
  "description": "KZrewarditemgroup145",
  "program_id": "018a2bd5-fdc2-77ce-9367-7d700186d5ae",
  "partner_id": "8834025b-b51d-4669-9973-200f07a9ed54",
  "code_warning_limit_percentage": 80,
  "reward_item_file_data": [
      "id": "5de33ce2-1919-445e-afda-78c28ecbcab8",
      "name": "10_Codes069.txt",
      "size": 170,
      "type": "text/plain",
      "program_id": "018a2bd5-fdc2-77ce-9367-7d700186d5ae",
      "partner_id": "8834025b-b51d-4669-9973-200f07a9ed54",
      "metadata": {
        "description": "SAVED FILE 8834025b-b51d-4669-9973-
200f07a9ed54/10_Codes06.txt",
        "container_name": "kaz",
        "tags": [
          "UploadDate=2024-12-27",
           "FileName=8834025b-b51d-4669-9973-200f07a9ed54/10 Codes06.txt",
          "ProgramId=018a2bd5-fdc2-77ce-9367-7d700186d5ae",
          "PartnerId=8834025b-b51d-4669-9973-200f07a9ed54"
        "uploaded_by": "SYSTEM",
        "uploaded_at": "2024-12-27 23:15:33"
  ],
  "is active": true,
  "start_date": "2024-10-28T08:03:18",
  "end_date": "2025-07-12T08:03:18"
```

API Response

```
"reward_item_file_data": [
      "name": "10_Codes069.txt",
      "size": 170,
      "reward_item_group_id": "d475ae59-66a4-489e-82dc-7efc1b3dc877",
      "metadata id": "2fd2ce3a-d0f4-4140-812b-eff226b29b3b",
      "metadata": {
        "tags": [
           "UploadDate=2024-12-27",
          "FileName=8834025b-b51d-4669-9973-200f07a9ed54/10_Codes06.txt",
          "ProgramId=018a2bd5-fdc2-77ce-9367-7d700186d5ae",
          "PartnerId=8834025b-b51d-4669-9973-200f07a9ed54"
        "container_name": "kaz",
        "uploaded_by": "SYSTEM",
        "uploaded_at": "2024-12-27 23:15:33",
        "description": "SAVED FILE 8834025b-b51d-4669-9973-
200f07a9ed54/10_Codes06.txt",
        "id": "2fd2ce3a-d0f4-4140-812b-eff226b29b3b"
      },
      "id": "b75c4af3-8e77-4f0d-bbfa-cd14f55e9c81"
  ],
  "name": "KZrewarditemgroup145",
  "description": "KZrewarditemgroup145",
  "partner_id": "8834025b-b51d-4669-9973-200f07a9ed54",
  "program_id": "018a2bd5-fdc2-77ce-9367-7d700186d5ae",
  "code_warning_limit_percentage": 80,
  "is_active": true,
  "exhausted_code": 0,
  "code count": 0,
  "is_imported": false,
  "start_date": "2024-10-28T08:03:18",
  "end_date": "2025-07-12T08:03:18",
  "id": "d475ae59-66a4-489e-82dc-7efc1b3dc877",
  "status": "INACTIVE",
  "processing_status": "IMPORTING"
```



Step3 - Publish REWARD_ITEM_GROUP_CREATED.v1 and consume it Run below repo locally to consume an event

Repo	dtcloyalty-runtime-consumerrewards-deployment-service
Raise event	Login to ServiceBus
Event type	com.pepsico.dtcloyalty.configurationnadmin.REWARD_ITEM_GROUP_CREATED.v1
Message body type	application/json
Session Id	1234
Send message	Sample payload given below

Debug point can be added in processEvent method (ProductMessageProcessor.java)

```
RewardItemGroupHandler.java
                                 RewardItemGroupController.java
                                                                    ProductMessageProcessor.java ×
                                                                                                     +†+ .env.exa ⊬
        public class ProductMessageProcessor implements MessageProcessorForMessageType<JsonNode> { 🛕 3 🛕 3 👃 23 \uparrow 🔱
 35
             void processEvent(JsonNode jsonNode, CloudEvent cloudEvent) throws Exception { 1usage # Shadulla.Shaik +2
181
218
                             createPartnerInPort.createPartner(createPartnerRequest);
219
                             log.info("Partner Data Processed successfully for partner ID: {}", createPartnerRequest.
220
222
                         case "com.pepsico.dtcloyalty.rewardsadmin.REWARD_ITEM_GROUP_CREATED.v1",
                                 "com.pepsico.dtcloyalty.rewardsadmin.REWARD_ITEM_GROUP_UPDATED.v1" -> {
224
                             log.info("Processing REWARD_ITEM_GROUP_CREATED/UPDATED event...");
                             log.debug("RewardItemGroup data to be processed: {}", jsonNode);
226
                             RewardItemGroupFileRequest rewardItemGroupFileRequestPayload = rewardItemGroupController
                             log.debug("RewardItemGroupFileRequest built: {}", rewardItemGroupFileRequestPayload);
228
229
230
                             rewardItemGroupHandler.processRewardItemGroup(rewardItemGroupFileRequestPayload);
231
```

Sample Payload

```
"specversion": "1.0",
"id": "ao1026e003a-a103ca-a33da-b1130b-0d8a27ba35a106",
"source": "com.pepsico.dtcloyalty.adminrewarditemgroup",
"type":"com.pepsico.dtcloyalty.configurationnadmin.REWARD_ITEM_GROUP_CREATED.v1",
"datacontenttype": "application/json",
"dataschema": "",
"time": "2024-11-30T11:24:59.7377393Z",
"messagepublishingscope": "DOMAIN_EXTERNAL",
"data": {
  "reward_item_file_data": [
      "name": "10_Codes069.txt",
      "size": 170,
      "type": "text/plain",
      "metadata_id": "bd918371-9665-4194-88c7-ee42d09929f9",
      "reward_item_group_id": "6080bcf1-f4fb-429e-9234-0e8a9090549b",
      "metadata": {
        "tags": [
          "UploadDate=2024-12-27",
          "FileName=8834025b-b51d-4669-9973-200f07a9ed54/10_Codes06.txt",
          "ProgramId=018a2bd5-fdc2-77ce-9367-7d700186d5ae",
          "PartnerId=8834025b-b51d-4669-9973-200f07a9ed54"
        ],
        "container_name": "kaz",
        "uploaded_by": "SYSTEM",
        "uploaded_at": "2024-12-27 23:15:33",
        "description": "SAVED FILE 8834025b-b51d-4669-9973-200f07a9ed54/10_Codes06.txt",
        "id": "bd918371-9665-4194-88c7-ee42d09929f9"
      "id": "f39a4f5f-ace7-4bcc-a691-a03708d67d3f"
  ],
  "name": "KZrewarditemgroup141",
  "description": "KZrewarditemgroup141",
  "partner_id": "8834025b-b51d-4669-9973-200f07a9ed54",
  "program id": "018a2bd5-fdc2-77ce-9367-7d700186d5ae",
  "code_warning_limit_percentage": 80,
  "is_active": true,
  "exhausted_code": 0,
  "code_count": 0,
```

```
"is_imported": false,
    "start_date": "2024-10-28T08:03:18",
    "end_date": "2025-07-12T08:03:18",
    "id": "6080bcf1-f4fb-429e-9234-0e8a9090549b",
    "status": "INACTIVE",
    "processing_status": "IMPORTING"
    }
}
```

Now submitting this event message should be consumed by our local running deployment service

Step4 - Publish REWARD_ITEM_GROUP_DEPLOYED.v1 and consume it Run below repo locally to consume an event

Repo	dtcloyalty-admin-rewardsadmin-rewarditemprocessor
Raise event	Login to ServiceBus
Event type	com.pepsico.dtcloyalty.consumerrewards.REWARD_ITEM_GROUP_DEPLOYED.v1
Message body type	application/json
Session Id	1234
Send message	Sample payload given below

Debug point can be added in getProcessingRunner method (ProductMessageProcessor.java)

```
ProductMessageProcessor.java ×
                                                                                         RewardItemGroupHandler.java
                                                                                                                                                                                 ♣ RewardItemInPort.java
                                                                                                                                                                                                                                                         📦 RewardItemUseCase.java 🛂
                      {\tt public\ class\ ProductMessageProcessor\ implements\ MessageProcessorForMessageType<JsonNode>\ \{arguments\ MessageProcessorForMessageType<JsonNode\}}
                                                                                                                                                                                                                                                                                             ▲9 ▲10 ♣3
  33 ∱ >
                                 public Class<JsonNode> getMessagePayloadType() { return JsonNode.class; }
  36
  37
                                 <code>@Override</code> no usages 	ag{LeelaJ.Raju.Contractor}
                                 public BiConsumer<JsonNode, CloudEvent> getProcessingRunner() {
  38 🎊
                                            return (jsonNode, cloudEvent) -> {
  40
                                                       try {
  41
                                                                 String eventType = cloudEvent.getType();
                                                                 log.info("Processing event of type: {}", eventType);
  42
  43
                                                                 if (jsonNode == null) {
                                                                             log.error("Received null JsonNode payload for event type: {}", eventType);
  45
                                                                             return;
  46
   47
   48
                                                       switch (eventType) {
   49
                                                                  case "com.pepsico.dtcloyalty.consumerrewards.REWARD_ITEM_GROUP_DEPLOYED.v1" -> {
  51
                                                                             log.info("Processing REWARD_ITEM_GROUP_DEPLOYED event...");
   53
                                                                             log.debug("RewardItemGroup data to be processed: {}", jsonNode);
  54
                                                                             Reward Item {\tt GroupFileRequest\ reward Item {\tt GroupFileRequestPayload\ =\ extractAnd BuildReward Item {\tt GroupFileRequestPayload\ =\ extractAnd BuildReward\ =\ extractA
                                                                             log. {\tt debug("RewardItemGroupFileRequest built: \{\}", rewardItemGroupFileRequestPayload);} \\
  55
  56
                                                                             reward I tem {\tt Group Handler.process Reward I tem {\tt Group (reward I tem {\tt Group File Request Payload);}} \\
  58
  59
  60
                                                                 default -> log.warn("Unknown event type received: {}", eventType);
  61
```

Sample Payload

```
"specversion": "1.0",
"id": "ao1026e003a-a103ca-a33da-b1130b-0d8a27ba35a106",
"source": "com.pepsico.dtcloyalty.adminrewarditemgroup",
"type": "com.pepsico.dtcloyalty.consumerrewards.REWARD_ITEM_GROUP_DEPLOYED.v1",
"datacontenttype": "application/json",
"dataschema": "",
"time": "2024-11-30T11:24:59.7377393Z",
"messagepublishingscope": "DOMAIN_EXTERNAL",
"data": {
  "reward_item_file_data": [
      "name": "10_Codes06.txt",
      "size": 170,
      "type": "text/plain",
      "meta_data_id": "bd918371-9665-4194-88c7-ee42d09929f9",
      "reward_item_group_id": "6080bcf1-f4fb-429e-9234-0e8a9090549b",
      "metadata": {
        "tags": [
           "UploadDate=2024-12-27",
          "FileName=8834025b-b51d-4669-9973-200f07a9ed54/10_Codes06.txt",
           "ProgramId=018a2bd5-fdc2-77ce-9367-7d700186d5ae",
           "PartnerId=8834025b-b51d-4669-9973-200f07a9ed54"
        "container_name": "kaz",
        "uploaded_by": "SYSTEM",
        "uploaded_at": "2024-12-27 23:15:33",
        "description": "SAVED FILE 8834025b-b51d-4669-9973-200f07a9ed54/10_Codes06.txt",
        "id": "bd918371-9665-4194-88c7-ee42d09929f9"
      "id": "f39a4f5f-ace7-4bcc-a691-a03708d67d3f"
  ],
  "name": "KZrewarditemgroup141",
  "description": "KZrewarditemgroup141",
  "partner_id": "8834025b-b51d-4669-9973-200f07a9ed54",
  "program id": "018a2bd5-fdc2-77ce-9367-7d700186d5ae",
  "code_warning_limit_percentage": 80,
  "is_active": true,
  "exhausted_code": 0,
  "code_count": 0,
```

```
"is_imported": false,
    "start_date": "2024-10-28T08:03:18",
    "end_date": "2025-07-12T08:03:18",
    "id": "6080bcf1-f4fb-429e-9234-0e8a9090549b",
    "status": "INACTIVE",
    "processing_status": "IMPORTING"
    }
}
```

Now submitting this event message should be consumed by our local running rewarditemprocessor service

Key tables involved

Schema	Table
rewardsmanager	rewards_item_group
rewardsmanager	rewards_item_group_file_data
rewardsmanager	rewards_item_group_file_meta_data
RUNTIME_CONSUMER_REWARDS	rewards_item_group
RUNTIME_CONSUMER_REWARDS	rewards_item_group_file_data
RUNTIME_CONSUMER_REWARDS	rewards_item_group_file_meta_data

Trouble shooting tips

1. Error while downloading file in Step4

Download the certificate of the blob storage URL and install it locally.

Command Example

```
keytool -import
-trustcacerts
-keystore
"/Users/pavanu/Library/Java/JavaVirtualMachines/openjdk23/Contents/Home/lib
/security/cacerts"
-storepass changeit
-alias rewardadminfilemanagerCert
-file
"/Users/kavyasrutiputrevu/Downloads/_.global.gw01.aks01.gwc.nonprod.azure.intr
a.pepsico.com.pem"
```

2. Event publishing fails

Ensure to provide a unique ID in the event payload.

3. Published message to REWARD_ITEM_GROUP_CREATED.v1 not getting captured

Check below properties

AZURE SERVICEBUS REWARDS ADMIN TOPIC NAME=

"dtc-loyalty-sb-rewardsadmin-outbound"

PEPSICO REWARD ITEM GROUP CREATED=

"com.pepsico.dtcloyalty.rewardsadmin.REWARD_ITEM_GROUP_CREATED.v1"

4. Published message to **REWARD_ITEM_GROUP_DEPLOYED.v1** not getting captured

Check below properties

AZURE_SERVICEBUS_REWARDITEMGROUP_TOPIC_NAME=

"dtc-loyalty-sb-consumerrewards-outbound"

PEPSICO_REWARDITEMGROUP_DEPLOYED=

 $"com.pepsico.dtcloyalty.consumerrewards.REWARD_ITEM_GROUP_DEPLOYED.v1"$