

## Lab 05: Invoke AI Builder prompts

Hands-on lab step-by-step

January 2025

**UDPP Copilot Studio Workshop** 

# Contents

٨	Microsoft Copilot Studio	1
	Goals for this lab	1
	Prerequisites	1
	AI Builder prompts	2
	Summary	9
	Terms of Use	10

## Microsoft Copilot Studio

This lab is subject to the Terms of Use found at the end of this document.

## Goals for this lab

After this lab you will be able to:

- Understand the basics of Al Builder prompts
- Invoke a custom prompt that leverages Copilot Studio variables.

The time to complete this lab is [25] minutes.

## **Prerequisites**

Labs have been designed to be completed with only a Microsoft Copilot Studio trial. You can start most labs without having to complete the previous module but note that some exercises may reference previous labs. To fully experience the features and functionality of the product, it is recommended that you make sure to have completed all pre-requisites below before starting this lab.

For this lab you need:

- A computer with internet access.
- Be able to log into the provided Microsoft tenant (some companies enforce users to only connect to their company tenant) or your own enterprise tenant with a Copilot Studio User License (or trial)
- Generative AI should be set to "classic" (in Settings, Generative AI)
- Complete Lab 04
- Access to an active ServiceNow instance (URL, login and password) don't forget to wake the instance if
  you use a trial
- Authentication must be set to "Authenticate with Microsoft" (in Settings, Security, Authentication)

## Al Builder prompts

Think of a prompt as a task or a goal you give to the large language model (LLM). With prompt builder, you can build, test, and save your custom prompts. You can also use input variables to provide dynamic context data at runtime. You can share these prompts with others and use them in Power Automate, Power Apps, or Copilot Studio. For instance, you could make a prompt to pick out action items from your company emails and use it in a Power Automate flow to build an email processing automation.


Prompt builder enables makers to devise custom prompts that cater to their specific business needs using natural language. These prompts can be employed for many tasks or business scenarios, such as summarizing content, categorizing data, extracting entities, translating languages, assessing sentiment, or formulating a response to a complaint.

Prompts can be integrated into flows to build intelligent hands-off automation. Makers can also build advanced generative AI capabilities for their applications by describing them as natural language prompts. These prompts can be used to extend a custom copilot, thereby streamlining your daily business operations and boosting efficiency."

Custom prompts give makers the freedom to instruct the GPT model to behave in a certain way or to perform a specific task. By carefully crafting a prompt, you can generate responses that suit your specific business needs. This transforms the GPT model into a flexible tool to accomplish various tasks.

### Task 1: Create a prompt to summarize text

- 1. Go to **Topics**, and open **Check Ticket Status**.
- After the last message that contained an Adaptive Card, add another node with the (+) button.
   Choose Call an action and select Create a prompt.



Give it a nameTicket customer communication

4. Add an **Input**, called Ticket Details

5. In the **Prompt**, **paste** the below instructions

Based on the ticket details, write a personalized, apologetic, message to the person impacted. You can summarize the issue to show you understand it. Show empathy and suggest ways to mitigate the situation based on the ticket details. Have a positive attitude and use emojis when applicable. Don't include hashtags. Don't include signatures. The text should be a single paragraph.

## Ticket details

- 6. Under the ## Ticket details section, use the Insert button to select the Details input.
- 7. Under Settings, choose Model GPT40
- 8. **Test** your prompt by pasting the **ServiceNow Sample JSON** Payload below in the input **sample data** and selecting **Test prompt**.

```
"parent": "",
"made_sis": true",
"watch_list": ",
"watch_list": ",
"yauch_list": ",
"yauch_list": ",
"yauch_list": ",
"yauch_list": ",
"yauch_list": ",
"origin_table": ",
"sys_padated_by": ",
"sys_padated_by": ",
"sys_padated_by": ",
"sys_reated_origin_table": ",
"sys_created_origin_table": ",
"sys_created_origin_table": ",
"sys_created_origin_table": ",
"sys_created_by": ",
"adain,",
"noute_reason: ",
"sys_created_by": ",
"dain_art": ",
"closed_art: ",
"closed_art: ",
"closed_art: ",
"closed_art: ",
"closed_art: ",
"closed_art: ",
"cob_cit: ",
"business_service": ",
"business_service: ",
"business_service: ",
"business_service: ",
"business_service: ",
"business_duration: ",
"expected_startion: ",
"expected_startion: ",
"expected_startion: ",
"expected_startion: ",
"expected_startion: ",
"expected_art: ",
"expected_art:
                                                  assignment_group" ",
additional_assignee_list": "",
"business_stc": "",
"cause": "",
"description": "Unable to send or receive emails.",
"origin_id": "",
"calendar_duration": "",
"close_notes": "",
"notify": "Do Not Notify",
"service_offering": "",
"sys_class_name": "Incident",
"closed_by": "",
"follow_up": "",
"parent_incident": "",
"sys_cla": "ed92e8d173d023002728660c4cf6a7bc",
"reopened_by": "",
"incident_state": "New",
"urgency": "1 - High",
"problem_id": "",
"problem_id": "",
"reassignment_count": "0",
            "company": "",

"reassignment_count": "0",

"activity_due": "2018-12-13 01:18:55",

"assigned_to": "",

"severity": "3 - Low",

"comments": "",

"approval": "Not Yet Requested",


"sla_due": "UNKNOWN",

"comments_and_work_notes": "2018-12-12 23:18:42 - System Administrator (Work notes)\nupdated the priority to high based on the criticality of the Incident.\n\n",

"due_date": "",


"due_date": "",

"due_date": "",
                                                  the criticality of the Incident.\n\n",
"due_date": "",
"sys_mod_count": "3",
"reopen_count": "0",
"sys_tags": "",
"escalation": "Normal",
"upon_approval": "Proceed to Next Task",
"correlation_id": "",
"location": "",
"category": "Software"
```




#### 9. Select **Save custom prompt**


- 10. The prompt should be directly added to your topic once you save it. If this is not the case need to click on the
- (+) icon, Call an action and select your newly created prompt.



- 11. Select the **SNTicketInfo** variable for the **Details input**.
- 12. Create a variable for the generated output: PersonalizedMessage



13. Add a Message node and insert the PersonalizedMessage.text variable.



#### 14. **Save**

#### 15. **Test**

What's the latest on ticket INC0007001, please?

#### Dear David Miller,

I'm truly sorry to hear about the issue you're experiencing with the employee payroll application server. I understand that this is a critical issue as it's preventing you from logging in with valid credentials, and I can imagine how frustrating this must be for you 😌 . Rest assured, our team is treating this as a high-priority incident and is actively working on resolving it. In the meantime, if you have any other means of accessing the necessary payroll information, I would suggest using that as a temporary workaround. I appreciate your patience and understanding during this time. We're committed to getting this resolved as quickly as possible for you.

## **Summary**

Thank you for completing the lab 'Use generative AI orchestration to interact with your connectors. You have successfully:

- Created a custom prompt from Copilot Studio
- Passed inputs and used output as a generated answer for the end-user

## Terms of Use

By using this document, in whole or in part, you agree to the following terms:

#### **Notice**

Information and views expressed in this document, including (without limitation) URL and other Internet Web site references, may change without notice. Examples depicted herein, if any, are provided for illustration only and are fictitious. No real association or connection is intended or should be inferred. This document does not provide you with any legal rights to any intellectual property in any Microsoft product.

#### **Use Limitations**

Copying or reproduction, in whole or in part, of this document to any other server or location for further reproduction or redistribution is expressly prohibited. Microsoft provides you with this document for purposes of obtaining your suggestions, comments, input, ideas, or know-how, in any form, ("Feedback") and to provide you with a learning experience. You may use this document only to evaluate its content and provide feedback to Microsoft. You may not use this document for any other purpose. You may not modify, copy, distribute, transmit, display, perform, reproduce, publish, license, create derivative works from, transfer, or sell this document or any portion thereof. You may copy and use this document for your internal, reference purposes only.

#### **Feedback**

If you give Microsoft any Feedback about this document or the subject matter herein (including, without limitation, any technology, features, functionality, and/or concepts), you give to Microsoft, without charge, the right to use, share, and freely commercialize Feedback in any way and for any purpose. You also give third parties, without charge, the right to use, or interface with, any Microsoft products or services that include the Feedback. You represent and warrant that you own or otherwise control all rights to such Feedback and that no such Feedback is subject to any third-party rights.

#### **DISCLAIMERS**

CERTAIN SOFTWARE, TECHNOLOGY, PRODUCTS, FEATURES, AND FUNCTIONALITY (COLLECTIVELY "CONCEPTS"), INCLUDING POTENTIAL NEW CONCEPTS, REFERENCED IN THIS DOCUMENT ARE IN A SIMULATED ENVIRONMENT WITHOUT COMPLEX SET-UP OR INSTALLATION AND ARE INTENDED FOR FEEDBACK AND TRAINING PURPOSES ONLY. THE CONCEPTS REPRESENTED IN THIS DOCUMENT MAY NOT REPRESENT FULL FEATURE CONCEPTS AND MAY NOT WORK THE WAY A FINAL VERSION MAY WORK. MICROSOFT ALSO MAY NOT RELEASE A FINAL VERSION OF SUCH CONCEPTS. YOUR EXPERIENCE WITH USING SUCH CONCEPTS IN A PHYSICAL ENVIRONMENT MAY ALSO BE DIFFERENT.

THIS DOCUMENT, AND THE CONCEPTS AND TRAINING PROVIDED HEREIN, IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING (WITHOUT LIMITATION) THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, AND NONINFRINGEMENT. MICROSOFT DOES NOT MAKE ANY ASSURANCES OR REPRESENTATIONS WITH REGARD TO THE ACCURACY OF THE RESULTS, THE OUTPUT THAT DERIVES FROM USE OF THIS DOCUMENT OR THE CONCEPTS, OR THE SUITABILITY OF THE CONCEPTS OR INFORMATION CONTAINED IN THIS DOCUMENT FOR ANY PURPOSE.

MICROSOFT COPILOT STUDIO (1) IS NOT INTENDED OR MADE AVAILABLE AS A MEDICAL DEVICE FOR THE DIAGNOSIS OF DISEASE OR OTHER CONDITIONS, OR IN THE CURE, MITIGATION, TREATMENT OR PREVENTION OF DISEASE, OR OTHERWISE TO BE USED AS A COMPONENT OF ANY CLINICAL OFFERING OR PRODUCT, AND NO LICENSE OR RIGHT IS GRANTED TO USE MICROSOFT COPILOT STUDIO FOR SUCH PURPOSES, (2) IS NOT DESIGNED OR

INTENDED TO BE A SUBSTITUTE FOR PROFESSIONAL MEDICAL ADVICE, DIAGNOSIS, TREATMENT, OR JUDGMENT AND SHOULD NOT BE USED AS A SUBSTITUTE FOR, OR TO REPLACE, PROFESSIONAL MEDICAL ADVICE, DIAGNOSIS, TREATMENT, OR JUDGMENT, AND (3) SHOULD NOT BE USED FOR EMERGENCIES AND DOES NOT SUPPORT EMERGENCY CALLS. ANY CHATBOT YOU CREATE USING MICROSOFT COPILOT STUDIO IS YOUR OWN PRODUCT OR SERVICE, SEPARATE AND APART FROM MICROSOFT COPILOT STUDIO. YOU ARE SOLELY RESPONSIBLE FOR THE DESIGN, DEVELOPMENT, AND IMPLEMENTATION OF YOUR CHATBOT (INCLUDING INCORPORATION OF IT INTO ANY PRODUCT OR SERVICE INTENDED FOR MEDICAL OR CLINICAL USE) AND FOR EXPLICITLY PROVIDING END USERS WITH APPROPRIATE WARNINGS AND DISCLAIMERS PERTAINING TO USE OF YOUR CHATBOT. YOU ARE SOLELY RESPONSIBLE FOR ANY PERSONAL INJURY OR DEATH THAT MAY OCCUR AS A RESULT OF YOUR CHATBOT OR YOUR USE OF MICROSOFT COPILOT STUDIO IN CONNECTION WITH YOUR CHATBOT, INCLUDING (WITHOUT LIMITATION) ANY SUCH INJURIES TO END USERS.