

Vision creates future




ROUGH TERRAIN CRANE

SPARE PARTS CATALOG FOR ROUGH TERRAIN CRANE

ZOOMLION HEAVY INDUSTRY SCIENCE AND TECHNOLOGY CO.,LTD

Address: Quantang Industrial Park, 2nd Yuanda Road,
Changsha Economic and Technological Development
Zone, Hunan Province, China
Postcode: 410131
Website: www.zoomlion.com

SPARE PARTS CATALOG



ZOOMLION HEAVY INDUSTRY SCIENCE AND TECHNOLOGY CO.,LTD



SPARE PARTS CATALOG FOR RT35 ROUGH TERRAIN CRANE

November, 2013 Edition: 1

To Users

We appreciate your choice of our machine for your application. We will try our best to provide you with thoughtful and quality service.

This catalog introduces the structural and assembling features of spare parts.

Carefully reading and understanding of the material presented in this catalog will save your repair and ordering time.

For your better use of this spare parts catalog, the following symbols are meant to:

SYMBOL	REMARKS
▲	Optional 1
△	Optional 2
▼	Optional 3
▽	Optional 4
●	Optional
H	Used in high-temperature region
L	Used in low-temperature region
A	Exchangeable
B	Displaceable
C	Non-removable
D	Removable
E	The part not directed in the drawing
F	Unsellable part

Declaration

Our products and technical documents are subject to technical improvements and changes without notice. Therefore, please acquaint yourself with our updated technology information.

CONTENTS

CHAPTER I CRANE

1.1 RT35-2 Rough terrain crane D00755700000020000Y.....	1-2
---	-----

CHAPTER 2 BOOM SYSTEM

2.1 Basic boom assy. D00755708500000000Y.....	2-2
2.1.1 Support assy. D00755708500400000Y.....	2-4
2.2 Telescopic section 1 assy. D00755708600000000Y.....	2-6
2.2.1 Pulley assy. D00755908600400000Y.....	2-8
2.2.2 Support assy. D00755708600400000Y.....	2-10
2.3 Telescopic section 2 assy. D00755708700000000Y.....	2-12
2.3.1 Cable guide pulley D00755708700400000Y	2-16
2.3.2 Guide pulley assy. D00755708700600000Y.....	2-18
2.3.3 Supporting seat assy D00755708700800001Y.....	2-20
2.4 Telescopic section 3 assy. D00755708800000000Y	2-22
2.4.1 Pulley assy. D00755708800400000Y	2-24
2.5 Rooster sheave D00755701200000000Y	2-26
2.5.1 Pulley assy. D00755708800400000Y.....	2-28
2.6 Main boom assy. D00755700100000000Y	2-30
2.6.1 Rope guide assy. D00755700100600000Y	2-34
2.7 Main boom and derricking cylinder installation of RT35 Rough Terrain Crane D00755704700400001Y	2-36
2.8 Jib D00755700200000002Y	2-38
2.8.1 Roller D00755900201000001Y.....	2-42
2.8.2 Pulley assy. 1 D00755700201800000Y.....	2-44
2.8.3 Pulley assy. D00755708800400000Y.....	2-46
2.8.4 Roller assy. D00755700202600000Y.....	2-48
2.9 Jib installation D00755704700800000Y.....	2-50
2.10 Telescoping system D00755701800000000Y.....	2-52
2.10.1 Roller assy.. D00755701800200000.....	2-56
2.10.1.1 Guide pulley assy. D00755701800230000Y.....	2-58
2.10.2 Derricking cylinder D00755708400300000_6400.....	2-60

2.10.3 Telescoping cylinder D00755708400100000_6400Y.....	2-62
2.10.4 Securing device for hook D00755914300000000Y.....	2-64
2.11 Name plate (Chinese and English versions) D00755707020000000Y.....	2-66
2.12 Name plate (English version) D00755707010000000Y.....	2-70

CHAPTER 3 CHASSIS

3.1 Slewing table installation D00757701700000002Y	3-2
3.2 Cooling system D00757701300000002Y.....	3-6
3.3 Intercooling system D00757700900000001Y.....	3-8
3.4 Air intake system D00757701400000001Y.....	3-10
3.4.1 Air filter D1000100162_30507Y.....	3-12
3.5 Exhaust system D00757701200000002Y.....	3-14
3.6 Fuel supply system D00757701100000002Y.....	3-16
3.7 Preheating starter D00757700800000000Y.....	3-18
3.8 Steering system D00757703420000000Y.....	3-20
3.8.1 Steering cylinder D00757708400900000_6400Y.....	3-22
3.9 Steering system D00757703400000000Y.....	3-24
3.9.1 Steering cylinder D00757708420900000_6400Y.....	3-26
3.10 Engine housing and its installation D00757705100000002Y.....	3-28
3.11 Toolbox installation D00757709400000001Y.....	3-30
3.12 Rear suspension D00757703320000000Y.....	3-32
3.12.1 Suspension cylinder D00757708401100000_6400Y.....	3-34
3.13 Wheel and rim D00757703120000000Y.....	3-36
3.14 Propeller shaft assembly D00757702220000000Y.....	3-38
3.15 Chassis frame assembly D00757702820000000Y.....	3-40
3.16 Tire housing D00757705200000002Y.....	3-42
3.16.1 Horizontal cylinder D00755708400500000_6400Y.....	3-44
3.16.2 Front vertical cylinder D00755708400700000_6400Y.....	3-46
3.17 Outrigger assembly D00755700800000000Y.....	3-48
3.18 Outrigger D00755701300000001Y.....	3-50

CHAPTER 4 ELECTRICAL SYSTEM

4.1 Schematic diagram - electrical system, chassis (Hirschmann) D00755706140000001Y.....	4-2
4.2 Schematic diagram - electrical system, superstructure (Hirschmann) D00755706140000001Y.....	

.....	4-15
4.3 Schematic diagram - electrical system, driver's cab (Hirschmann)D00755706140000001Y....	
.....	4-27
4.4Electrical system (Hirschmann) D00755706240000001Y.....	4-38
4.5 Electrical system (GREER) D00755706210000001Y.....	4-50

CHAPTER 5 HYDRAULIC SYSTEM

5.1 Pipe layout - superstructure hydraulic system D00755701620000001Y	5-2
5.1.1 Turntable valve element assembled D00755704810800000Y.....	5-26
5.1.2 Cab valve element assembled D00755914810800000Y.....	5-44
5.1.3 Slewing brake valve D1010303988_6500Y.....	5-48
5.1.4 Slewing cushion valve D1010300495_6500Y.....	5-50
5.2 Pipe layout drawing, chassis hydraulic system D00755701720000001Y.....	5-60
5.2.1 Chassis frame valve element assembled D00755704810600000Y.....	5-82
5.2.2 Oil pump drive device D00755703900000001Y	5-100
5.2.3 Centre revolving joint installation D00755704810200000Y.....	5-102
5.2.4 Relief control valve block D1010302066_102440Y.....	5-104
5.2.5 Gear pump D1010000693_102328Y.....	5-106
5.2.6 2-wheel / 4-wheel drive changeover valve D1010302467_102440Y.....	5-108
5.2.7 Solenoid valve D1010302063_102440Y.....	5-110
5.2.8 Radiator D1010400111_100026Y.....	5-112
5.2.9 Central revolving joint D1140109716_6500Y.....	5-114
5.3 Hydraulic oil tank D00755703000000001Y.....	5-116
5.4 Hydraulic oil tank installation D00755704810400000Y.....	5-118
5.5 Schematic diagram - hydraulic system D00755701510000000Y.....	5-122

CHAPTER 6 SLEWING SYSTEM

6.1 Slewing mechanism assembly D00755704400000000Y.....	6-2
6.1.1 Reducer D1030200843_100014Y.....	6-4
6.2 Slewing bearing assembly D00755704500000000Y.....	6-8
6.3 Swing lock device D00755705900000000Y.....	6-10
6.4 Hoist gear D00755703500000000Y.....	6-12
6.4.1 Winch reducer D1030200814_100013.Y.....	6-14
6.5 Driver's cab assembly D00755705000000000Y.....	6-18


6.6 Driver's cab D1130000414_100037Y.....	6-20
6.7 Air conditioning D00755907600000000Y.....	6-42
6.7.1Special A/C D1130100319_100026Y.....	6-44
6.8 Cab heater D00755907510000001Y.....	6-46
6.8.1 heater D1200300013_102208Y.....	6-48
6.9 Counterweight assembly D00755704700600000Y.....	6-50



SPARE PARTS CATALOG FOR ROUGH TERRAIN CRANE


CHAPTER I CRANE



RT35-2 ROUGH TERRAIN CRANE
D00755700000020000Y


RT35-2 ROUGH TERRAIN CRANE
D00755700000020000Y

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755700000020000	RT35-2 rough terrain crane		
1	00755708800000000	•Telescopic boom section 3 assy.	1	
2	00755708700000000	•Telescopic boom section 2 assy.	1	
3	00755708600000000	•Telescopic boom section 1 assy.	1	
4	00755708500000000	•Basic boom assy.	1	
5	00755701800000000	•Telescoping system	1	E
6	00755708400100000	•Telescoping cylinder	1	E
7	00755700100000000	•Main boom assy.	1	E
8	1090400125	•Main load hook	1	E
9	1090400127	•Auxiliary hook	1	E
10	00755708400300000	•Derricking cylinder	1	
11	1130000414	•Driver's cab	1	
12	00755705000000000	•Driver's cab assembly	1	E
13	00755703400000000	•Slewing table and its attachments assy. welded	1	
14	00755907600000000	•Air conditioning	1	
15	00755708200000000	•Hoist rope	1	E
16	00755703500000000	•Hoist gear	1	
17	00755700600000000	•Counterweight	1	
18	00755708400700000	•Vertical cylinder	4	
19	00755708400500000	•Horizontal cylinder	4	E
20	00755700800000000	•Outrigger assembly	4	E
21	00755701300000001	•Outrigger	4	
22	1140109716	•Central revolving joint	1	E
23	00755704400000000	•Slewing mechanism assembly	1	E
24	00755704500000000	•Slewing bearing assembly	1	E
25	00755706140000001	•Schematic diagram - electrical system (Hirschmann)	1	A
26	00755706110000001	•Schematic diagram - electrical system (GREER)	1	A
27	00755706240000001	•Electrical system (Hirschmann)	1	A
28	00755706210000001	•Electrical system (GREER)	1	A
29	00755706320000000	•Installation-electrical system	1	E
30	00755705900000000	•Swing lock device	1	E
31	00755701510000000	•Schematic diagram - hydraulic system	1	E

RT35-2 ROUGH TERRAIN CRANE
D00755700000020000Y


RT35-2 ROUGH TERRAIN CRANE
D00755700000020000Y

POS.	CODE	DESCRIPTION	QTY.	REMARK
32	00755701620000000	•Pipe layout - superstructure hydraulic system	1	E
33	00755701720000000	•Pipe layout drawing, chassis hydraulic system	1	E
34	00755704810000000	•Hydraulic elements installation	1	E
35	00755703000000001	•Hydraulic oil tank	1	
36	204060043	•Hydraulic oil	800L	E
37	00757700000020000	•Chassis, RT35 rough terrain crane	1	
38	00755700200000002	•Jib	1	
39	00755701200000000	•Rooster sheave	1	E
40	00755704700000000	•Structural element installation	1	E
41	1991800130	•Angle indicator	1	E
42	007557000000000020	•Paint diagram	1	E
43	00755703900000001	•Oil pump drive device	1	E
44	00755907510000001	•Cab heater	1	E
45	00755914300000000	•Securing device for hook	1	E




SPARE PARTS CATALOG FOR ROUGH TERRAIN CRANE

CHAPTER 2 BOOM SYSTEM




BASIC BOOM ASSY. D00755708500000000Y




**BASIC BOOM ASSY.
D00755708500000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708500000000	Basic boom assy.		
1	00755708500001010	•Plate	2	
2	00755708500001020	•Pin	4	
3	1040500298	•Pin	4	
4	00755708500200000	•Basic boom welded	1	
5	00755708500001030	•Slide block	2	
6	1040200110	•Nut	6	
7	00755908700001150	•Bolt	6	
8	204110014	•Lithium-based Grease	1kg	E
9	00755708500400000	•Support assy.	2	
10	00755708500001050	•Pin	2	
11	1050100055	•Automatic lubricating bearing	2	
12	1040300066	•Washer	8	
13	1040300063	•Washer	8	
14	1040000267	•Bolt	8	
15	00755708500001070	•Slide block	2	
16	1040100173	•Screw	4	
17	1040100122	•Screw	2	
18	00755908700001190	•Guide block	2	
19	00755708500001090	•Spacer sleeve	2	
20	00755708500001100	•Limit block	1	
21	1040300065	•Washer	1	
22	1040000269	•Bolt	1	
23	00755708500001110	•Shaft	1	

**SUPPORT ASSY.
D00755708500400000Y**

**SUPPORT ASSY.
D00755708500400000Y**


POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708500400000	Support assy.		
1	00755708500410000	•Support	1	
2	00755708500401011	•Slide block 1	1	
3	00755708700801020	•Reformed bolt	1	
4	1040300061	•Seal ring	1	
5	1040200165	•Nut	1	
6	1040500065	•Pin	1	
7	00755708500401031	•Slide block 2	1	
8	1040100109	•Screw	1	

**TELESCOPIC BOOM SECTION 1 ASSY.
D0075570860000000Y**


**TELESCOPIC BOOM SECTION 1 ASSY.
D00755708600000000Y**


POS.	CODE	DESCRIPTION	QTY.	REMARK
	007557086000000000	Telescopic boom section 1 assy.		
1	00755708500001010	•Plate	2	
2	00755708500001020	•Pin	4	
3	1040500298	•Pin	4	
4	00755708600200000	•Telescopic boom section 1 welded	1	
5	00755708600001010	•Slide block	2	
6	00755708600001020	•Threaded pipe	2	
7	1080000001	•Oil cup	2	
8	204110014	•Lithium-based Grease	1kg	E
9	00755708600001030	•Adjusting plate 1 1x90x132	2	
10	00755708600001040	•Adjusting plate 2 2x90x132	2	
11	00755708600001050	•Adjusting plate 3 3x90x132	2	
12	00755908600400000	•Pulley assy.	2	
13	00755708600001060	•Pin 1	2	
14	00755708600001070	•Plate	2	
15	10400000096	•Bolt	4	
16	1040300062	•Washer	4	
17	00755708600001080	•Slide block	2	
18	1040100080	•Screw	6	
19	00755708600001090	•Slide block	2	
20	00755908700001150	•Bolt	6	
21	1040200110	•Nut	6	
22	00755708600400000	•Support assy.	2	
23	00755708600001100	•Pin 2	2	
24	00755708600001111	•Slide block	2	
25	00755708500001070	•Slide block	2	
26	1040100173	•Screw	4	
27	1040100122	•Screw	2	
28	00755908600001070	•Guide block	2	
29	1040300066	•Washer	8	
30	1040300063	•Washer	8	
31	1040000267	•Bolt	8	

PULLEY ASSY.
D00755908600400000Y




**PULLEY ASSY.
D00755908600400000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755908600400000	Pulley assy.		
1	00755908600401010	•Pulley	1	
2	00755908600401020	•Anti-friction bearing	2	
3	204110014	•Lithium-based Grease	1.0kg	E

**SUPPORT ASSY.
D00755708600400000Y**


**SUPPORT ASSY.
D00755708600400000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708600400000	Support assy.		
1	00755708600410000	•Support	1	
2	00755708600401011	•Slide block 1	1	
3	00755708700801020	•Reformed bolt	1	
4	1040300061	•Washer	1	
5	1040200165	•Nut	1	
6	1040500065	•Pin	1	
7	00755708600401021	•Slide block 2	1	
8	1040100109	•Screw	1	

**TELESCOPIC BOOM SECTION 2 ASSY.
D00755708700000000Y**



**TELESCOPIC BOOM SECTION 2 ASSY.
D00755708700000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708700000000	Telescopic boom section 2 assy.		
1	00755708700200000	•Telescopic boom section 2 welded	1	
2	00755708700001011	•Slide block	2	
3	1040100037	•Screw	6	
4	00755708700001020	•Block	2	
5	00755708700001030	•Sheath	2	
6	1019900312	•Oil cup	2	
7	204110014	•Lithium-based Grease	1kg	E
8	00755708700001040	•Adjusting shim 1	2	
9	00755708700001050	•Adjusting shim 2	2	
10	00755708700001060	•Adjusting shim 3	2	
11	00755708700400000	•Cable guide pulley	2	
12	00755708700001070	•Ring	2	
13	00755708700001080	•Pin 1	2	
14	1040300282	•Retainer ring	2	
15	00755708700001090	•Slide block	2	
16	00755708700001100	•Pin	4	
17	1040500906	•Pin	4	
18	00755708700001110	•Plate	2	
19	00755708700001120	•Slide block	2	
20	00755908700001150	•Bolt	6	
21	1040200110	•Nut	6	
22	00755708700600000	•Guide pulley assy.	2	
23	00755708700001140	•Spacer ring	2	
24	1040001614	•Bolt	4	
25	1040300063	•Washer	12	
26	00755708700001150	•Pin 2	2	
27	00755708700001160	•Plate	2	
28	00755708700001170	•Sheath 2	2	
29	00755708700800001	•Supporting seat assy.	2	
30	00755708700001180	•Pin	2	
31	1040000288	•Bolt	8	
32	1040300066	•Washer	8	
33	00755708700001190	•Slide block	2	
34	1040101207	•Screw	2	

**TELESCOPIC BOOM SECTION 2 ASSY.
D00755708700000000Y**



**TELESCOPIC BOOM SECTION 2 ASSY.
D00755708700000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
35	00755708700001200	•Guide block	2	
36	1040100059	•Screw	2	
37	00755708700001210	•Adjusting block 1 at head	2	
38	00755708700001220	•Adjsuting block 2 at head	2	
39	00755708700001230	•Adjsuting block 3 at head	2	
40	00755708700001240	•Adjusting block 4 at head	2	
41	00755708700001250	•Spacer ring	2	

**CABLE GUIDE PULLEY
D00755708700400000Y**


**CABLE GUIDE PULLEY
D00755708700400000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708700400000	Cable guide pulley		
1	00755708700401010	•Cable guide pulley 1	1	
2	1040100105	•Screw	4	
3	00755708700401020	•Cover	1	
4	1050200738	•Bearing	1	

**GUIDE PULLEY ASSY.
D00755708700600000Y**


**GUIDE PULLEY ASSY.
D00755708700600000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708700600000	Guide pulley assy.		
1	00755708700601010	•Cable guide pulley	1	
2	1040100058	•Screw	4	
3	1050200055	•Anti-friction bearing	1	
4	00755708700601020	•Cover	1	

**SUPPORTING SEAT ASSY.
D00755708700800001Y**


**SUPPORTING SEAT ASSY.
D00755708700800001Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708700800001	Supporting seat assy.		
1	00755708700810001	•Supporting seat welded	1	
2	00755708700801012	•Slide block	1	
3	00755708700801020	•Reformed bolt	1	
4	1040300061	•Washer	1	
5	1040200165	•Nut	1	
6	1040500395	•Pin	1	
7	00755708700801032	•Slide block	1	
8	1040100109	•Screw	1	

**TELESCOPIC BOOM SECTION 3 ASSY.
D00755708800000000Y**



**TELESCOPIC BOOM SECTION 3 ASSY.
D00755708800000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	007557088000000000	Telescopic boom section 3 assy.		
1	00755708800200000	•Telescopic boom section 3 welded	1	
2	1040100080	•Screw	2	
3	00755708800001020	•Plate	1	
4	00755708800001030	•Supporting block	2	
5	00755708800001040	•Sheath	2	
6	1080000007	•Oil cup	2	
7	204110014	•Lithium-based Grease	1kg	E
8	00755708800001050	•Adjsuting plate 1	2	
9	00755708800001060	•Adjsuting plate 2	2	
10	00755708800001070	•Adjsuting plate 3	2	
11	00755708800001080	•Pipe	1	
12	006340000007	•Spring-loaded pin	6	
13	00755708800001090	•Spacer sleeve 1	1	
14	00755708800001100	•Shaft	2	
15	00755708800001110	•Rope guard 1	1	
16	00755708800001120	•Rope guard 2	1	
17	00755708800001130	•Baffle	4	
18	1040000114	•Bolt	8	
19	1040300067	•Washer	8	
20	00755708800001140	•Spacer sleeve 2	5	
21	00755708800400000	•Pulley assy.	6	
22	00755708800001150	•Spacer sleeve 3	1	
23	00755708800001160	•Spacer sleeve 4	1	
24	00755708800001170	•Pin	1	
25	0063400000029	•Spring-loaded pin	1	
26	1090100302	•Fitting	1	
27	1090100088	•Wire clamp	3	
28	00755908800001180	•Washer	1	
29	1040200073	•Nut	2	
30	00755708800001200	•Wire securing stud	1	

**PULLEY ASSY.
D00755708800400000Y**


**PULLEY ASSY.
D00755708800400000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708800400000	Pulley assy.		
1	00755708800401010	•Pulley	1	
2	1050200121	•Anti-friction bearing	2	
3	00755708800401020	•Spacer ring	1	
4	1040300073	•Retainer ring	1	

ROOSTER SHEAVE
D00755701200000000Y



**ROOSTER SHEAVE
D00755701200000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755701200000000	Rooster sheave		
1	00755701200200000	•Rooster sheave welded	1	
2	00755701200001010	•Pin	1	
3	0063400000032	•Spring-loaded pin	3	
4	00755708800400000	•Pulley assy.	1	
5	00755701200001020	•Baffle	2	
6	1040002173	•Bolt	4	
7	1040300067	•Washer	4	
8	00755701200001030	•Pull ring 1	1	
9	00755701200001040	•Pin 1	1	
10	00755701200001050	•Pull ring 2	2	
11	00755701200001060	•Pin 2	2	
12	0063400000029	•Spring-loaded pin	2	
13	00755701200001070	•Spacer ring	2	
14	00755701200001080	•Pulley spindle	1	

**PULLEY ASSY.
D00755708800400000Y**


**PULLEY ASSY.
D00755708800400000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755708800400000	Pulley assy.		
1	00755708800401010	•Pulley	1	
2	1050200121	•Anti-friction bearing	2	
3	00755708800401020	•Spacer ring	1	
4	1040300073	•Retainer ring	1	

**MAIN BOOM ASSY.
D00755700100000000Y**



**MAIN BOOM ASSY.
D00755700100000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755700100000000	Main boom assy.		
1	00755700100200000	•Cover plate assy.	2	
2	00755700100001010	•Plate 1	2	
3	00755700100001020	•Plate 2	2	
4	00755700100001030	•Plate 3	2	
5	1040300210	•Washer	6	
6	1040000267	•Bolt	8	
7	1040300063	•Washer	12	
8	1040300066	•Washer	2	
9	00755700100001040	•Cover plate at boom head	1	
10	1040300062	•Washer	16	
11	1040000109	•Bolt	16	
12	00755700100001050	•Baffle	8	
13	00755700100001060	•Spacer sleeve	8	
14	1050200261	•Deep grooved ball bearing	8	
15	00755700100001070	•Drum 1	1	
16	1040100054	•Screw	4	
17	1040100089	•Screw	2	
18	00755700100401010	•Adjsuting block 1	6	
19	00755700100401020	•Adjsuting block 2	6	
20	00755700100401030	•Adjsuting block 3	6	
21	00755700100401040	•Adjsuting block 4	6	
22	00755700100001080	•Plate	6	
23	00755700100001090	•Pin	8	
24	00755700100001100	•Drum 2	2	
25	00755700100001110	•Drum 3	1	
26	00755700100001120	•Grooved plate	4	
27	1040000204	•Bolt	16	
28	1040300048	•Washer	16	
29	1040300060	•Washer	16	
30	1040100080	•Screw	9	
31	00755700100001130	•Plate 4	3	
32	00755700100001150	•Aligning block	12	
33	1040100208	•Screw	12	
34	1040300211	•Washer	60	

**MAIN BOOM ASSY.
D00755700100000000Y**


**MAIN BOOM ASSY.
D00755700100000000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
35	1040200113	•Nut	12	
36	1040300067	•Washer	12	
37	1040100158	•Screw	4	
38	1040200192	•Nut	4	
39	00755900100001181	•Pad	2	
40	00755700100600000	•Rope guide assy.	1	
41	1040300106	•Washer	4	
42	00755900100001190	•Pin	2	
43	1040500057	•Pin	2	
44		Basic boom assy.	1	
45		Telescopic boom section 1 assy.	1	
46		Telescopic boom section 2 assy.	1	
47		Telescopic boom section 3 assy.	1	

**ROPE GUIDE ASSY.
D00755700100600000Y**

**ROPE GUIDE ASSY.
D00755700100600000Y**

POS.	CODE	DESCRIPTION	QTY.	REMARK
	00755700100600000	Rope guide assy.		
1	1040300062	•Washer	4	
2	006340000013	•Baffle 30	2	
3	1040000109	•Bolt	4	
4	00755900100001050	•Spacer sleeve	2	
5	1050200084	•Anti-friction bearing	2	
6	00755900100001030	•Pin	2	
7	00755700100610000	•Rope guide	1	
8	00755700100601010	•Drum	1	