


QUY260CR CRAWLER CRANE D00663400002000000Y



QUY260CR CRAWLER CRANE

D00663400002000000Y

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	006634054000000001	Anchoring rods assy.	1
2	006633078000000002	FA-frame	1
3	006634082000000000	Wire rope	2
4	006634042000000001	Auxiliary load hook	1
5	006634041000000001	Main load hook	1
6	006634006100000000	Counterweight	2
7	006634001200000000	Main boom assy.	1
8	006633021000000002	Derricking crown block	1
9	006634031010000000	Tilting-back support assy.	4
10	006634018000000000	A-frame assy.	1
11	006634036000000001	Mounting cylinder	1
12	1010200089	A-frame erection cylinder SYG140/110-1900A	1
13	006634004000000001	Slewing table	1
14	006634046000000001	Slewing table attachments	1
15	006634008000000000	Support plate assembly	1
16	006634024000000004	Left crawler carrier assy.	1
17	1090900007	Central counterweight QUY-95-14	1
18	006633053000000000	Boom pivot section bolting cylinder	1
19	006634047000000001	Structural member assembly	4
20	006634058000000000	Folding bracket	4
21	006633022000000000	Support cylinder	1
22	006634028000000001	Undercarriage central section	1
23	006634017000000001	Pipe layout – undercarriage hydraulic system	1
24	006634025000000004	Right crawler carrier assy.	1
25	006634045000000000	Slewing ring assembly	1
26	006634096000000000	Crawler carrier assembly	1
27	006633032000000000	Crawler carrier bolting cylinder	1
28	006633002000000001	Fixed jib	1
29	006634066200000000	Luffing jib	2
30	006634080200000000	WA-frame 1	1
31	006634079200000000	WA-frame 2	1
32	006634049100000000	Counterweight assembly	1
33	1010200006	Counterweight lifting cylinder PY1340-340000-0001	1
34	006633071000000001	Counterweight bolting cylinder	1
35	006633012100000000	Exhaust system	1

QUY260CR CRAWLER CRANE


D00663400002000000Y

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
36	006633014100000001	Air intake system	1
37	006634011100000000	Fuel system of Cummins engine	1
38	006634048000000000	Hydraulic elements assembly	1
39	006634016000000001	Pipe layout – superstructure hydraulic system	1
40	006633044000000003	Slewing mechanism	1
41	1010200003	Operator's cab tilting cylinder SYG63/45-170	1
42	006634007000000001	Operator's cab assembly	1
43	006633013100000000	Cooling system	1
44	006633010100000000	Engine and suspension system	1
45	006632039000000000	Oil pump drive device	1
46	006634030000000000	Hydraulic tank	1
47	006634020000000001	Derricking mechanism	1
48	006634035000000002	Hoisting mechanism	2
49	006634083000000000	Reeving winch	1
50	006634059000000000	Pipe layout – central lubricating system	1
51	006633076200000000	Air conditioning	1
52	00663400000001010	Painting drawing for QUY260 crawler crane	1
53	006634070000000000	Instruction board assembly	1
54	006634051000000001	Cummins engine housing assembly	1
55	006634005000000002	Boarding assembly	1
56	006634015100000000	Hydraulic system diagram	1
56	006634015000000001	Hydraulic system diagram	1
57	006634056000000002	Load moment limiter assembly	4
58	006633061400000000	Superstructure electrics	1
59	006633062200000000	Operator's cab electrics	1
60	006633063400000000	Slewing table electrics	1
61	006634064100000001	Boom electrics	2
62	006634091000000000	Attached tools	1
63	006634092000000001	Attached spare parts list	1
64	006633019000000002	A – frame erection mechanism assembly	1
65	006634099000000000	Technical documents	1
66	204060026	10 # aviation hydraulic oil SH 0358-1995	1
66	204060004	Hydraulic oil H68 NUTO	1
66	204060001	Hydraulic oil H32 NUTO	1
66	204060000	Hydraulic oil H46 NUTO	1

QY260CR CRAWLER CRANE**D00663400002000000Y**


POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
67	006634085000000000	Pipe layout - hydraulic circuit of winches in the slewing table	1
68	006634086000000000	Pipe layout - hydraulic circuit of slewing mechanism	1
69	006634087000000000	Pipe layout - hydraulic circuit of auxiliary devices	1
70	006634088000000000	Pipe layout - boom hydraulic circuit	1
71	006634097000000000	Technical requirements for package and transportation	1
72	006634069000000002	Boom section assy.	1
73	006632009000000000	Intercooling system	1
74	006634003000000000	Heavy fixed jib assy.	1
75	006634050000000000	Electric assembly	1
76	006634089100000000	Hydraulic pipe assy. of Rexroth system	1

MAIN BOOM ASSY.
D00663400120000000Y



MAIN BOOM ASSY. D00663400120000000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663400120200000	Main boom pivot section	1
2	00663400120400000	Main boom head assy.	1
3	00663300100001151	Pin spindle	2
4	00663300100001140	Retaining spring	4
5	00663400100800001	Tip boom assy.	1
6	00663300200001030	Pin spindle	2
7	00663400101000000	3 main boom intermediate section	1
8	00663400101200000	6m main boom intermediate section	1
9	00663400101400000	9m main boom intermediate section	6
10	00663400101600001	4m reducing section	1
11	00663300100001082	Pin spindle	34
12	00663300100001230	Retaining pin	72
13	00663300100001132	Pin spindle	2
14	00663300102200000	Angle indicator	1
15	00663400100001040	Pin spindle	4
16	00663604100001050	Retaining pin	8
17	00663400112400001	Main boom pivot section attachments assembly	1
17	00663400102400001	Main boom pivot section attachments assembly	1
18	00663400102600000	main boom head attachments assembly	1
19	00663400101800000	3m main boom intermediate section attachments assembly	1
20	00663400102000000	6m main boom intermediate section attachments assembly	1
21	00663400102200000	9m main boom intermediate section attachments assembly	6
22	00663400102800000	4m reducing section attachments assembly	1
Note: Pos. 17 to 23 are not shown in the drawing.			


MAIN BOOM HEAD ASSY. D00663400120400000Y



MAIN BOOM HEAD ASSY. D00663400120400000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663400120410000	Main boom head	1
2	00663300101601390	Brass bush	2
3	1040100061	Screw M10*20-22H GB73-1985	2
4	00663400100401381	Spacing sleeve	1
5	00663400100401391	Spacing sleeve	1
6	00663400100401470	Deflection pulley spindle	1
7	00663400100401401	Spacing sleeve	1
8	00663400100401411	Pipe	1
9	1040500047	Cotter pin 5*70 GB/T91-2000	4
10	00663300100001010	Spacing sleeve	1
11	00663300111601100	Retaining plate	2
12	1040000090	Bolt M10*30-8.8 GB/T5783-2000	4
13	1040300067	Washer 10 GB/T93-1987	4
14	00663400100401421	Pipe	1
15	00663400100401431	Shaft	1
16	6340000055	Retaining plate 130	4
17	1040000082	Bolt M16*40-8.8 GB/T5783-2000	8
18	1040300065	Washer 16 GB/T93-1987	8
19	00663400100401510	Spacing sleeve	9
20	00663400100450000	Pulley	10
21	00663400100460000	Left connecting plate assy.	1
22	00663400100470001	Connecting plate	2
23	00663400100480000	Right connecting plate assy.	1
24	00663400100401520	Spacing sleeve	2
25	00663400100401500	Spacing sleeve	2
26	00663400100401490	Pin spindle	4
27	1140300189	Retainer ring 65 GB/T894.1-1986	4
28	00663300111601010	Pin spindle	4
29	00663302100200002	Pulley assy.	3
30	00663200102410000	Mounting bracket	1
31	1040500126	Cotter pin 5*26 GB/T91-2000	1
32	204110014	Lithium base grease ZL-2	1
33	00663200102401010	Pad	2
34	00663400100410000	Mounting bracket	1
35	006340000032	Retaining spring (D16,18,20)	1
36	1040000304	Bolt M4*40-8.8 GB/T5783-2000	2

MAIN BOOM HEAD ASSY. D00663400120400000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
37	1040200100	Nut M4-8 GB/T6170-2000	2
38	1040300044	Washer 4 GB/T93-1987	2
39	1040500186	Cotter pin 10*90 GB/T91-2000	4
40	00663606600401050	Rod	1
41	1040500353	Retaining spring (D30,32,35)	1


MAIN BOOM HEAD ATTACHMENTS ASSEMBLY
D00663300102600001Y



MAIN BOOM HEAD ATTACHMENTS ASSEMBLY
D00663300102600001Y

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663300102000000	Rope support	1
2	1991900004	Grating RD-QUY400-10	1
3	1991900007	Grating RD-QUY400-6	3
4	1991900001	Chuck plate RD-QUY400-16	24
5	00663600102401050	Plate	14
6	1040100166	Screw M10*50-8.8 GB/T70.1-2000	24
7	1040200113	Nut M10-8 GB/T6170-2000	24
8	1040300067	Washer 10 GB/T93-1987	24
9	1991900003	Connecting plate RD-QUY400-17	5


MAIN BOOM PIVOT SECTION ATTACHMENTS ASSEMBLY
D00663400102400001Y



MAIN BOOM PIVOT SECTION ATTACHMENTS ASSEMBLY
D00663400102400001Y

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	1991900006	Grating RD-QUY400-7	1
2	1991900008	Grating RD-QUY400-23	1
3	00663300102000000	Rope support	1
4	19919000010	Grating RD-QUY600-1	1
5	19919000009	Grating 400*480 RD-QUY600-14	2
6	19919000007	Grating RD-QUY400-6	1
7	19919000001	Chuck plate RD-QUY400-16	32
8	00663600102401050	Plate	24
9	1040100166	Screw M10*50-8.8 GB/T70.1-2000	32
10	1040200113	Nut M10-8 GB/T6170-2000	32
11	1040300067	Washer 10 GB/T93-1987	32
12	19919000003	Connecting plate RD-QUY400-17	4


MAIN BOOM PIVOT SECTION ATTACHMENTS ASSEMBLY
D00663400112400001Y




MAIN BOOM PIVOT SECTION ATTACHMENTS ASSEMBLY
D00663400112400001Y

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	1991900006	Grating RD-QUY400-7	1
2	1991900008	Grating RD-QUY400-23	1
3	1991900010	Grating RD-QUY600-1	1
4	1991900009	Grating 400*480 RD-QUY600-14	2
5	1991900007	Grating RD-QUY400-6	1
6	1991900001	Chuck plate RD-QUY400-16	32
7	00663600102401050	Plate	24
8	1040100166	Screw M10*50-8.8 GB/T70.1-2000	32
9	1040200113	Nut M10-8 GB/T6170-2000	32
10	1040300067	Washer 10 GB/T93-1987	32
11	1991900003	Connecting plate RD-QUY400-17	4

ROPE SUPPORT
D00663300102000000Y




ROPE SUPPORT D00663300102000000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	1040000169	Bolt M12*45-8.8 GB/T5783-2000	4
2	1040300041	Washer 12-200HV GB/T97.1-2002	4
3	1040300054	Washer 12 GB/T93-1987	4
4	1040200096	Nut M12-8 GB/T6170-2000	4
5	00663300102010000	Rope support	1
6	1050200136	Bearing 290507 GB3882-1987	2

**ANGLE INDICATOR
D00663300102200000Y**

ANGLE INDICATOR D00663300102200000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663300102210000	Base plate	1
2	00663300102220000	Pointer	1
3	1040000267	Bolt M8*20-8.8 GB/T5783-2000	2
4	1040300063	Washer 8 GB/T93-1987	2
5	1040300066	Washer 8-200HV GB/T97.1-2002	1
6	00663300102201020	Washer	1
7	00663300102201030	Fixing bolt	1
8	1040300062	Washer 6 GB/T93-1987	1
9	1040200111	Nut M6-8 GB/T6170-2000	1
10	1040100001	Screw M8*20-4.8 GB/T818-2000	4
11	1040300045	Washer 4-200HV GB/T97.1-2002	8
12	1040300044	Washer 4 GB/T93-1987	4
13	1040200100	Nut M4-8 GB/T6170-2000	4
14	00663300102201010	Angle indicator	1


TIP BOOM ASSY.
D00663400100800001Y



**TIP BOOM ASSY.
D00663400100800001Y**

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663400100810001	Connecting support	1
2	00663400100820001	Connecting support	1
3	00663400100801010	Rope guard tube	1
4	1040500040	Cotter pin 6.3*50 GB/T91-2000	2
5	00663302100200002	Pulley assy.	1
6	00663300100001010	Spacing sleeve	2
7	6340000056	Retaining plate 120	2
8	1040000140	Bolt M16*45-10.9 GB/T5783-2000	4
9	1040300065	Washer 16 GB/T93-1987	4
10	6340000003	Retaining plate 50	2
11	1040000167	Bolt M10*55-8.8 GB/T5783-2000	4
12	1040300067	Washer 10 GB/T93-1987	4
13	00663400100801020	Shaft	1
14	00663400100801030	Shaft	1
15	204110014	Lithium base grease ZL-2	1
16	00663400100410000	Mounting bracket	1
17	00663200102401010	Pad	2
18	6340000032	Retaining spring (D16,18,20)	1
19	1040000304	Bolt M4*40-8.8 GB/T5783-2000	2
20	1040200100	Nut M4-8 GB/T6170-2000	2
21	1040300044	Washer 4 GB/T93-1987	2


3M MAIN BOOM INTERMEDIATE SECTION ATTACHMENTS ASSEMBLY
D00663300102800001Y



3M MAIN BOOM INTERMEDIATE SECTION ATTACHMENTS ASSEMBLY**D00663300102800001Y**

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663300102000000	Rope support	1
2	1991900008	Grating RD-QUY400-23	2
3	1991900001	Chuck plate RD-QUY400-16	12
4	00663600102401050	Plate	8
5	1040100166	Screw M10*50-8.8 GB/T70.1-2000	12
6	1040200113	Nut M10-8 GB/T6170-2000	12
7	1040300067	Washer 10 GB/T93-1987	12
8	1991900003	Connecting plate RD-QUY400-17	2


**6M MAIN BOOM INTERMEDIATE SECTION ATTACHMENTS ASSEMBLY
D00663300103000001Y**



6M MAIN BOOM INTERMEDIATE SECTION ATTACHMENTS ASSEMBLY**D00663300103000001Y**

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663300102000000	Rope support	1
2	1991900005	Grating	2
3	1991900004	Grating	1
4	1991900001	Chuck plate	20
5	00663600102401050	Plate	12
6	1040100166	Screw M10*50-8.8 GB/T70.1-2000	20
7	1040200113	Nut M10-8 GB/T6170-2000	20
8	1040300067	Washer 10 GB/T93-1987	20
9	1991900003	Connecting plate RD-QUY400-17	4


9M MAIN BOOM INTERMEDIATE SECTION ATTACHMENTS ASSEMBLY
D00663300103200001Y



9M MAIN BOOM INTERMEDIATE SECTION ATTACHMENTS ASSEMBLY
D00663300103200001Y

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663300102000000	Rope support	2
2	1991900006	Grating RD-QUY400-7	2
3	1991900004	Grating RD-QUY400-10	24
4	1991900001	Chuck plate RD-QUY400-16	24
5	00663600102401050	Plate	2
6	1040100166	Screw M10*50-8.8 GB/T70.1-2000	24
7	1040200113	Nut M10-8 GB/T6170-2000	24
8	1040300067	Washer 10 GB/T93-1987	5
9	1991900003	Connecting plate RD-QUY400-17	14

LUFFING JIB DERRICKING WINCH
D00663402000400002Y




LUFFING JIB DERRICKING WINCH**D00663402000400002Y**

POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	1030200175	Winch reducer + motor	1
2	00663402000410002	Support	1
3	1040000141	Bolt M24*80-8.8 GB/T5782-2000	4
4	1040300049	Washer 24 GB/T93-1987	12
5	1040000198	Bolt M16*50-8.8 GB/T5783-2000	4
6	1040300065	Washer 16 GB/T93-1987	12
7	00663003100401010	Pin spindle	20
8	1040500047	Cotter pin 5*70 GB/T91-2000	20
9	204110014	Lithium base grease	1
10	204050019	Industrial closed gear oil	1
11	202230016	Loctite glue 262	1
13	1020400095	Lowering limiter	1
14	00663408200001040	Luffing rope Φ 28-left-hand ordinary lay -1960	1


Note: Pos. 9 to 14 are not shown in the drawing.

MAIN LOAD HOOK
D00663404100000001Y




MAIN LOAD HOOK D00663404100000001Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663304100001010	Main load hook	1
2	00663204100001150	Torsional spring	2
3	00663204100001140	Pin spindle	2
4	00663204100001130	Retaining plate	2
5	1040500040	Cotter pin 6.3*50 GB/T91-2000	2
6	1040000016	Bolt M16*35-8.8 GB/T5783-2000	4
7	6340000058	Shaft end stop shim	2
8	00663304100001020	Cross beam	1
9	6340000057	Two-hole retainer ring 170	2
10	1059900000	Bearing 9039438E GB5859-1986	1
11	00663304100001030	Hook nut	1
12	00663404100200001	Right side plate assy.	2
13	00663404100001011	Rod	2
14	6340000029	Retaining spring (D30,32,35)	4
15	00663804200430000	Pulley assy.	10
16	00663404100001021	Pulley spindle	1
17	1040100125	Screw M12*30-8.8 GB/T70.1-2000	8
18	1040300054	Washer 12 GB/T93-1987	10
19	00663604200201050	Shaft end cover	2
20	00663404100001031	Spacing sleeve	6
21	00663404100001040	Rope guard tube	2
22	00663604100230000	Safety pin	4
23	00663404100800000	Counterweight II	2
24	1040000077	Bolt M8*40-8.8 GB/T5783-2000	8
25	1040200183	Nut M8-10 GB/T6170-2000	12
26	1040300063	Washer 8 GB/T93-1987	12
27	00663404100001050	Connecting plate	4
28	00663304100001080	Locking plate	1
29	1040000108	Bolt M12*30-8.8 GB/T5783-2000	2
30	00663404100001070	Connecting beam	1
31	00663404100001080	Pin spindle	2
32	00663604200230000	Safety pin	2
33	1040100100	Screw M20 GB825-1988	2
34	204110014	Lithium base grease ZL-2	1

**LOAD HOOK (160/100T)
D00663404200200002Y**



LOAD HOOK (160/100T) D00663404200200002Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663204100001120	Straight shank twin hook	1
2	00663204100001130	Retaining plate	2
3	00663204100001140	Pin spindle	2
4	00663204100001150	Torsional spring	2
5	1040500040	Cotter pin 6.3*50 GB/T91-2000	2
6	00663404200201050	Cross beam	1
7	6340000058	Shaft end stop shim	2
8	1040000016	Bolt M16*35-8.8 GB/T5783-2000	4
9	6340000057	Two-hole retainer ring 170	2
10	1050200137	Bearing 9039434E GB5859-1986	1
11	00663204100001100	Hook nut	1
12	00663404200210001	Right side plate assy.	2
13	00663404200201011	Rope guard tube	2
14	6340000029	Retaining spring (D30,32,35)	4
15	00663404200201021	Pulley spindle	1
16	1040100125	Screw M12*30-8.8 GB/T70.1-2000	8
17	1040300054	Washer 12 GB/T93-1987	12
18	00663604200201050	Shaft end cover	2
19	00663604200221050	Retainer ring	9
20	00663804200430000	Pulley assy.	6
21	00663604100230000	Safety pin	4
22	00663404200201041	Rod	2
23	1040000077	Bolt M8*40-8.8 GB/T5783-2000	8
24	1040200183	Nut M8-10 GB/T6170-2000	8
25	1040300063	Washer 8 GB/T93-1987	8
26	00663404100001060	Connecting plate	4
27	00663404200230002	Counterweight assy.	2
28	00663204100001160	Locking plate	1
29	1040000108	Bolt M12*30-8.8 GB/T5783-2000	2
30	1040100100	Screw M20 GB825-1988	2
31	204110014	Lithium base grease ZL-2	1
32	1080000001	Oil cup M10*1 GB1152-1979	1
Note: Pos. 31 and 32 are not shown in the drawing.			

LOAD HOOK (50T)
D00663404200400002Y



LOAD HOOK (50T) D00663404200400002Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663404200401010	Hook	1
2	00663014100001070	Retaining plate	1
3	00663014100001080	Torsional spring	1
4	1040500166	Pin spindle B12*95 GB/T882-1986	1
5	1040500075	Cotter pin 4*20 GB/T91-2000	1
6	6340000005	Two-hole retainer ring 120	2
7	6340000050	Shaft end stop shim	2
8	1040000114	Bolt M10*25-8.8 GB/T5783-2000	4
9	00663304200401011	Cross beam	1
10	1050200075	Rolling bearing 8324 GB301-1984	1
11	00663204200401050	Hook nut	1
12	1040000279	Bolt M10*180-8.8 GB/T5782-2000	1
13	1040200113	Nut M10-8 GB/T6170-2000	1
14	1040300067	Washer 10 GB/T93-1987	1
15	00663404200401020	Rod	2
16	6340000029	Retaining spring (D30,32,35)	4
17	00663404200230002	Counterweight assy.	2
18	00663404200401030	Pulley spindle	1
19	1040100125	Screw M12*30-8.8 GB/T70.1-2000	8
20	1040300054	Washer 12 GB/T93-1987	8
21	00663604200201050	Shaft end cover	2
22	00663404200401040	Retainer ring	3
23	00663804200430000	Pulley assy.	2
24	00663404200410000	Side cover assy.	2
25	1040100100	Screw M20 GB825-1988	4
26	00663404200430000	Counterweight	2
27	00663604100230000	Safety pin	4
28	00663404200401050	Rope guard tube	2
29	1040000077	Bolt M8*40-8.8 GB/T5783-2000	12
30	1040200183	Nut M8-10 GB/T6170-2000	12
31	1040300063	Washer 8 GB/T93-1987	12
32	00663404100001060	Connecting plate	8
33	00663404200401060	Rod	2
34	1040200197	Nut M30-8 GB/T6170-2000	4
35	1040300010	Washer 30 GB/T93-1987	4

LOAD HOOK (50T) D00663404200400002Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
36	204110014	Lithium base grease ZL-2	1
37	1080000001	Oil cup M10*1 GB1152-1979	1
Note: Pos. 36 and 37 are not shown in the drawing.			