


MAIN BOOM HEAD ASSY. D00663400120400000Y



MAIN BOOM HEAD ASSY. D00663400120400000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
1	00663400120410000	Main boom head	1
2	00663300101601390	Brass bush	2
3	1040100061	Screw M10*20-22H GB73-1985	2
4	00663400100401381	Spacing sleeve	1
5	00663400100401391	Spacing sleeve	1
6	00663400100401470	Deflection pulley spindle	1
7	00663400100401401	Spacing sleeve	1
8	00663400100401411	Pipe	1
9	1040500047	Cotter pin 5*70 GB/T91-2000	4
10	00663300100001010	Spacing sleeve	1
11	00663300111601100	Retaining plate	2
12	1040000090	Bolt M10*30-8.8 GB/T5783-2000	4
13	1040300067	Washer 10 GB/T93-1987	4
14	00663400100401421	Pipe	1
15	00663400100401431	Shaft	1
16	6340000055	Retaining plate 130	4
17	1040000082	Bolt M16*40-8.8 GB/T5783-2000	8
18	1040300065	Washer 16 GB/T93-1987	8
19	00663400100401510	Spacing sleeve	9
20	00663400100450000	Pulley	10
21	00663400100460000	Left connecting plate assy.	1
22	00663400100470001	Connecting plate	2
23	00663400100480000	Right connecting plate assy.	1
24	00663400100401520	Spacing sleeve	2
25	00663400100401500	Spacing sleeve	2
26	00663400100401490	Pin spindle	4
27	1140300189	Retainer ring 65 GB/T894.1-1986	4
28	00663300111601010	Pin spindle	4
29	00663302100200002	Pulley assy.	3
30	00663200102410000	Mounting bracket	1
31	1040500126	Cotter pin 5*26 GB/T91-2000	1
32	204110014	Lithium base grease ZL-2	1
33	00663200102401010	Pad	2
34	00663400100410000	Mounting bracket	1
35	006340000032	Retaining spring (D16,18,20)	1
36	1040000304	Bolt M4*40-8.8 GB/T5783-2000	2

MAIN BOOM HEAD ASSY. D00663400120400000Y			
POS.	ITEM	DESCRIPTION & SPECIFICATION	QTY.
37	1040200100	Nut M4-8 GB/T6170-2000	2
38	1040300044	Washer 4 GB/T93-1987	2
39	1040500186	Cotter pin 10*90 GB/T91-2000	4
40	00663606600401050	Rod	1
41	1040500353	Retaining spring (D30,32,35)	1