

<!DOCTYPE html>

LAG 2 definice / formulace tvrzení - HedgeDoc

```
<div class="pull-right" style="margin-top: 17px; color: #777;">
  <div class="visible-xs">&nbsp;</div>
  <div class="visible-sm">&nbsp;</div>
  <div class="visible-md">&nbsp;</div>
  <div class="visible-lg">&nbsp;</div>
</div>
<div class="nav-mobile nav-status visible-xs" id="short-online-user-list">
  <a class="ui-short-status" data-toggle="dropdown"><span class="label label-danger">
</a>
  <ul class="dropdown-menu list" role="menu" aria-labelledby="menu">
</ul>
</div>
<a class="navbar-brand pull-left header-brand" href="https://poznamky.pernicka.cz/" titl
  
<div class="nav-mobile pull-right visible-xs">
  <a data-toggle="dropdown" class="btn btn-link">
    <i class="fa fa-caret-down"></i>
  </a>
  <ul class="dropdown-menu list" role="menu" aria-labelledby="menu">
    <li role="presentation"><a role="menuitem" class="ui-new" tabindex="-1" href="ht
</li>
    <li role="presentation"><a role="menuitem" class="ui-publish" tabindex="-1" href
</li>
    <li class="divider"></li>
    <li class="dropdown-header">Extra</li>
    <li role="presentation"><a role="menuitem" class="ui-extra-revision" tabindex="
</li>
    <li role="presentation"><a role="menuitem" class="ui-extra-slide" tabindex="-1"
</li>

    <li class="divider"></li>
    <li class="dropdown-header">Import</li>
    <li role="presentation"><a role="menuitem" class="ui-import-dropbox" tabindex="
</li>
    <li role="presentation"><a role="menuitem" class="ui-import-gist" href="#" data-
</li>

    <li role="presentation"><a role="menuitem" class="ui-import-clipboard" href="#"
</li>
    <li class="divider"></li>
    <li class="dropdown-header">Download</li>
```

```

        <li role="presentation"><a role="menuitem" class="ui-download-markdown" tabindex=
        </li>
        <li role="presentation"><a role="menuitem" class="ui-download-html" tabindex="-1
        </li>
        <li role="presentation"><a role="menuitem" class="ui-download-raw-html" tabindex=
        </li>
        <li class="divider"></li>
        <li role="presentation"><a role="menuitem" class="ui-help" href="#" data-toggle=
        </li>
    </ul>
    <div class="btn-group" data-toggle="buttons">
        <label class="btn ui-night" title="Night Theme">
            <input type="checkbox" name="night"><i class="fa fa-moon-o"></i>
        </label>
    </div>
    <a class="btn btn-link ui-mode">
        <i class="fa fa-pencil"></i>
    </a>
</div>
<div class="collapse navbar-collapse">
    <ul class="nav navbar-nav navbar-form navbar-left" style="padding:0;">
        <div class="btn-group" data-toggle="buttons">
            <label class="btn btn-default ui-view" for="view-mode-toggle-view" title="View">
                <input type="radio" name="mode" id="view-mode-toggle-view" autocomplete="off
            </label>
            <label class="btn btn-default ui-both" for="view-mode-toggle-both" title="Both">
                <input type="radio" name="mode" id="view-mode-toggle-both" autocomplete="off
            </label>
            <label class="btn btn-default ui-edit" for="view-mode-toggle-edit" title="Edit">
                <input type="radio" name="mode" id="view-mode-toggle-edit" autocomplete="off
            </label>
        </div>
        <div class="btn-group" data-toggle="buttons">
            <label class="btn ui-night" title="Night Theme">
                <input type="checkbox" name="night"><i class="fa fa-moon-o"></i>
            </label>
        </div>
        <span class="btn btn-link btn-file ui-help" title="Help" data-toggle="modal" data-ta
            <i class="fa fa-question-circle"></i>
        </span>
    </ul>
    <ul class="nav navbar-nav navbar-right">
        <li id="online-user-list">
            <a class="ui-status" data-toggle="dropdown">
                <span class="label label-danger"><i class="fa fa-plug"></i> OFFLINE</span>

```

```

        </a>
        <ul class="dropdown-menu list" role="menu" aria-labelledby="menu" style="right:
        </ul>
    </li>
</ul>
<ul class="nav navbar-nav navbar-right" style="padding:0;">
    <li>
        <a href="https://poznamy.pernicka.cz/new" target="_blank" rel="noopener" class=
            <i class="fa fa-plus"></i> New
        </a>
    </li>
    <li>
        <a href="#" target="_blank" rel="noopener" class="ui-publish">
            <i class="fa fa-share-square-o"></i> Publish
        </a>
    </li>
    <li>
        <a data-toggle="dropdown">
            Menu <i class="fa fa-caret-down"></i>
        </a>
        <ul class="dropdown-menu list" role="menu" aria-labelledby="menu">
            <li class="dropdown-header">Extra</li>
            <li role="presentation"><a role="menuitem" class="ui-extra-revision" tabinde
            </li>
            <li role="presentation"><a role="menuitem" class="ui-extra-slide" tabindex=
            </li>

            <li class="divider"></li>
            <li class="dropdown-header">Import</li>
            <li role="presentation"><a role="menuitem" class="ui-import-dropbox" tabinde
            </li>
            <li role="presentation"><a role="menuitem" class="ui-import-gist" href="#" c
            </li>

            <li role="presentation"><a role="menuitem" class="ui-import-clipboard" href=
            </li>
            <li class="divider"></li>
            <li class="dropdown-header">Download</li>
            <li role="presentation"><a role="menuitem" class="ui-download-markdown" tabi
            </li>
            <li role="presentation"><a role="menuitem" class="ui-download-html" tabindex
            </li>
            <li role="presentation"><a role="menuitem" class="ui-download-raw-html" tabi
            </li>
        </ul>
    </li>
</ul>

```



```

        </div>
    </div>
    <div id="ui-toc-affix" class="ui-affix-toc ui-toc-dropdown unselectable hidden-print" data-
</div>

<div class="modal-dialog modal-lg">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
</button>
            <h4 class="modal-title" id="myModalLabel">Import from clipboard</h4>
        </div>
        <div class="modal-body">
            <div contenteditable data-ph="Paste your markdown or webpage here..." id="clipboard">
</div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</button>
            <button type="button" class="btn btn-danger" id="clipboardModalClear">Clear</button>
            <button type="button" class="btn btn-primary" id="clipboardModalConfirm">Import</button>
        </div>
    </div>
</div>

<div class="modal-dialog modal-sm">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
</button>
            <h4 class="modal-title" id="myModalLabel"><i class="fa fa-lock"></i> This note is locked</h4>
        </div>
        <div class="modal-body" style="color:black;">
            <h5>Sorry, only the owner can edit this note.</h5>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-danger" data-dismiss="modal">OK</button>
        </div>
    </div>
</div>

<div class="modal-dialog modal-sm">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
</button>
            <h4 class="modal-title" id="myModalLabel"><i class="fa fa-exclamation-triangle"></i>
</div>
        <div class="modal-body" style="color:black;">

```

```

        <h5>Sorry, you've reached the maximum length this note can be.</h5>
        <strong>Please shorten the note.</strong>
    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-warning" data-dismiss="modal">OK</button>
    </div>
</div>
</div>
<div class="modal-dialog modal-sm">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
            </button>
            <h4 class="modal-title" id="myModalLabel"></h4>
        </div>
        <div class="modal-body" style="color:black;">
            <h5></h5>
            <a target="_blank" rel="noopener" style="word-break: break-all;"></a>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default" data-dismiss="modal">OK</button>
        </div>
    </div>
</div>
<div class="modal-dialog">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
            </button>
            <h4 class="modal-title" id="myModalLabel">Import from Gist</h4>
        </div>
        <div class="modal-body">
            <input type="url" class="form-control" placeholder="Paste your gist url here...">
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</button>
            <button type="button" class="btn btn-danger" id="gistImportModalClear">Clear</button>
            <button type="button" class="btn btn-primary" id="gistImportModalConfirm">Import</button>
        </div>
    </div>
</div>
<div class="modal-dialog">
    <div class="modal-content">
        <div class="modal-header">

```

```

        <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
    </button>
    <h4 class="modal-title" id="myModalLabel">Import from Snippet</h4>
</div>
<div class="modal-body">
    <input type="hidden" id="snippetImportModalAccessToken" />
    <input type="hidden" id="snippetImportModalBaseURL" />
    <input type="hidden" id="snippetImportModalVersion" />
    <div class="ui-field-contain" style="display:table;margin-bottom:10px;width:100%">
        <div style="display:table-row;margin-bottom:5px;">
            <label style="display:table-cell;">Project:</label>
            <select class="form-control" id="snippetImportModalProjects" style="display:table-cell;">
                <option value="init" selected="selected" disabled="disabled">Select
            </select>
        </div>
        <div style="display:table-row;">
            <label style="display:table-cell;">Snippet</label>
            <select class="form-control" id="snippetImportModalSnippets" style="display:table-cell;">
                <option value="init" selected="selected" disabled="disabled">Select
            </select>
        </div>
    </div>
    <p class="snippet-import-or">OR</p>
    <input type="url" class="form-control" placeholder="/projects/:id/snippets/:snippetId" />
</div>
<div class="modal-footer">
    <span id="snippetImportModalLoading"><i class="fa fa-refresh fa-spin fa-fw"></i>
    <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</button>
    <button type="button" class="btn btn-danger" id="snippetImportModalClear">Clear</button>
    <button type="button" class="btn btn-primary" id="snippetImportModalConfirm" disabled="">Import</button>
</div>
</div>
</div>
<div class="modal-dialog">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span>
            </button>
            <h4 class="modal-title" id="myModalLabel">Export to Snippet</h4>
        </div>
        <div class="modal-body">
            <input type="hidden" id="snippetExportModalAccessToken" />
            <input type="hidden" id="snippetExportModalBaseURL" />
            <input type="hidden" id="snippetExportModalVersion" />
            <div class="ui-field-contain" style="display:table;margin-bottom:10px;width:100%">

```

```

        <div style="display:table-row;margin-bottom:5px;">
            <label style="display:table-cell;">Title:</label>
            <input class="form-control" placeholder="new snippet" type="text" id="sn
        </div>
        <div style="display:table-row;margin-bottom:5px;">
            <label style="display:table-cell;">File Name:</label>
            <input class="form-control" placeholder="new_snippet.md" type="text" id=
        </div>
        <div style="display:table-row;margin-bottom:5px;">
            <label style="display:table-cell;">Project:</label>
            <select class="form-control" id="snippetExportModalProjects" style="dis
                <option value="init" selected="selected" disabled="disabled">Select
            </select>
        </div>
        <div style="display:table-row;margin-bottom:5px;">
            <label style="display:table-cell;">Visibility:</label>
            <select class="form-control" id="snippetExportModalVisibility" style="di
                <option value="" selected="selected" disabled="disabled">Select Visi
                <option value="0">Private</option>
                <option value="10">Internal</option>
            </select>
        </div>
    </div>
</div>
<div class="modal-footer">
    <span id="snippetExportModalLoading"><i class="fa fa-refresh fa-spin fa-fw"></i>
    <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</butto
    <button type="button" class="btn btn-primary" id="snippetExportModalConfirm">Exp
</div>
</div>
<div class="modal-dialog modal-sm">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><sp
            </button>
            <h4 class="modal-title" id="myModalLabel">Are you sure?</h4>
        </div>
        <div class="modal-body">
            <h5 class="ui-delete-modal-msg">Do you really want to delete this note?</h5>
            <strong class="ui-delete-modal-item">All users will lose their connection.</stro
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</butto
            <button type="button" class="btn btn-danger ui-delete-modal-confirm">Yes, do it
    </div>
</div>

```



```

        </div>
    </div>
</div>

<div class="modal-dialog modal-sm">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span></span></button>
            <h4 class="modal-title" id="myModalLabel">This page needs to be refreshed</h4>
        </div>
        <div class="modal-body">
            <div class="incompatible-version">
                <h5>Your client's version is incompatible.</h5>
                <strong>Refresh to update.</strong>
            </div>
            <div class="new-version" style="display:none;">
                <h5>New version available!</h5>
                <a href="https://poznamky.pernicka.cz/s/release-notes" target="_blank" rel="noopener"></a>
                <br>
                <strong>Refresh to enjoy new features.</strong>
            </div>
            <div class="user-state-changed" style="display:none;">
                <h5>Your user state has changed.</h5>
                <strong>Refresh to load new user state.</strong>
            </div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-primary" id="refreshModalRefresh">Refresh</button>
        </div>
    </div>
</div>

<div class="modal-dialog modal-sm">
    <div class="modal-content">
        <div class="modal-header">
            <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span></span></button>
            <h4 class="modal-title" id="mySmallModalLabel">Choose method</h4>
        </div>
        <div class="modal-body" style="text-align: center;">

```

```

<h4>Sign in via E-Mail</h4>
<form data-toggle="validator" role="form" class="form-horizontal" method="post">
  <div class="form-group">
    <div class="col-sm-12">
      <input type="email" class="form-control" name="email" placeholder="E-mail">
      <span class="help-block control-label with-errors" style="display: block; margin-top: 5px;">

```

```

<div class="panel-heading">
  <h3 class="panel-title">Contacts</h3>
</div>
<div class="panel-body">
  <a href="https://community.hedgedoc.org" target="_blank"><i class="fa">
<br>
  <a href="https://chat.hedgedoc.org" target="_blank"><i class="fa">
<br>
  <a href="https://github.com/hedgedoc/hedgedoc/issues" target="_blank">
<br>
  <a href="https://translate.hedgedoc.org" target="_blank"><i class="fa">
</div>
</div>
<div class="panel panel-default">
  <div class="panel-heading">
    <h3 class="panel-title">Documents</h3>
  </div>
  <div class="panel-body">
    <a href="./features" title="Features" target="_blank"><i class="fa">
<br>
    <a href="./yaml-metadata" title="YAML Metadata" target="_blank">
<br>
    <a href="./slide-example" title="Slide Example" target="_blank">
  </div>
</div>
</div>
<div class="col-lg-9">
  <div class="panel panel-default">
    <div class="panel-heading">
      <h3 class="panel-title">Cheatsheet</h3>
    </div>
    <div class="panel-body" style="height: calc(100vh - 215px); overflow: auto">
      <table class="table table-condensed table-cheatsheet">
        <thead>
          <tr>
            <th>Example</th>
            <th>Syntax</th>
          </tr>
        </thead>
        <tbody class="markdown-body" style="font-family: inherit; font-size: 0.9em">
          <tr>
            <td>Header</td>
            <td># Header</td>
          </tr>
          <tr>
            <td><ul><li>Unordered List</li></ul></td>
          </tr>
        </tbody>
      </table>
    </div>
  </div>
</div>

```

```

        <td>- Unordered List</td>
    </tr>
    <tr>
        <td><ol><li>Ordered List</li></ol></td>
        <td>1. Ordered List</td>
    </tr>
    <tr>
        <td><ul><li class="task-list-item"><input type="checkbox">
        <td>- [ ] Checklist</td>
    </tr>
    <tr>
        <td><blockquote> Blockquote</blockquote></td>
        <td>> Blockquote</td>
    </tr>
    <tr>
        <td><strong>Bold</strong></td>
        <td>**Bold**</td>
    </tr>
    <tr>
        <td><i>Italicize</i></td>
        <td>*Italicize*</td>
    </tr>
    <tr>
        <td><s>Strikethrough</s></td>
        <td>~~Strikethrough~~</td>
    </tr>
    <tr>
        <td>19<sup>th</sup></td>
        <td>19th</td>
    </tr>
    <tr>
        <td>H<sub>2</sub></td>
        <td>H2</td>
    </tr>
    <tr>
        <td><ins>Underlined text</ins></td>
        <td>==Underlined text==</td>
    </tr>
    <tr>
        <td><mark>Highlighted text</mark></td>
        <td>===Highlighted text===</td>
    </tr>
    <tr>
        <td><a>Link</a></td>
        <td>[link text] (https:// "title")</td>
    </tr>

```



```

<div class="row">
  <div class="col-lg-4" style="max-height: calc(100vh - 215px); overflow: auto">
    <div class="list-group ui-revision-list"></div>
  </div>
  <div class="col-lg-8" style="height: calc(100vh - 215px); overflow: hidden;">
    <textarea id="revisionViewer" style="display:none;"></textarea>
  </div>
</div>
<div class="modal-footer">
  <button type="button" class="btn btn-default" data-dismiss="modal">Cancel</button>
  <button type="button" class="btn btn-primary" id="revisionModalDownload">Download</button>
  <button type="button" class="btn btn-danger" id="revisionModalRevert">Revert</button>
</div>
</div>
</div>

```