`interlinear` examples

The Quarto filter `interlinear` enables users to write numbered linguistic examples. The filter can also render interlinear glosses. A custom implementation for example numbering has been developed for the HTML output, while in LaTeX it is handled by expex. Interlinear glossing is handled by Leipzig.js in HTML and expex in LaTeX.

Numbered examples

To create a numbered example, use a fenced Div block (`:::`) with class `ex`. For example the following code results in Example (1).

```
::: ex
You do the job. You are not the job.
:::
```

(1) You do the job. You are not the job.

Subexamples

You can create subexamples within an `ex` Div block with a fenced Div block with class `exi` (for "example item") for each subexample.

```
::: ex
::: exi
A bird sings a beautiful song.
:::

::: exi
```

```
A fish swims in the pool.
:::
:::
```

Which renders as:

(2) a. A bird sings a beautiful song.

b. A fish swims in the pool.

Interlinear glosses

To create an interlinear gloss, use a fenced Div block (`:::`) with class `gl` (usually, within an `ex` Div). These are the current rules:

- Each line of the interlinear gloss should start with `|`.
- Interlinear lines that start with `| -` are treated as preambles/original text (i.e. they are not aligned).
- The last interlinear line is treated as the free translation.

For example:

```
::: ex
::: gl
| - Gila aburun ferma hamišaluğ güğüna amuq'dač.
| gila abur-u-n ferma hamišaluğ güğüna amuq'-da-č.
| now they-OBL-GEN farm forever behind stay-FUT-NEG
| 'Now their farm will not stay behind forever.'
:::
:::
```

(3) Gila aburun ferma hamišaluğ güğüna amuq'dač.

gila	*abur-u-n*	*ferma*	*hamišaluğ*	*güğüna*	*amuq'-da-č.*
now	they-OBL-GEN	farm	forever	behind	stay-FUT-NEG

'Now their farm will not stay behind forever.'

To create a gloss without free translation, add a final empty line starting with `| -` (the following example is also without the original text line):

```
::: ex
::: gl
| el perrito está comiendo
| the {little dog} is eating
| -
:::
:::
```

Renders as:

(4) *el* *perrito* *está* *comiendo*
the little dog is eating

You can include interlinear glosses in subexamples and mix glosses with simple sentences. Note that more than three colons `:` can be used for fenced Div blocks to show the different levels of embedding within the `ex` Div (this is entirely optional).

```
::::: ex
::: exi
Abandon all hope, ye who enter.
:::

::: exi
The Self, smaller than small, greater than great, is hidden in the heart of every creature.
:::

:::: exi
::: gl
| n=an apedani mehuni essandu
| CONN=him that.DAT.SG time.DAT.SG eat.they.shall
| 'They shall celebrate him on that date.'
:::
::::
:::::
```

Rendered as:

(5) a. Abandon all hope, ye who enter.

b. The Self, smaller than small, greater than great, is hidden in the heart of every creature.

c. *n=an* *apedani* *mehuni* *essandu*
CONN=him that.DAT.SG time.DAT.SG eat.they.shall

'They shall celebrate him on that date.'