Introduction
○○

Assumptions
○○○○

Handout
○○○

Equilibrium
○○

Dynare
○○○○

Real Business Cycle (RBC) Model

Pavel Solís

CIDE

2025

Introduction

- First RBC model dates back to Kydland and Prescott (1982)
  - Complications to increase persistence to shocks
- Hansen (1986) developed a basic RBC model with essential ingredients
- In RBC world, supply shocks generate economic fluctuations
- Neoclassical growth model as reference for economy's long-term behavior
  - Perfect competition and flexible prices
- Model describes behavior of two types of **representative agents**
  - A large number of identical consumers
  - A large number of identical firms

Introduction
○●

Assumptions
○○○○

Handout
○○○

Equilibrium
○○

Dynare
○○○○

Model Structure

- Assumptions about economy
- Agents' optimization problems
  - Households
  - Firms
- Model's equilibrium conditions
- Steady state
- Calibration
- Log-linearization
- Dynare implementation
- Impulse response functions

Introduction
○○

Assumptions
●○○○

Handout
○○○

Equilibrium
○○

Dynare
○○○○

Assumptions: Economy

- Closed economy
- Only one (physical) good (as consumption or capital)
- No financial sector (interest rate is a proxy for return on capital)
- No government
- No adjustment costs
- No population growth
- No productivity growth

Assumptions: Households

- Continuum of mass 1 of identical HHs indexed by $j \in [0, 1]$
  - Per capita variable is equal to aggregate of same variable
  - Dividing aggregate variable by 1 gives the per capita
  - Remove index j to simplify notation
- HHs are owners of factors of production: Capital and labor
  - Factor markets are perfectly competitive (no rigidities)
- Each HH maximizes an intertemporal utility function
  - HH decides how much to consume, work and save (investment in capital)
- Utility is intertemporally additively separable (no habit formation) into:
  - Consumption (utility) and labor (disutility)

Introduction
oo

Assumptions
oo●o

Handout
ooo

Equilibrium
oo

Dynare
oooo

Assumptions: Households (Preferences)

- Optimization problems have well-defined solutions when objective functions are concave and solution spaces are convex sets
- Preferences represented by a utility function: $U(C_t, H_t)$
  - $U_C > 0$ (utility); $U_H < 0$ (disutility); $U_{CC} < 0, U_{HH} < 0$ (concave)
  - Common utility functions: logarithm, CRRA, CES
- Future utility in present terms via an intertemporal discount **factor**: β
  - $\beta = 1/(1 + \theta)$, where θ is subjective **rate** of time preference
- Expectations operator conditional on information at time t: $\mathbb{E}_t$
- Each period capital decpreciates at rate: δ

Assumptions: Firms

- Continuum of mass 1 of identical firms indexed by $j \in [0, 1]$
    - Remove index j to simplify notation
- Each firm maximizes profits under perfect competition
- Technology represented by a production function: $F(K_t, H_t)$
    - $F_K > 0, F_H > 0$ (increasing); $F_{KK} < 0, F_{HH} < 0$ (concave)
    - Constant returns to scale: $F(zK_t, zH_t) = zY_t$
    - Inada conditions:
      $\lim_{K \to 0} F_K = \infty, \lim_{K \to \infty} F_K = 0, \lim_{H \to 0} F_H = \infty, \lim_{H \to \infty} F_H = 0$
    - Common production functions: AK, Cobb-Douglas, CES

Handout

- Agents' optimization problems
  - Households
  - Firms
- First order conditions
- Model's equilibrium conditions
- Steady state
- Calibration
- Log-linearization
- Dynare implementation

Introduction
○○

Assumptions
○○○○

Handout
○●○

Equilibrium
○○

Dynare
○○○○

Variables: Household

- C_t: Units of the good consumed

- H_t: Hours dedicated to labor

- K_t: Units of the good representing the capital stock

- I_t: Units of the good invested as capital

- T_t: Dividends or profits of the firm

- w_t: Wage per hour of labor

- r_t: Return per unit of capital

- p_t: Aggregate price level

- $\beta, \gamma, \varphi, \delta$: Parameters

Variables: Firm

- Y_t: Output
- A_t: Productivity
- V_t: Revenue
- TC_t: Total cost
- MC_t: Marginal cost
- T_t: Profits of the firm
- α, ρ_A, σ_A: Parameters

Technical: Unique and Stable Equilibrium

- Model in linearized form can be expressed as

$$A \begin{bmatrix} z_t \\ E_t x_{t+1} \end{bmatrix} = B \begin{bmatrix} z_{t-1} \\ x_t \end{bmatrix} + C \varepsilon_t$$

where

- z_t is a vector of predetermined variables at time t
- x_t is a vector of forward-looking variables
- ε_t is a vector of shocks
- A, B and C are matrices

Introduction
oo

Assumptions
oooo

Handout
ooo

Equilibrium
o●

Dynare
oooo

Technical: Unique and Stable Equilibrium

- Blanchard and Kahn (1980): Unique equilibrium and stability condition depends on magnitude of eigenvalues (λ) of matrix B
    - Eigenvalues that satisfy $|\lambda| > 1$ are called unstable roots
    - Unstable roots arise in dynamic models with forward-looking variables
- If number of unstable roots equals number of forward-looking variables, system has a unique solution and a stable saddle path
    - Otherwise, indeterminacy: multiple solutions or no solution
    - Causes: Calibration errors, model misspecification, ill-behaved expectations

Introduction
oo

Assumptions
oooo

Handout
ooo

Equilibrium
oo

Dynare
●ooo

Matlab

- Programming language developed by MathWorks
  - GUI: Command Window, Editor, Workspace, Current Folder
  - <u>Link</u> to quick reference guide
- Mainly used in engineering and economics for research and development
- Built around matrices and arrays, so it is easy to operate with them
- Variable names must start with a letter; followed by letters, digits and _
- Matlab (and Dynare) are case sensitive: $x \neq X$
  - Beware: Some commands are Dynare-specific
- Write code in .m file and run it by typing its name in command window
  - .mat files store workspace variables

Dynare

- Install Dynare from http://www.dynare.org
- Every time you start Matlab, add Dynare folder to Matlab path
    - Type: `addpath C:\dynare\x.y\matlab`
    - Set Path → [dynare installation directory] → matlab → Add Folder...
- Write your model in a text file and save it with extension .mod
    - Preamble (define variables)
    - Model (and steady state) block(s)
    - Shocks
    - Computations
- In Matlab, make sure current folder is where your .mod file is located
- Run it by typing `dynare filename.mod` in command window

.mod Files

- All code lines must end with a semicolon ;
- Comments can be made with // or % for lines, /* */ for sections of code
- Blocks (model, steady_state_model, shocks) closed using end; command
- Equations entered one after another, each one ended with ;
- Model needs to have as many equations as endogenous variables
- Variable and parameter names are case sensitive, must match preamble
- Default timing is t, so x_t is written as x
  - Use x(+1) for leads and x(-1) for lags (valid for any lead or lag)
- No need to enter expectation operator, Dynare adds it automatically

Dynare Output

- Impulse response functions (IRFs)
  - What to look for? Scale, on impact effect relative to zero, periods, shape
  - No confidence bands if model is calibrated (no uncertainty)
- All of Dynare output is stored in data structures, most important is oo_
- Information about model can be found in structure M_
- Linearization can be done manually
  - Equations in model block already linearized
  - In linearized model, all variables have zero steady state
- Dynare can also solve non-linear models (approx. to higher orders)
  - Simulations use extended path methods