# COURIER MANAGEMENT SYSTEM

Salesforce-Based Cloud Application

| DEVELOPER | SUBMITTED BY |
| --- | --- |
| NANDHINI J<br>JEEVIDHA P<br>BRUNTHAVATHI R | BHARATHI.A |

# 1. INTRODUCTION AND PROJECT OVERVIEW

Courier and logistics companies can face operational difficulties when shipment tracking, delivery assignment, customer communication and billing are handled through manual or disconnected processes. The supplied project identifies delayed delivery updates, poor customer visibility, scheduling conflicts, missing automated notifications and limited performance analytics as key business problems.


The Courier Management System (CMS) is proposed as a Salesforce-based cloud solution. It centralizes shipment booking, tracking, delivery-agent assignment, automated status updates, billing and analytics. The project therefore combines operational data and automation within one platform.

The application is intended to support multiple branches and provide a consistent way to manage courier records. The use of Salesforce Lightning gives users a common interface, while Salesforce Objects provide the underlying data structure.

The project is not limited to shipment tracking. It also covers customer management, branch management, deliveryagent information, delivery updates and invoices. Reports and dashboards provide a management view of operational performance.

## Project goals

- Centralize courier information and reduce disconnected records.
- Improve visibility of shipment status and delivery progress.
- Automate repeated status-update operations.
- Protect data through profiles and role-based access.
- Provide reporting for shipment status, agent performance and revenue.



# 2. PURPOSE, PROBLEM STATEMENT AND IDEATION

## 2.1 Purpose

The purpose of CMS is to automate and centralize courier and logistics operations using Salesforce. The system is intended to replace manual and fragmented processes with integrated shipment booking, real-time tracking, delivery-agent assignment, automated notifications, billing and performance reporting.

## 2.2 Problem Statement

| User | Goal | Problem | Effect |
|---|---|---|---|
| Branch Manager | Manage shipments efficiently | Tracking is manual and systems are disconnected | Stress and operational difficulty |
| Customer | Track parcels | Updates are delayed and there is no centralized system | Uncertainty about delivery progress |

## 2.3 Ideation

The project considered manual registers, spreadsheet tracking, a standalone portal and Salesforce CRM. Salesforce CRM was selected in the source document because of its automation capability, scalability and real-time visibility.

The ideation phase therefore moves from identifying operational pain points to selecting a platform capable of

.

# 3. EMPATHY MAP AND CUSTOMER JOURNEY

## 3.1 Empathy Map – Branch Manager

| Area | Observation |
|---|---|
| Think & Feel | Concerned about delays and errors |
| Hear | Customer complaints |
| See | Registers and spreadsheets |
| Say & Do | Manual follow-ups |
| Pain | Delivery conflicts and missed updates |
| Gain | Automated tracking and dashboards |

## 3.2 Customer Journey Map

The supplied journey follows the courier process from booking to final reporting. Each stage represents a point where data is created or updated.

| Stage | Main Activity |
|---|---|
| 1 | Booking |
| 2 | Shipment Creation |
| 3 | Agent Assignment |
| 4 | Transit |
| 5 | Delivery Update |
| 6 | Invoice |
| 7 | Reporting |

*This sequence provides the foundation for the later object relationships, automation flow and reports.*

# 4. REQUIREMENTS ANALYSIS

## 4.1 Functional Requirements

| ID | Requirement |
|---|---|
| FR-1 | Customer management |
| FR-2 | Shipment booking |
| FR-3 | Delivery agent assignment |
| FR-4 | Real-time status updates |

| | |
|---|---|
| FR-5 | Invoice generation |
| FR-6 | Reports and dashboards |

### 4.2 Non-Functional Requirements

| Requirement | Description |
|---|---|
| Usability | Easy Lightning interface |
| Security | Role-based access control |
| Reliability | Error-free automation |
| Performance | Fast tracking updates |
| Availability | 24/7 cloud access |
| Scalability | Supports growing branches |

### 4.3 Data Flow

> *Customer Input → Shipment Creation → Validation → Agent Assignment → Delivery Update → Invoice → Reports*


The data flow shows how operational records move through the system and eventually become management information.

## 5. TECHNOLOGY STACK AND DATA FLOW

The project uses Salesforce as the central application platform. Each technology layer corresponds to a specific responsibility in the CMS architecture.

| Layer | Technology / Feature | Purpose |
|---|---|---|
| User Interface | Salesforce Lightning | User interaction and navigation |
| Business Logic | Salesforce Flows | Automation and record updates |
| Database | Salesforce Objects | Storage of courier data |
| Automation | Validation Rules and Flows | Data quality and process automation |
| Security | Profiles and Roles | Permissions and data visibility |
| Reporting | Reports and Dashboards | Operational analysis |

The combination allows the application to be configured as an integrated cloud solution. The source document emphasizes that Salesforce Objects act as the database layer, while Lightning, Flow and reporting features provide the application and analytics layers.




Data moves through related records rather than isolated files. For example, a Shipment can be linked to a Customer and a Delivery Agent, while Delivery Updates are connected to the Shipment and invoices reference shipments for billing.

# 6. PROJECT DESIGN AND PROPOSED SOLUTION

## 6.1 Problem–Solution Fit

The project addresses fragmented courier operations by bringing shipment tracking, delivery assignment, billing and reporting into a centralized Salesforce platform.

## 6.2 Proposed Solution

| Parameter | Description |
|---|---|
| Problem | Manual shipment management |
| Solution | Salesforce-based Courier Management System |
| Innovation | Automated tracking and billing |
| Impact | Faster delivery operations |
| Business Model | Courier services |
| Scalability | Multi-branch ready |

## 6.3 Design Principles

- Use related Salesforce objects to keep operational data connected.
- Use validation rules to prevent invalid or incomplete records.
- Use Flow to automate status synchronization.


- Use profiles and roles to separate responsibilities.
- Use reports and dashboards to convert operational records into management information.


# 7. SOLUTION ARCHITECTURE

The solution architecture is organized around six major custom objects and the Salesforce services that operate on them.

| Component | Role in the System |
|---|---|
| Customer__c | Stores customer personal and contact information |
| Shipment__c | Stores parcel, source, destination and tracking information |
| Delivery_Agent__c | Stores delivery-agent profiles and branch information |
| Branch__c | Represents courier branch offices |
| Delivery_Update__c | Stores status updates for shipments |
| Invoice__c | Manages billing details for delivered shipments |
| | |
| Flows | Automate record updates |
| Reports | Summarize operational information |
| Dashboards | Present visual management information |

The architecture is intentionally modular. Each object has a focused responsibility, while relationships connect the records into an end-to-end courier process.




Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Description
API Name
Delivery_Agent__c
Custom
Singular Label
Delivery Agent
Plural Label
Delivery Agents
Enable Reports
Track Activities
Track Field History
Deployment Status
Deployed
Help Settings
Standard salesf
34°C
Partly sunny
Search
acer

# 8. PROJECT PLANNING AND SCHEDULING

The supplied project follows an Agile methodology using epics, user stories, story points and sprint-based execution.

Velocity is mentioned as an estimation technique.

| Sprint | Epic / User Story | Points | Priority |
|---|---|---|---|
| 1 | Developer setup – create and configure Salesforce account | 3 | High |
| 2 | Data modeling – create Customer, Shipment, Delivery Agent, Branch and Invoice objects | 5 | High |
| 2 | Create tabs and Lightning app for courier modules | 5 | High |
| 3 | Automation – validate shipment details | 3 | High |
| 3 | Automation – status updates and agent assignment | 3 | High |
| 4 | Security – role-based access control | 5 | High |
| 5 | Reports – delivery performance, shipment status and revenue | 4 | High |
| 6 | Dashboards – delivery performance, shipment status and revenue | 4 | Medium |

The project tracker in the source also records Sprint-1 through Sprint-4 with six-day durations and planned release dates. The planning structure supports incremental implementation rather than building every feature at once.

# 9.SALESFORCE ACCOUNT AND OBJECT MODEL

## 9.1 Salesforce Account

The project begins with creation of a Salesforce Developer account. The supplied instructions specify the Salesforce Developer signup page and ask for basic registration information such as name, email, job title, company/college name and country. Account activation is completed through the verification email, followed by password and security-question setup.


## 9.2 What is a Salesforce Object?

The source defines Salesforce objects as database tables that store organization-specific data. Fields represent columns and records represent rows.

## 9.3 Custom Objects

| Object | Primary Purpose |
|---|---|
| Customer__c | Customer information |
| Shipment__c | Parcel and tracking information |
| Delivery_Agent__c | Delivery agent information |
| Branch__c | Branch office information |
| Delivery_Update__c | Shipment status history |
| Invoice__c | Billing information |

T




hese objects form the database foundation of the CMS.

# 10. CUSTOM OBJECTS AND TABS


## 10.1 Object Configuration Summary

| Object | Record Name | Key Configuration |
|---|---|---|
| Customer | Customer Name (Text) | Reports, field history, search, notes/attachments |
| Shipment | Tracking Number (Auto Number) | Format SHP-{00000}; reports and field history |
| Delivery Agent | Agent Name (Text) | Reports and field history |
| Branch | Branch Name (Text) | Reports |
| Delivery Update | Update Number (Auto Number) | Format UPD-{0000}; reports and field history |
| Invoice | Invoice Number (Auto Number) | Format INV-{0000}; reports and field history |

## 10.2 Custom Tabs

The project creates custom tabs for Customer, Shipment, Delivery Agent, Branch, Delivery Update and Invoice. The supplied procedure uses Setup → Tabs → Custom Object Tabs → New, followed by selecting the object and a tab style.

These tabs make the custom objects directly accessible from the Lightning application and support daily navigation.




# 11. CUSTOMER AND SHIPMENT FIELDS

## 11.1 Customer Fields


| Field | API Name | Type | Required |
|---|---|---|---|
| Customer Name | Name | Text | Yes |
| Email | Email__c | Email | Yes |
| Phone | Phone__c | Phone | Yes |
| Address | Address__c | Text Area | Yes |
| Customer Type | Customer_Type__c | Picklist | Yes |
| City | City__c | Text | No |
| State | State__c | Text | No |
| Pincode | Pincode__c | Text | No |
| Is Active | Is_Active__c | Checkbox | No |

Customer Type values are Regular and Business. The source also specifies Email, Phone and Address as required fields.



## 11.2 Shipment Fields

| Field | Type | Required |
|---|---|---|
| Tracking Number | Auto Number | Yes |
| Customer | Lookup(Customer) | Yes |
| Source Address | Text Area | Yes |
| Destination Address | Text Area | Yes |
| Weight | Number | Yes |
| Price | Currency | Yes |
| Status | Picklist | Yes |
| Expected Date | Date | Yes |
| Assigned Agent | Lookup(Delivery Agent) | No |
| Shipment Type | Picklist | Yes |
| | | |



## 12.1 Delivery Agent

| Field | API Name | Type | Required |
|---|---|---|---|
| Agent Name | Name | Text | Yes |
| Email | Email__c | Email | Yes |
| Phone | Phone__c | Phone | Yes |
| Branch | Branch__c | Lookup | Yes |
| Status | Status__c | Picklist | Yes |
| Joining Date | Joining_Date__c | Date | No |

Agent status values: Active, Inactive and On Leave.

## 12.2 Branch

| Field | API Name | Type | Required |
|---|---|---|---|
| Branch Name | Name | Text | Yes |
| Branch Code | Branch_Code__c | Text | Yes |
| City | City__c | Text | Yes |
| State | State__c | Text | Yes |
| Manager Name | Manager_Name__c | Text | No |

## 12.3 Delivery Update and Invoice

| Object | Important Fields |
|---|---|
| Delivery Update | Update Number, Shipment, Status, Update Date, Remarks |
| Invoice | Invoice Number, Shipment, Amount, Invoice Date, Payment Status |

# 13. RELATIONSHIPS AND DATA MODEL

The relationships connect the six major objects into one operational model.

| Child Object | Field | Parent Object | Relationship |
|---|---|---|---|
| Shipment | Customer__c | Customer | Lookup |
| Shipment | Assigned_Agent__c | Delivery Agent | Lookup |
| Delivery Agent | Branch__c | Branch | Lookup |
| Delivery Update | Shipment__c | Shipment | Master-Detail |
| Invoice | Shipment__c | Shipment | Lookup |

## Relationship Interpretation

- A customer can be associated with shipments through the Customer lookup.
- A shipment can have an assigned delivery agent.
- A delivery agent is associated with a branch.
- Delivery updates are master-detail children of a shipment, allowing status history to remain connected to theshipment.
- Invoices reference shipments so billing information can be related to the delivery record.

*The model supports the customer journey from booking through delivery and billing while keeping the records connected for reporting.*

# 14. VALIDATION RULES

Validation rules check data when a record is saved. If the condition evaluates to true, Salesforce prevents the record from being saved and displays an error message.

| Object | Rule | Formula / Condition | Error |
|---|---|---|---|
| Customer | Email Required | ISBLANK(Email__c) | Email is required. |
| Customer | Phone Length | LEN(Phone__c) <> 10 | Phone number must be 10 digits. |
| Customer | Pincode Length | LEN(Pincode__c) <> 6 | Pincode must be 6 digits. |
| Shipment | Weight | Weight__c <= 0 | Weight must be greater than zero. |
| Shipment | Price | Price__c <= 0 | Price must be greater than zero. |
| Shipment | Expected Date | Expected_Date__c < TODAY() | Expected delivery date cannot be in the past. |
| Agent | Email | NOT(CONTAINS(Email__c,"@")) | Enter a valid email address. |

| | | | |
|---|---|---|---|
| Branch | Branch Code | ISBLANK(Branch_Code__c) | Branch Code is mandatory. |
| Delivery Update | Delayed Remarks | Delayed + blank Remarks | Remarks are required when status is Delayed. |

These rules improve data quality before records enter the reporting and automation processes.

# 15. PAGE LAYOUTS

Page layouts control which fields, sections, buttons and related lists users see on record pages. The source organizes each object into meaningful sections.

| Object | Sections / Main Fields |
|---|---|
| Customer | Customer Information; Address Details |
| Shipment | Shipment Details; Address Information; Delivery Information |
| Delivery Agent | Agent Details; Additional Information |
| Branch | Branch Information |
| Delivery Update | Update Information |
| Invoice | Invoice Details |

## Customer layout example

The Customer Information section contains Customer Name, Customer Type, Email, Phone and Is Active. Address Details contains Address, City, State and Pincode.

## Shipment layout example

Shipment Details contains Tracking Number, Customer, Shipment Type, Weight, Price and Status. Address Information contains Source Address and Destination Address. Delivery Information contains Expected Date and Assigned Agent.

Consistent layouts reduce user confusion and make data entry easier.

# 16. SALESFORCE FLOW AUTOMATION

## 16.1 Scenario

Whenever a Delivery_Update__c record is created, the related Shipment__c Status should automatically be updated with the latest status from the Delivery Update.

## 16.2 Flow Configuration

| Step | Configuration |
|---|---|
| Flow Type | Record-Triggered Flow |
| Object | Delivery_Update__c |
| Trigger | A record is created |
| Conditions | None – always run |
| Optimization | Actions and Related Records |
| Update Element | Update_Shipment_Status |
| Target Object | Shipment__c |
| Filter | Shipment__c Id equals {!$Record.Shipment__c} |
| Field Updated | Shipment Status |
| Value Source | {!$Record.Status__c} |

## 16.3 Result

The flow copies the status from the newly created Delivery Update to the linked Shipment. This removes the need for a separate manual update and keeps shipment status synchronized with delivery activity.

The final implementation step is to save the flow with the label Auto_Update_Shipment_Status and activate it.

# 17. LIGHTNING APPLICATION

## 17.1 Purpose of the App

A Salesforce app is a group of tabs that work together as a unit. The project creates a dedicated Courier Management System Lightning App so that users can access the courier modules from one place.

## 17.2 App Configuration

| Configuration | Value |
|---|---|
| App Type | New Lightning App |
| App Name | Courier Management System |
| Main Tabs | Customer, Shipment, Delivery Agent, Branch |
| Operational Tabs | Delivery Update, Invoice |
| Analytics Tabs | Reports, Dashboards |
| Profile | System Administrator |

### 17.3 Navigation

The application brings operational records and analytics together. A user can move from customer and shipment information to delivery updates and invoices, then access reports and dashboards for monitoring.

The source implementation creates the app through Setup → App Manager → New Lightning App, adds the required items and assigns the selected profile.

## 18. PROFILES AND SECURITY

Profiles define what users can do in Salesforce, including object permissions, field permissions, user permissions, tab settings, app settings and related access controls.

| Profile | Purpose | Main Access |
|---|---|---|
| Courier Admin | Full system control | Full access inherited from System Administrator base |
| Branch Manager | Manage branch operations | Customer, Shipment, Agent, Branch, Update and Invoice access as specified |
| Delivery Agent | Update delivery status | Shipment and Delivery Update access; limited access to other areas |
| Customer Support | Handle customers and tracking | Customer, Shipment, Delivery Update and Invoice read access as specified |

The Branch Manager profile is based on Standard Platform User and receives access to the Courier Management System App and the specified tabs. Delivery Agent and Customer Support profiles are also based on standard profiles and are configured with more limited access.

The source also specifies session and password settings for selected profiles, including a two-hour inactivity timeout and an eight-character minimum password length.

# 19. ROLES AND USERS

## 19.1 Role Hierarchy


| Level | Role | Purpose |
|---|---|---|
| 1 | Courier Admin | Highest level access to all data |
| 2 | Branch Manager | Manages branch-level operations |
| 3 | Delivery Agent | Works with assigned shipment and delivery information |
| 3 | Customer Support | Handles customer and shipment tracking |

The hierarchy places Branch Manager below Courier Admin. Delivery Agent and Customer Support are placed below Branch Manager. This structure is used to support reporting hierarchy and data visibility.

## 19.2 Users

Salesforce users are the people who log in to the system. The source specifies that each user should have a unique username, valid email, assigned role and assigned profile.

| User Type | Role | License | Profile |
|---|---|---|---|
| Courier Admin | Courier Admin | Salesforce | Courier Admin |
| Branch Manager | Branch Manager | Salesforce | Branch Manager |
| Delivery Agent | Delivery Agent | Salesforce Platform | Delivery Agent |
| Customer Support | Customer Support | Salesforce Platform | Customer Support |




# 20. REPORTS AND DASHBOARDS

Reports and dashboards provide the analytics layer of the Courier Management System. The source defines custom report types and three main reports.

## 20.1 Report Types


| Report Type | Primary Object | Label |
|---|---|---|
| Shipment | Shipment__c | Shipment Tracking Report |
| Customer | Customer__c | Customer Summary Report |
| Agent | Delivery_Agent__c | Agent Performance Report |

## 20.2 Reports

| Report | Purpose / Main Fields |
|---|---|
| Shipment Status Summary | Tracking Number, Customer, Status, Expected Date, Assigned Agent; grouped by Status with Price summary |
| Agent Performance Report | Agent Name, Branch, Number of Shipments, Status; grouped by Delivery Agent |

| | |
|---|---|
| Revenue by Branch Report | Tracking Number, Customer, Price, Invoice Status; grouped by Branch and Month |

The reports are stored in the CMS Reports folder in the supplied configuration.



# 21. DASHBOARD COMPONENTS

The Courier Management Dashboard provides a visual summary of shipment status, agent performance and revenue.

| Component | Source Report | Chart Type |
|---|---|---|
| Shipment Status Overview | Shipment Status Summary | Donut Chart |
| Agent Performance | Agent Performance Report | Bar Chart |
| Revenue by Branch | Revenue by Branch Report | Column Chart |


## Dashboard Creation

The supplied procedure creates a dashboard named Courier Management Dashboard in the CMS Reports folder. Components are added using the dashboard component option and are connected to the previously created reports.

## Dashboard Sharing

The source specifies sharing the dashboard with Courier Admin, Branch Managers and the Customer Support Team.

The dashboard therefore acts as the management-facing view of the system, while the underlying reports provide the detailed data.



# 22. FUNCTIONAL AND PERFORMANCE TESTING

The project includes testing to verify that the configured Salesforce application behaves as intended. The source states that screenshots were captured from Salesforce to verify record creation, validation-rule enforcement, delivery status updates, flow automation, invoice generation and dashboard visualization.

## 22.1 Test Areas

| Test Area | Expected Verification |
|---|---|
| Record Creation | Customer, shipment, agent, branch, update and invoice records can be created |
| Validation | Invalid or incomplete data is rejected with configured error messages |
| Relationships | Related records point to the correct parent objects |
| Flow Automation | Delivery Update creation changes related Shipment status |
| Invoice | Billing information is stored against a shipment |
| Reports | Required operational data appears in report outputs |
| Dashboard | Charts display shipment, agent and revenue information |
| Security | Profiles and roles provide the configured access boundaries |

# 23. ADVANTAGES, LIMITATIONS AND FUTURE SCOPE

## 23.1 Advantages

- Centralized data: courier information is stored within a connected Salesforce environment.
- Automated workflows: Salesforce Flow reduces repetitive manual updates.
- Real-time reporting: reports and dashboards provide operational visibility.
- Role-based access: profiles and roles separate responsibilities.
- Multi-branch readiness: the Branch object and hierarchy support branch-oriented operations.

## 23.2 Limitations

- Salesforce dependency: the solution is built on the Salesforce platform.
- Initial configuration effort: objects, fields, relationships, validation, security and reporting require setup.

## 23.3 Future Scope

- Mobile tracking application.
- GPS integration.

# 24. CONCLUSION AND LEARNING OUTCOMES

## 24.1 Conclusion

The Courier Management System digitizes courier operations using Salesforce automation. The project connects customers, shipments, delivery agents, branches, delivery updates and invoices through a structured object model. Validation rules improve data quality, while Salesforce Flow automates shipment-status synchronization.

The Lightning application provides a common interface for daily operations, and profiles and roles establish a structured access model. Reports and dashboards convert operational data into management information for shipment status, agent performance and revenue.

## 24.2 Learning Outcomes

| Learning Area | Outcome |
|---|---|
| Salesforce Setup | Create and configure a Developer org |
| Data Modeling | Design custom objects and relationships |
| UI Configuration | Create tabs, page layouts and a Lightning app |
| Validation | Implement rules for data quality |
| Automation | Build record-triggered flows |
| Security | Configure profiles, roles and users |
| Analytics | Create reports and dashboards |
| Testing | Validate end-to-end application behavior |

# 25. IMPLEMENTATION CHECKLIST AND APPENDIX

## 25.1 Implementation Checklist

- Salesforce Developer account created and activated.
- Customer, Shipment, Delivery Agent, Branch, Delivery Update and Invoice objects created.
- Custom tabs created for all major objects.
- Required fields and picklists configured.
- Lookup and master-detail relationships configured.
- Validation rules created and activated.
- Page layouts organized into logical sections.
- Auto_Update_Shipment_Status flow created and activated.
- Courier Management System Lightning App created.

- Courier Admin, Branch Manager, Delivery Agent and Customer Support profiles configured.
- Role hierarchy created.
- Required users created with roles and profiles.
- Custom report types and operational reports created.
- Courier Management Dashboard created with three components.
- Functional and performance testing completed.

## 25.2 Appendix

Source Code / Configuration: Salesforce Configuration

Dataset: Salesforce Objects

Demo / Development Environment: Salesforce Developer Org

The supplied source identifies the project implementation primarily through Salesforce configuration rather than a separate traditional source-code repository.

# 26. FINAL PROJECT SUMMARY

Courier Management System is a Salesforce-based cloud application designed to bring courier operations into a centralized platform. The project starts with business problems such as manual tracking, delayed updates, disconnected systems and limited operational analytics.

The solution addresses these issues through a connected data model consisting of Customer, Shipment, Delivery Agent, Branch, Delivery Update and Invoice objects. Lookup and master-detail relationships connect the records, while validation rules protect data quality.

Automation is provided through a record-triggered Salesforce Flow that copies a Delivery Update status to its related Shipment. A dedicated Lightning application brings the modules together for users. Profiles, roles and users establish structured access and reporting hierarchy.

Finally, custom report types, operational reports and a Courier Management Dashboard provide management visibility into shipment status, agent performance and revenue by branch.

| Area | Final Deliverable |
|---|---|
| Business Analysis | Problem statement, empathy map, customer journey and requirements |
| Design | Architecture, data model and project plan |
| Development | Custom objects, fields, relationships and layouts |
| Automation | Validation rules and shipment-status Flow |

| | |
|---|---|
| Security | Profiles, roles and users |
| Analytics | Reports and Courier Management Dashboard |
| Quality | Functional and performance testing |
| Future | Mobile, GPS, SMS and AI-based extensions |

