

Gran Boulva App Test Plan

Version: 2026-05-21

Platform target: iOS first, with cross-checks on Android and web when available

Primary goal: verify every user-facing feature, critical backend rule, and high-risk integration before release.

1. Test Strategy

Gran Boulva should be tested in four layers:

1. Smoke tests: fast checks after every build to confirm the app opens and critical paths still work.
2. Feature tests: manual and automated scenarios for every screen and core service.
3. Integration tests: Supabase RPCs, Edge Functions, storage, notifications, coins, verification, and admin workflows.
4. Release regression: full pass on a clean iOS install with real network, production-like data, and at least two user accounts.

2. Test Environments

Environment	Purpose	Required Data
Local simulator	Fast UI regression, layout, smoke tests	Seed users, matchups, arguments, coins
Physical iPhone	Real-device behavior, camera/photos, push/deep links, performance	Test accounts and Supabase test project
Supabase staging	RPC, RLS, storage, Edge Functions	Test migrations applied
Supabase production	Final release validation only	Small controlled test account set

3. Test Accounts

Create and keep these accounts available:

Account	Role	Purpose
tester_a	Normal user, Male	Signup, vote, argue, boost own argument
tester_b	Normal user, Female	Follow, support arguments, default female avatar

Account	Role	Purpose
<code>creator_1</code>	Creator-eligible user	Creator dashboard and revenue checks
<code>verified_pending</code>	User with pending verification	Verification review checks
<code>admin_1</code>	Admin	Admin dashboard, reports, verification approval
<code>low_coin_user</code>	Normal user with 0-5 coins	Insufficient balance checks

4. Pre-Release Entry Criteria

- `flutter analyze` passes.
- `scripts/test_fast.sh` passes.
- Latest Supabase migrations are pushed to staging.
- App launches on the current iOS simulator and one physical iPhone.
- Test accounts can sign in.
- Staging storage buckets exist: `avatars`, `verification-documents`.
- Edge Functions used by the app are deployed or fallback RPCs are confirmed.

5. Smoke Test Checklist

Run this after every meaningful change.

ID	Area	Steps	Expected Result
SM-01	Launch	Fresh install, open app	Splash appears, then onboarding or home based on auth state
SM-02	Login	Sign in as <code>tester_a</code>	User reaches home with bottom navigation
SM-03	Home	Scroll home feed	Matchup cards load, images/icons render, no crash
SM-04	Matchup	Open a matchup	Detail page loads with 56px top bar and matching back button style

ID	Area	Steps	Expected Result
SM-05	Vote	Vote on a matchup	Vote persists and arguments unlock
SM-06	Argument	Post an argument	Argument appears under the selected option
SM-07	Profile	Open profile tab	User info, stats, badges section, and avatar render correctly
SM-08	Menu	Open menu tab	Menu items and nav icon states render correctly
SM-09	Notifications	Open notifications	List loads or empty state appears
SM-10	Logout	Log out from settings/menu	Session clears and app returns to login/onboarding

6. Authentication and Onboarding

ID	Scenario	Steps	Expected Result
AUTH-01	First launch onboarding	Install app fresh and open	Onboarding appears before auth-only routes
AUTH-02	Create account required fields	Attempt signup without required fields	Form blocks submission with clear errors
AUTH-03	Create account success	Enter full name, username, email, password, required sex, required date of birth, optional country and phone	Account and profile are created
AUTH-04	Username availability	Try an existing username	App rejects duplicate username

ID	Scenario	Steps	Expected Result
AUTH-05	Male default avatar	Create Male account without photo	Profile/home/menu show <code>default_male.png</code>
AUTH-06	Female default avatar	Create Female account without photo	Profile/home/menu show <code>default_female.png</code>
AUTH-07	Login success	Sign in with valid credentials	Home opens and session persists after restart
AUTH-08	Login failure	Sign in with wrong password	Error appears, no session starts
AUTH-09	Forgot password	Submit valid email	Reset request is accepted
AUTH-10	Logout	Log out	Auth session is cleared; protected routes redirect away

7. Navigation and Layout

ID	Scenario	Steps	Expected Result
NAV-01	Bottom nav icons	Tap Home, Notifications, Profile, Menu	Selected tab uses filled icon; unselected tabs use unfilled icon
NAV-02	Nav icon size	Compare nav icons visually	Icons are consistently sized and not clipped
NAV-03	Back button consistency	Open matchup, profile subpages, payment, boost	Back buttons match app style
NAV-04	Text overflow	Check profile About, cards, buttons on small iPhone	Text stays inside containers, two-line max where specified
NAV-05	Deep route guard	Open protected route while logged out	App redirects to login

8. Home and Matchup Feed

ID	Scenario	Steps	Expected Result
HOME-01	Recommended feed	Open home	Feed loads recommended matchups
HOME-02	Category filter	Select categories if available	Feed updates by category
HOME-03	Save matchup	Save and unsave a matchup	State persists and saved page updates
HOME-04	Matchup image	View matchup cards	Images render with fallback if missing
HOME-05	Empty state	Use an account/category with no matchups	Empty state appears without crash
HOME-06	Feed refresh	Pull to refresh or revisit home	Latest data appears

9. Matchup Detail, Voting, and Arguments

ID	Scenario	Steps	Expected Result
MAT-01	Detail load	Open matchup from feed	Title, options, stats, and action area load
MAT-02	Vote required	Open arguments before voting	Arguments are locked if vote is required
MAT-03	Submit vote	Pick option A or B and submit	Vote count updates and selection persists
MAT-04	Change vote	Change selected option	Coin rule applies and vote updates
MAT-05	Submit argument	Vote with a valid argument body	Argument is created and visible
MAT-06	Empty argument	Submit blank argument	App blocks submission
MAT-07	Own argument merge	User has own argument but hidden by voter visibility RPC	Own argument still appears
MAT-08	Argument sorting Top	Select Top Agimantasyon	Arguments sort by <code>final_score</code>

ID	Scenario	Steps	Expected Result
MAT-09	Argument sorting Boosted	Select Boosted	Only active boosted arguments appear, sorted by score
MAT-10	Argument sorting Recent	Select Recent	Newest arguments appear first
MAT-11	Following tab	Select Following	Followed users' arguments are shown or empty state appears
MAT-12	Like argument	Like another user's argument	Like count and score update
MAT-13	Remove like	Tap same reaction again	Reaction is removed
MAT-14	Reply	Add reply to argument	Reply count updates; reply appears in thread
MAT-15	Report	Report argument	Report is saved and admin can view it

10. Boost System

ID	Scenario	Steps	Expected Result
BST-01	Boost screen	Tap Boost on own argument	Boost tier screen opens
BST-02	24h boost	Buy/use 24h tier	Coins deducted, boost_expires_at extends 24h, boost score +20
BST-03	4d boost	Buy/use 4d tier	Coins deducted, expiration extends 4 days, boost score +60
BST-04	1w boost	Buy/use 1w tier	Coins deducted, expiration extends 7 days, boost score +120

ID	Scenario	Steps	Expected Result
BST-05	Free boost	Use free credit when available	Free credit decreases; no coins deducted
BST-06	Insufficient coins	Try boost with low balance	Clear insufficient balance error
BST-07	Own argument rule	Try boosting another user's argument	App/backend blocks action
BST-08	Visual state	Return to matchup detail	Boosted badge/glow appears
BST-09	Ranking effect	Compare Top tab before/after boost	Boosted argument moves according to formula but not guaranteed first
BST-10	Expired boost	Use test data with expired boost	Badge disappears and boost score returns to 0

11. Boulva Coins and Economy

ID	Scenario	Steps	Expected Result
COIN-01	Balance display	Open coin store/menu/profile	Balance is consistent across screens
COIN-02	Daily claim	Claim daily coins	Balance increases and claim state updates
COIN-03	Daily duplicate	Claim again same day	App blocks duplicate claim
COIN-04	Coin packs	Open coin store	Packs and prices render from config/fallback
COIN-05	Purchase flow	Start purchase	Payment screen opens with selected pack
COIN-06	Purchase success	Complete test purchase or mock confirmation	Balance and transaction history update

ID	Scenario	Steps	Expected Result
COIN-07	Purchase failure	Cancel or fail payment	No balance change; clear error
COIN-08	Transaction history	Open recent transactions	Transactions are ordered newest first
COIN-09	Support argument	Support another user's argument with 10/25/50/100 coins	Coins deducted; argument support count/coins increase
COIN-10	Self support	Try supporting own argument	Backend rejects
COIN-11	Low balance support	Support with insufficient balance	Clear error, no count change
COIN-12	Transfer coins	Send coins to another user	Amount plus fee deducted; receiver balance increases
COIN-13	Transfer fee	Send 100 coins	Sender pays 110 if fee is 10; receiver gets 100
COIN-14	Gift/feed	Public gift/support feed if enabled	Event appears with correct sender/receiver data

12. Badge System

ID	Scenario	Steps	Expected Result
BADGE-01	Badge list	Open badges page	Badge names and icons load
BADGE-02	Profile badges	Open profile with no earned badges	No unearned badge icons appear
BADGE-03	Top Votè	Generate vote badge progress	Top Votè uses topvotè.png
BADGE-04	San Kanpe	Claim daily or hot streak progress	San Kanpe uses sankanpe.png

ID	Scenario	Steps	Expected Result
BADGE-05	Gran Debatè	Create argument/reply progress	Gran Debatè uses grandebatè.png
BADGE-06	Konsistan	Trigger consistent activity	Konsistan uses konsistan.png
BADGE-07	Gran Sipòtè	Support/gifting progress	Gran Sipòtè uses sipote.png
BADGE-08	Level-up notification	Cross a badge threshold	Notification is created once per level

13. Profile and Social Graph

ID	Scenario	Steps	Expected Result
PROF-01	My profile	Open profile tab	Avatar, username, About, stats, badges load
PROF-02	About limit	Set long About text	Profile truncates to two lines without overflow
PROF-03	Stats	Check Enfliyans, Patisipasyon, Viktwa, Abònen	Values and icons render correctly
PROF-04	Estatistik mwen	Open statistics	Vòt total, victory, comment, clock, boost stats are correct
PROF-05	Followers/following	Follow from public profile	Counts update on both profiles
PROF-06	Public profile	Open <code>/user/:username</code>	Public profile loads or shows not found
PROF-07	Avatar upload	Upload/crop profile photo	New avatar appears across home, menu, profile
PROF-08	Personal info	Edit name, country, phone, About	Changes save and persist

ID	Scenario	Steps	Expected Result
PROF-09	Top voices	Open top voices	Ranked voices load with influence data

14. Verification System

ID	Scenario	Steps	Expected Result
VER-01	Request form	Open verification request	Form loads current verification status
VER-02	Required fields	Submit empty request	Required validation appears
VER-03	Document upload	Upload document/photo proof	File uploads to private bucket and row is created
VER-04	Submit request	Submit valid request	Request status becomes pending
VER-05	Duplicate pending	Submit while pending	App prevents duplicate or updates gracefully
VER-06	Admin view	Admin opens verification tab	Pending requests and documents appear
VER-07	Signed document URL	Admin opens document	Temporary signed URL opens file
VER-08	Approve	Admin approves request	User verification fields update and notification is sent
VER-09	Reject	Admin rejects with reason	Request rejected, user notified
VER-10	Revoke	Admin revokes approved verification	Badge/status removed and audit data updates

15. Notifications

ID	Scenario	Steps	Expected Result
NOTIF-01	Notification list	Open notifications tab	Notifications load newest first
NOTIF-02	Unread count	Trigger notification	Nav/menu count updates
NOTIF-03	Mark one read	Tap a notification	It becomes read
NOTIF-04	Mark all read	Use mark all read action	All unread notifications become read
NOTIF-05	Notification icons	Inspect pages using notification icon	<code>notification_unifilled.png</code> or expected asset appears
NOTIF-06	Related navigation	Tap boost/support/badge notification	App opens relevant screen when route is supported

16. Predictions

ID	Scenario	Steps	Expected Result
PRED-01	Feed	Open predictions tab	Prediction cards load
PRED-02	Detail	Open prediction	Detail and options load
PRED-03	Vote prediction	Select option	Vote is saved and count updates
PRED-04	Duplicate vote	Vote again if not allowed	App/backend blocks duplicate
PRED-05	Admin create prediction	Admin creates prediction	Prediction appears in feed

17. Creator Dashboard and Revenue

ID	Scenario	Steps	Expected Result
CR-01	Dashboard load	Open creator dashboard	Creator tier, wallet, revenue, and stats load
CR-02	Tier refresh	Trigger refresh tier	Tier recalculates from creator score

ID	Scenario	Steps	Expected Result
CR-03	Revenue events	Support/boost-related event occurs	Revenue event appears when eligible
CR-04	Payout request	Request payout with valid amount	Payout row is created
CR-05	Invalid payout	Request below minimum or over balance	App blocks request

18. Admin Dashboard

ID	Scenario	Steps	Expected Result
ADM-01	Admin access	Open admin route as admin	Dashboard opens
ADM-02	Non-admin access	Open admin route as normal user	Access is blocked
ADM-03	Matchups list	Open matchups admin tab	Matchups load
ADM-04	Create matchup	Create matchup with category and two options	Matchup and options are saved
ADM-05	Publish/unpublish	Toggle publish state	Matchup visibility updates
ADM-06	Reports	Open pending reports	Reports load with related data
ADM-07	AI drafts	Approve/reject draft if data exists	Edge Function updates draft state
ADM-08	Categories	Add category	Category appears in app filters
ADM-09	Run trend scan	Trigger scan	Edge Function runs or returns controlled error

19. Settings, Security, Help, and Recovery

ID	Scenario	Steps	Expected Result
SET-01	Settings list	Open settings	Items render and navigate
SET-02	Notification settings	Toggle notification preferences	State persists or controlled placeholder is shown
SET-03	Security page	Open security	Password/session options render
SET-04	Password reset	Submit reset email	Supabase reset flow starts
SET-05	Help page	Open help	FAQ/help content renders
SET-06	Recovery	Test app after force close/network drop	Session recovers or redirects cleanly

20. Saved Items and Recent Activity

ID	Scenario	Steps	Expected Result
SAVE-01	Save matchup	Save from card/detail	Item appears in saved page
SAVE-02	Unsave matchup	Remove saved item	Item disappears
ACT-01	Recent activity	Open recent activity	Vote, debate/comment, and badge activities use expected icons
ACT-02	Empty activity	Account with no activity	Empty state appears

21. Recommendation and Analytics Signals

ID	Scenario	Steps	Expected Result
REC-01	View signal	Open matchup	<code>matchup_view</code> event records without blocking UI

ID	Scenario	Steps	Expected Result
REC-02	Vote signal	Vote/argue	Recommendation event records
REC-03	Boost signal	Boost argument	Boost event records
REC-04	Notification click	Tap notification	Click event records
REC-05	Fallback	Disable Edge Function in staging	App falls back to DB query/RPC where implemented

22. Media and Assets

ID	Scenario	Steps	Expected Result
ASSET-01	Navigation assets	Inspect nav tabs	Filled/unfilled icon assets display correctly
ASSET-02	Coin assets	Inspect coin store/support/profile	All coin icons use coin.png
ASSET-03	Fire assets	Inspect streak/support/active	All fire icons use fire.png
ASSET-04	Profile stat assets	Inspect profile sections	community/fire/trophy/follower/victory/vote/coin icons display
ASSET-05	Missing asset fallback	Temporarily missing optional image in staging build	App uses safe fallback or fails visibly during QA

23. iOS-Specific Test Pass

ID	Scenario	Steps	Expected Result
IOS-01	Cold launch	Kill app and relaunch	App restores expected route/session
IOS-02	Background/foreground	Background app for 2 minutes	State remains stable
IOS-03	Offline mode	Turn on airplane mode	App shows controlled errors and no crash

ID	Scenario	Steps	Expected Result
IOS-04	Slow network	Use network link conditioner if available	Loading states appear, no duplicate submissions
IOS-05	Camera/photos permission	Upload avatar/verification document	Permission prompts work and denial is handled
IOS-06	Keyboard	Fill long forms	Keyboard does not cover primary action permanently
IOS-07	Safe areas	Test notched iPhones	Headers/nav bars do not overlap system UI
IOS-08	Dynamic text	Increase text size	Critical screens remain usable

24. Security and Data Rules

ID	Scenario	Steps	Expected Result
SEC-01	RLS own data	Normal user queries another user's private data	Access is denied
SEC-02	Verification documents	Normal user opens another user's document path	Access denied; admin signed URL required
SEC-03	Coin balance integrity	Attempt duplicate support/boost taps rapidly	No negative balance or duplicate unintended spend
SEC-04	Admin-only RPC/screen	Normal user attempts admin action	Blocked by UI and backend
SEC-05	Self-support	Support own argument through UI/RPC	Rejected
SEC-06	Boost ownership	Boost another user's argument through UI/RPC	Rejected

ID	Scenario	Steps	Expected Result
SEC-07	Input sanitization	Enter long/special text in profile/argument/reply	Data saves safely and UI does not overflow

25. Performance Checks

ID	Scenario	Steps	Target
PERF-01	App launch	Measure cold launch	Usable within acceptable release target
PERF-02	Home feed load	Load home on normal network	First content appears quickly with loading state
PERF-03	Matchup detail	Open busy matchup with many arguments	Smooth scroll, no jank-heavy layout
PERF-04	Profile	Open profile with many badges/activities	No visible stalls
PERF-05	Coin/notification queries	Open transaction and notification lists	Queries return in reasonable time

26. Automation Recommendations

Automate these first:

1. Auth smoke: launch, login, logout.
2. Matchup smoke: open feed, open detail, vote, post argument.
3. Boost smoke: boost own argument with seeded coins and verify boosted state.
4. Coin support smoke: support another user's argument and verify counts.
5. Profile smoke: default avatar by gender, follower/following counts, About truncation.
6. Verification smoke: submit request with test image, admin approve in staging.
7. Admin smoke: create/publish/unpublish matchup.

Suggested tooling:

- Flutter widget tests for formatting, validation, and small UI states.

- Flutter integration tests on iOS simulator for navigation and core flows.
- Supabase SQL/RPC tests for coins, boost, support, badges, and RLS.
- A small seeded QA dataset reset script for repeatable manual testing.

27. Release Exit Criteria

- All smoke tests pass on simulator and physical iPhone.
- All P0/P1 feature tests pass.
- No known crash, auth lockout, payment/coin loss, or data exposure issue remains.
- Boost/support ranking has been verified with at least three arguments of different scores.
- Admin verification approval/rejection is verified.
- Logout and session recovery are verified.
- App has been tested from a clean install.

28. Priority Legend

Priority	Meaning
P0	Blocks release: crash, auth broken, data loss, payment/coin issue, private data leak
P1	Major feature broken or core UX unusable
P2	Important regression but workaround exists
P3	Polish, copy, visual consistency