

Cucumber Report

Oct 28, 2024, 1:28:07 PM

Start : Oct 28, 1:27:43.960 PM

End : Oct 28, 1:28:06.327 PM

Duration : 22.367 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Home Page Validation</u>	22.367 s	1	0	1	0	3	0	0	3

#	Feature Name	Scenario Name
1	<u>Home Page Validation</u>	<u>Verify the company logo</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Test	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Home Page Validation</u>	1	0	1	0	22.367 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Home Page Validation</u>	<u>Verify the company logo</u>	3	0	0	3	22.363 s

Home Page Validation

FAILED	DURATION - 22.367 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:27:43.960 PM // 1:28:06.327 PM /					

Verify the company logo

FAILED	DURATION - 22.363 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:27:43.964 PM // 1:28:06.327 PM /				
Home Page Validation				
@Test				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepDefiniton.Hooks.defineBrowser(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: chromedriver, error Command failed with code: -1073741819, executed: [--browser, chrome, --language-binding, java, --output, json] Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver</p> <p>at org.openqa.selenium.remote.service.DriverFinder.getBinaryPaths(DriverFinder.java:121) at org.openqa.selenium.remote.service.DriverFinder.getDriverPath(DriverFinder.java:55) at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72) at drivers.DriverFactory.initializeWebDriver(DriverFactory.java:30) at stepDefiniton.Hooks.defineBrowser(Hooks.java:27)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Command failed with code: -1073741819, executed: [--browser, chrome, --language-binding, java, --output, json] Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: driver.version: ChromeDriver</p> <p>at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:170) at org.openqa.selenium.manager.SeleniumManager.getBinaryPaths(SeleniumManager.java:247) at org.openqa.selenium.remote.service.DriverFinder.getBinaryPaths(DriverFinder.java:102)</p>	FAILED	22.328 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverFinder.getDriverPath(DriverFinder.java:55) at org.openqa.selenium.chrome.ChromeDriver.generateExecutor(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72) at drivers.DriverFactory.initializeWebDriver(DriverFactory.java:30) at stepDefiniton.Hooks.defineBrowser(Hooks.java:27) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:840) </pre>		

#	Step / Hook Details	Status	Duration
1	Given Admin launches the browser	SKIPPED	0.003 s
2	When Admin gives the correct LMS portal URL	SKIPPED	0.001 s
3	Then Admin should see logo on the left side	SKIPPED	0.001 s