<hr>

```
home.html
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Complaint system</title>
</head>
k rel="stylesheet" href="style.css">
<script src="script.js"></script>
<body style="background-color:black">
<br>>
<h2 style="text-align:center; color:white">WELCOME TO COMPLAINT BOX</h2>
<hr>
 <h3 style="color:pink"; text-align:center">Drop your Queries here..</h3>
 <h2>Click here...</h2>
<a href="page1.html"><h3 style="text-align:center, hover:round;color:white">USER LOGIN</h3></a>
 <a href="page2.html"><h3_style="text-align:center; hover:round_;color:white">ADMIN LOGIN</a></a></body>
</html>
page1.html
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>USER PAGE</title>
</head>
k rel="stylesheet" href="style.css">
<script src="script.js"></script>
<body style="background-color:pink">
<div><h1 style="text-align:center">USER FORM</h1></div>
<div><h1 style="text-align:center">Fill out the form</h1></div>
```

```
<div class="form-container" style="width:500px">
<form method="post" name="myform" onSubmit=validate() action="javascript:void(0)">
<label for="name">USERNAME </label>
<input type="text" id="uname" placeholder="Enter Username...">
<br><br>>
<label for="mail">EMAIL ID </label>
<input type="email" id="mail" placeholder="Enter mailId...">
<br><br>>
<label for="name">DEPARTMENT </label>
<input type="text" id="dept" placeholder="Department...">
<br><br>>
<label for="name">TYPE OF COMPLAINT </label>
<input type="text" id="ty" placeholder="Type here...">
<br><br>>
<label for="name">PRIORITY </label>
<input type="text" id="pr" placeholder="Type here...">
<br><br>>
<label for="name">DROP YOUR COMPLAINT HERE </label>
<input type="text" id="comp" placeholder="Message here...">
<br>><br>>
<button type="submit" style="color:black;background-color:pink;">SUBMIT</button>
</form>
</div>
</body>
</html>
page2.html
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>ADMIN PAGE</title>
</head>
k rel="stylesheet" href="style.css">
```

```
<script src="script.js"></script>
<script src="script.js"></script>
<body style="background-color:pink">
<div><h1 style="text-align:center">Enter credentials to view complaints</h1></div>
<div class="form-container" style="width:500px">
<form method="post" name="myform" onSubmit=validate()">
<label for="name">ADMIN </label>
<input type="text" id="uname" placeholder="Enter Username...">
<br>><br>>
<label for="pass">PASSWORD</label>
<input type="password" id="pass" placeholder="Enter password...">
<br><br>>
<button type="submit" style="color:black;background-color:pink;"onSubmit="/userServlet">SUBMIT</button>
</form>
</div>
</body>
</html>
style.css
.form-container
{
        text-align:center;
       color:pink;
        margin-left:auto;
        margin-right: auto;
        background-color:black;
        padding-top:20px;
        padding-bottom:20px;
}
.button{
        background-color:pink;
}
```

```
body
{
        text-align: center;
        color:pink;
        margin-left:auto;
        margin-right: auto;
        background-color: black;
        padding-top:20px;
        padding-bottom:20px;
}
.form
{
        text-align: center;
        color:pink;
        margin-left:auto;
        margin-right: auto;
        background-color: black;
        padding-top:20px;
        padding-bottom:20px;
}
script.js
function validate()
{
let x=document.forms["myform"];
let name=x["uname"].value;
let mail=x["mail"].value;
if(name.trim()===")
        alert("Name is Required Field!!");
        return false;
        if(mail.trim()===""){
                 alert("Email field is required!!");
```

```
return false;
       }
        if(/^[a-z@.com\s]$/.test(mail)){
                alert("enter valid mail id")
       }
else{
        alert('Welcome ${name}\n You have successfully Registered your complaints');
}
}
userservlet.java
package complaint;
import java.io.*;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import javax.servlet.ServletException;
import javax.servlet.ServletRequest;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/userServlet")
public class userServlet<box> extends HttpServlet {
        private static final long serialVersionUID = 1L;
        private ServletRequest request;
  public userServlet() {
     super();
  }
        protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
                response.getWriter().append("Served at: ").append(request.getContextPath());
```

```
String <u>n</u>=request.getParameter("uname");
        String m=request.getParameter("mail");
        String <u>d</u>=request.getParameter("dept");
        String <a href="mailto:c=request.getParameter("comp")">c=request.getParameter("comp");</a>
        }
        protected <PrepareStatement> void doPost(HttpServletRequest request, HttpServletResponse response,
Object INSERT) throws ServletException, IOException {
                try {
                         Class.forName("com.mysql,cj,jdbc");
                         Connection
con=DriverManager.getConnection("http:mysql::jdbc://localhost:3306/complaint","root","root");
                         PreparedStatement ps=con.prepareStatement("INSERT INTO box VALUES
(?,?,?,?,?,?)");
                }
                 catch(Exception e)
                {
                         e.printStackTrace();
                         System.out.println(e.getMessage());
                }
                 doGet(request, response);
        }
}
database connevtivity
```

```
mysql> create database complaint;
Query OK, 1 row affected (0.13 sec)

mysql> use complaint;
Database changed
mysql> create table box (
    -> id int,
    -> Name varchar(20),
    -> Email varchar(20),
    -> Dept varchar(20),
    -> Type varchar(30),
    -> Description varchar(50),
    -> priority varchar(20),
    -> status varchar(20));
Query OK, 0 rows affected (1.02 sec)
```

```
mysql> select * from admin;
+-----+
| username | password |
+-----+
| Admin | admin123 |
+-----+
1 row in set (0.00 sec)
```









