




Learn GitHub Today, Build Your Future Tomorrow

A Step-by-Step Guide to Real-World Team
Collaboration & Web Deployment

PRESENTED BY

Pavithra B & Ranjana Devi K


ISE 3rd year

[VS Code]

[Git]



[GitHub Pages]

[Multi-Contributor]




1

- You are in File Explorer (Windows)
- You clicked “New” → “Folder”
- You are creating a new folder



2


- The folder is named as:
html-demo-project



- Visual Studio Code (VS Code) home screen


2






File menu → “Open Folder” option selected





3


- Folder selection window
- html-demo-project is selected









- GitHub homepage
- Clicking (top right) → New repository




- Repository creation page
- Name: html-demo-project
- Description added
- Public selected
- README option turned OFF






1


- GitHub repository page (html-demo-project)
- “Quick setup” section with repo URL



2

- VS Code menu → Terminal → New Terminal






The screenshot shows the Visual Studio Code interface. On the left, the Explorer pane shows a project named 'HTML-DEMO-PROJECT' with a file 'index.html'. The main editor shows the content of 'index.html', which is an HTML document with a head section containing meta tags for charset and viewport. Below the editor, the TERMINAL pane is active, showing a series of git commands and their output in a PowerShell environment.

```
index.html > html > head
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git init
Initialized empty Git repository in C:/TURBOC3/BIN/PAVI/html-demo-project/.git/
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git add .
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git commit -m "Initial commit"
[master (root-commit) 320c066] Initial commit
1 file changed, 110 insertions(+)
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git remote add origin https://github.com/pavithraB-wec/html-demo-project.git
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git branch -M main
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 1.25 KiB | 427.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/pavithraB-wec/html-demo-project.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\TURBOC3\BIN\PAVI\html-demo-project>
```

1


- Terminal commands executed:
- git init
- git add .
- git commit
- git remote add origin
- git push
- Git initialized, add files, commit changes, connect to GitHub, and push the project successfully.



github.com/pavithraB-wec/html-demo-project

2


- Refresh the repository URL in browser



1




- GitHub repo updated
- index.html file visible
- Commit message shown

Now my HTML file is successfully uploaded to GitHub.



2

- GitHub repository page
- “Settings” option selected



1


- GitHub Settings page
- Left sidebar showing:
- General
- Collaborators (selected)
- Moderation options

2

- “Confirm access” page
- Option: Verify via email

3

- OTP (verification code) entered
- Verify button



1

- “Add people” popup


2

Friend username:
ranjanadevi1802 selected



You haven't invited any collaborators yet

Add people



Add people to html-demo-project



ranjanadevi1802



Cancel

Add ranjanadevi1802

1

Button: Add to repository

2

- Collaborators page
- Status: Pending invite
- Message: “Awaiting response”

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Models

Webhooks

Copilot

Environments

Codespaces

Collaborators and teams



Public repository

This repository is public and visible to anyone

Manage visibility

Direct access



1 entity has access to this repository. [0 collaborators](#). [1 invitation](#).

Manage access

Add people

Select all

Type

Find a collaborator...



ranjanadevi1802

Awaiting ranjanadevi1802's response

Pending Invite



< Previous Next >



@pavithraB-wec has invited you to collaborate on the [pavithraB-wec/html-demo-project](https://github.com/pavithraB-wec/html-demo-project) repository

You can [accept or decline](#) this invitation. You can also head over to <https://github.com/pavithraB-wec/html-demo-project> to check out the repository or visit [@pavithraB-wec](#) to learn a bit more about them.

This invitation will expire in 7 days.

[View invitation](#)


Note: This invitation was intended for ranjanadevi.180264@gmail.com. If you were not

2

- VS Code opened by your friend
- Terminal commands:
- `git clone https://github.com/pavithraB-wec/html-demo-project.git`
- `cd html-demo-project`
- `code .`
- “My friend clones the repository to their system and opens it in VS Code.”

1

- GitHub invitation screen
- Message: “@pavithraB-wec has invited you...”
- Button: View invitation




The screenshot shows the Visual Studio Code editor with a project named 'HTML-DEMO-PROJECT'. The Explorer sidebar shows 'about.html' and 'index.html'. The editor window displays the content of 'about.html', which is an HTML file with a container div containing two cards. The first card is for 'Contributor 2' and the second is for 'Features Demonstrated'. The terminal at the bottom shows the following commands and output:

```
PS D:\github seminar\html-demo-project> git add about.html
PS D:\github seminar\html-demo-project> git commit -m "Added about.html by contributor 2"
>> "
[main 36dcbbc] Added about.html by contributor 2
1 file changed, 97 insertions(+)
create mode 100644 about.html
PS D:\github seminar\html-demo-project> git pull origin main
From https://github.com/pavithraB-wec/html-demo-project
* branch      main      -> FETCH_HEAD
Already up to date.
PS D:\github seminar\html-demo-project> git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/pavithraB-wec/html-demo-project.git
5315185..36dcbbc  main -> main
PS D:\github seminar\html-demo-project>
```


- 1
- about.html file created and edited
 - Terminal commands:
 - git add about.html
 - git commit -m "Added about.html by contributor 2"
 - git pull origin main
 - git push origin main
 - My friend creates about.html, commits the changes, and pushes them to the repository

- 2
- GitHub repository updated
 - New file: about.html visible
 - Commit by your friend
 - The new file uploaded by my friend is now visible in the repository






1

- Contributors section
- 2 contributors:
- You
- Your friend
- GitHub tracks contributors automatically
- GitHub shows both contributors who worked on this project.”



2



- Now our project is complete with both HTML files, so we are ready to deploy it.
- click settings



1 • GitHub Settings → Pages

- 2
- Option: Deploy from a branch
 - Branch selected: main
 - Folder: / (root)

- 3
- I select the main branch and root folder, then click Save to deploy the website.




1


- GitHub repo → Deployments section
- Status: github-pages (success)
- Time: “1 minute ago”
- Our project has been successfully deployed using GitHub Pages

2


- GitHub Pages deployment details
- Live URL:
- <https://pavithrab-wec.github.io/html-demo-project/>
- GitHub provides a live link where our project is hosted



- This is the homepage created by me, showing contributor 1.



- This is the page created by my friend, showing collaboration.




1

- README.md is a file that explains what a project is and how to use it.
- It helps others understand your work easily when they open your project.
- Repository currently has NO README
- Button: Add a README
- Now I will add a README file to document the project clearly.

2

- For this demo we use chatgpt for README code but you can use other AI also which match your satisfaction.
- For README code, prompt is very important
- Better get a powerful prompt from chatgpt then use that prompt in claude or kimi etc. to write README code.



 Reset

Click on a section below to edit the contents

Title and Description

Click on a section below to add it to your readme:

Search for a section

+ Custom Section

Acknowledgements

API Reference

Appendix

Authors

Badges

Color Reference

Contributing

Demo

Deployment

Editor

Project Title

A brief description of what this project does and who it's for

Preview

Raw

Project Title

A brief description of what this project does and who it's for

Create Professional README Files

No Markdown experience needed — build it visually in minutes

Pick Sections

Choose from built-in sections: Features, Installation, Usage, Authors, Badges & more

Edit Content

Click a section to edit in the panel. Live markdown preview updates instantly

Download README

Hit Download to get your README.md — paste it directly into your GitHub repo

Sections available on readme.so

- ✓ Title & Description
- ✓ Installation
- ✓ Tech Stack
- ✓ Authors
- ✓ API Reference
- ✓ Acknowledgements
- ✓ Contributing
- ✓ Features
- ✓ Usage / Demo
- ✓ Screenshots
- ✓ Badges
- ✓ Deployment
- ✓ License
- ✓ FAQ

html-demo-project / README.md in main

Edit Preview Spaces 2 Soft wrap


```
1
2
3 [[GitHub Pages]](https://img.shields.io/badge/Live%20Demo-GitHub%20Pages-00B4D8?style=for-the-badge&logo=github&logoColor=white)]
  (https://pavithra8-wec.github.io/html-demo-project)
4 [[Contributors]](https://img.shields.io/badge/Contributors-2-065A82?style=for-the-badge&logo=github&logoColor=white)]
  (https://github.com/pavithra8-wec/html-demo-project/graphs/contributors)
5 [[HTML]](https://img.shields.io/badge/HTML5-E34F26?style=for-the-badge&logo=html5&logoColor=white)](https://github.com/pavithra8-wec/html-
  demo-project)
6 [[VS Code]](https://img.shields.io/badge/VS%20Code-007ACC?style=for-the-badge&logo=visualstudiocode&logoColor=white)]
  (https://code.visualstudio.com)
7 [[Git]](https://img.shields.io/badge/Git-F05032?style=for-the-badge&logo=git&logoColor=white)](https://git-scm.com)
8 [[Stars]](https://img.shields.io/github/stars/pavithra8-wec/html-demo-project?style=for-the-badge&color=f1c40f)]
  (https://github.com/pavithra8-wec/html-demo-project/stargazers)
9
10
11
12 ---
```


1

- paste the code
- You can editing the README.md file in your GitHub repository

2

- Then you switched to Preview mode for checking README.md format
- then click commit to save README code
- now your README is ready





The screenshot shows the Visual Studio Code editor with three tabs: 'Welcome', 'index.html', and 'Release Notes: 1.112.0'. The 'index.html' tab is active, showing a basic HTML document with the first line being `<!DOCTYPE html>`. Below the editor, the 'TERMINAL' panel is open, displaying the following commands and output:


```
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git add .
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git commit -m "Added image folder with screenshots"
[main d995308] Added image folder with screenshots
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 image/contributor1.png
create mode 100644 image/contributor2.png
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git push origin main
To https://github.com/pavithraB-wec/html-demo-project.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/pavithraB-wec/html-demo-project.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

1 Git Commit for Image Folder

- Command used:
- `git add .`
- `git commit -m "Added image folder with screenshots"`
- Images are prepared to be uploaded.

2 Push Error Occurred

- Error: "rejected (fetch first)"
- Reason: Remote repo has new changes (from collaborator).



The screenshot shows the Visual Studio Code interface with the Explorer sidebar on the left displaying the file structure of 'HTML-DEMO-PROJECT'. The main editor area shows the 'index.html' file. The bottom panel contains a terminal window with the following commands and output:

```
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git add .
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git commit -m "Added image folder with screenshots"
[main d995308] Added image folder with screenshots
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 image/contributor1.png
create mode 100644 image/contributor2.png
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git push origin main
To https://github.com/pavithraB-wec/html-demo-project.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/pavithraB-wec/html-demo-project.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git pull origin main --rebase
remote: Enumerating objects: 18, done.
remote: Counting objects: 100% (18/18), done.
remote: Compressing objects: 100% (16/16), done.
remote: Total 16 (delta 3), reused 2 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (16/16), 9.07 KiB | 79.00 KiB/s, done.
From https://github.com/pavithraB-wec/html-demo-project
* branch          main          -> FETCH_HEAD
320c066..2f074a0  main          -> origin/main
Successfully rebased and updated refs/heads/main.
PS C:\TURBOC3\BIN\PAVI\html-demo-project> git push origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 153.15 KiB | 825.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

Fix Using Git Pull

- Command used:
- `git pull origin main --rebase`
- This updates local project with latest changes.

Successful Push

- Command:
- `git push origin main`
- Image folder is successfully uploaded to GitHub.





Image Folder Visible in GitHub

- Now repo shows:
 - image/ folder
 - contributor images
- Confirms upload success.




1

So now get the readme code from chatgpt for to add screenshot images in your existing README.md file.

2

Edit the existing readme code



```
1 ## 🚀 Project Screenshots
2
3 ### 👤 Contributor 1 Page
4 ![Contributor 1](image/contributor1.png)
5
6 ---
7
8 ### 👤 Contributor 2 Page
9 ![Contributor 2](image/contributor2.png)
10
11 ---
12
13 [[GitHub Pages](https://img.shields.io/badge/Live%20Demo-GitHub%20Pages-00B4D8?style=for-the-badge&logo=github&logoColor=white)]
```

1


Markdown code added:

- ![Contributor 1]
(image/contributor1.png)
- ![Contributor 2]
(image/contributor2.png)
- This links images from the folder.

2

Preview of README

- Switched to Preview tab
- Images are displayed correctly in README.



Commit changes

Commit message

Update README.md in image

Extended description

Add an optional extended description...

☒ Commit directly to the main branch


☐ Create a new branch for this commit and start a pull request [Learn more about pull requests](#)

Cancel

Commit changes

Created by Pavi

- Commit README Changes**
 - Commit message:**
 - “Update README.md in image”**
 - Changes saved to repository.**



- README shows:**
 - Project screenshots**
 - Contributor pages**
 - Images appear visually in GitHub.**

← → ↻ 🔍 github.com/pavithraB-wec/html-demo-project/commits/main/ ⌵ ☆ P School ⋮

Commits

🔑 main ▾ 🔍 All users ▾ 📅 All time ▾

🔗 Commits on Mar 22, 2026

Update README.md in image

 pavithraB-wec authored 1 minute ago · ✓ 3 / 3

Verified 39f3abc 📄 <>

Added image folder with screenshots

 pavithraB-wec committed 5 minutes ago · ✓ 3 / 3

d2690f6 📄 <>

🔗 Commits on Mar 21, 2026

Create README.md

 pavithraB-wec authored 15 hours ago · ✓ 3 / 3

Verified 2f074a0 📄 <>

index.html (uploaded by contributor 1)

 pavithraB-wec authored 18 hours ago · ✓ 3 / 3

Verified e3d2f24 📄 <>

Added about.html by contributor 2

 ranjanadevi1802 committed yesterday · ✓ 3 / 3

36dcbbc 📄 <>

Delete about.html

 ranjanadevi1802 authored yesterday

Verified 5315185 📄 <>

Modify contributor details in about.html

 ranjanadevi1802 authored yesterday

Verified 4ef79cf 📄 <>

Activate Windows
Go to Settings to activate Windows.

- Commit History Updated
- GitHub shows new commits:
- Image folder added
- README updated

Demo repo link:

<https://github.com/pavithraB-wec/html-demo-project>

Use of [readme.so](#) :

- readme.so helps you easily create professional README files using ready-made templates and sections.
- It saves time by letting you add badges, images, and content without writing complex Markdown code.

Use of Rate, Audit, and Fix commands in Chatgpt or Claude :

- **Rate:** Evaluates your repo/README and gives a score based on quality, clarity, and best practices.
- **Audit:** Analyzes in detail to find issues, missing sections, and improvements needed.
- **Fix:** Automatically suggests or generates corrected/improved README or repo content.

Installing & Setting Up Git

Install Git

- Go to: <https://git-scm.com>
- Download Git for your system (Windows/Mac/Linux)
- Run installer → Click Next → Install

Configure Git (First Time Setup)

Open terminal and type:

```
git config --global user.name "Your Name"
```

```
git config --global user.email "your@email.com"
```

Verify Installation

```
git --version
```


Overview of Git & GitHub


Git is a tool that helps you track changes in your code and go back to older versions anytime. GitHub is a website where you can store your code online, share it, and work with others.

Features

- **Version Control (Git):** Keeps history of all changes
- **Merge:** Combines changes from different people or branches into one project
- **Branching:** Work on new features without affecting main code
- **Collaboration (GitHub):** Many people can work on one project
- **Backup:** Code is safely stored online
- **GitHub Pages:** Host your website for free
- **Repositories:** Projects are stored in folders called repos
- **Pull Requests:** Request to add your changes to the main project
- **Issues:** Track bugs and tasks
- **Star & Fork:** Save and copy others' projects
- **Security:** Keeps your code safe with access control

Short Line:

“Git tracks and manages changes, while GitHub helps people collaborate, share, and build projects together.”



1 **Deleting the .git folder removes Git tracking and project history.**

- It makes the project a normal folder without connection to GitHub.

- Using File Explorer

- Steps:


- Open File Explorer

- Go to:

- C:\TURBOC3\BIN\PAVI\html-demo-project

- Click View → Show → Hidden items

2 **You will see a folder named: .git**
Right-click → Delete
.git folder stores all Git data, and deleting it resets the project completely.



THANK YOU
JUNIORS