Status	Finished
Started	Thursday, 8 October 2026, 6:54 PM
Completed	Thursday, 8 October 2026, 7:07 PM
Duration	12 mins 14 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The encoding format of the file ✓
c. The size of the file
d. The mode of the file

The correct answer is: The encoding format of the file

Question **2**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓
False

The correct answer is 'True'.

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the file and returns it as a dictionary
b. It reads a single line from the file
c. It reads the entire file and returns it as a string
d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines

Question **4**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open("c:\\scores.txt", "w") ✓

b. outfile = open(file = "c:\\scores.txt", "w")

c. outfile = open("c:\scores.txt", "w")

d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

a. ftell()

b. seek() ✓

c. fseek()

d. tell()

The correct answer is: seek()

Question **6**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+

b. r

c. rw+ ✓

d. ab+

The correct answer is: rw+

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. a
b. r
c. r+ ✓
d. w

The correct answer is: r+

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readlines()
b. readchar()
c. readline()
d. read(size) ✓

The correct answer is: read(size)

Question **9**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")
b. outfile = open("c:\\scores.txt", "a") ✓
c. outfile = open(file = "c:\\scores.txt", "w")
d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **10**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The encoding of the file
b. The access mode of the file
c. The file's read/write position
d. The buffer size for the file operations ✓

The correct answer is: The buffer size for the file operations

Question **11**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's current position at the offset ✓
b. sets the file's previous position at the offset
c. sets the file's current position within the file
d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **12**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position
b. move the file pointer five characters ahead from the current position ✓
c. moves the file pointer to the end of a file
d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **13**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

- a. Read ✓
- b. Binary
- c. Append
- d. Write

The correct answer is: Read

Question **14**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. 0 ✓
- b. 2
- c. garbage
- d. null
- e. 1

The correct answer is:
0

Question **15**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

- a. The size of the file
- b. The current position of the file cursor
- c. The name of the file
- d. The access mode in which the file was opened ✓

The correct answer is: The access mode in which the file was opened