Status	Finished
Started	Thursday, 8 October 2026, 5:46 PM
Completed	Thursday, 8 October 2026, 6:05 PM
Duration	18 mins 47 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. {'b': [2], 'a': [3]}

b. Error

c. {'b': [2], 'a': 1}

d. {'b': [2, 3, 4], 'a': 1} ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. delete
b. None of the mentioned
c. pop ✓
d. remove

Question **4**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.values)
b. print(A.keys)
c. print(A.Items) ✓
d. print(A.get)

Question **5**

Incorrect

Mark 0.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = [ ]
b. d1 = { }
c. d1 = dict{ } ✗
d. d1 =

Question **6**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.
b. A dictionary can have two same keys or same values but cannot have two same key-value pair
c. A dictionary can have two same values with different keys. ✓
d. A python, a dictionary can neither have two same keys nor two same values.

Question **7**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

a. False
b. True ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dictionary
b. dict ✓
c. create
d. convert

Question **9**

Correct

Mark 1.00 out of 1.00

Dictionaries in python are _____.

a. Both Mutable data type and Mapping data type ✓
b. Non-Mutable data type
c. Mapping data type
d. Mutable data type

Question **10**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

a. mutable
b. unique ✓
c. antique
d. integers

Question **11**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

- a. Mapping ✓
- b. Sequence
- c. Ordered
- d. None of the mentioned

Question **12**

Incorrect

Mark 0.00 out of 1.00

We can repeat the values of Key in Dictionary?

- a. True
- b. False ✗

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

- a. b and d
- b. a and c
- c. c and d
- d. a and b ✓

Question **14**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

- a. length
- b. items
- c. total
- d. len ✓

Question **15**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True ✓

b. False