

Question #1: Display the listing ID and property name for listings where the price is greater than \$5000 and located in San Francisco.

```
1 SELECT
2     l.listing_ID,
3     l.property_name,
4     l.price
5 FROM Listing l
6 JOIN Neighbourhood n ON l.neighbourhood_id = n.neighbourhood_id
7 JOIN City c ON n.city_ID = c.city_ID
8 WHERE l.price > 5000
9     AND c.city_name = 'San Francisco';
```

100% 37:9

Result Grid Filter Rows: Search Export:

listing_ID	property_name	price
48512663	1Bed: Perfect for WFH & being in mission & bernal	5268
36002932	Hotel Vertigo, Deluxe Double Double	10000
1582281637376332588	City View	5136
28047393	Large Modern Castro View Home	17308
35899798	Modern Castro View Home	17213
54020696	Ultra Swanky Designer Home	7133
37909467	Pacific Heights Gem	5950
997075462773350014	Luxe 4BR/6BA Pac Heights Grand Home w Speakeasy	5920
35195461	Grant Plaza Hotel, 465 Grant Ave. San Francisco.	99999
36002747	Hotel Vertigo, Deluxe Queen	10000
1275621657441158881	Bar-driven restaurant serves rustic Italian fare	9999
36148137	The Americania Hotel, Superior Double Double	10000
36148199	The Americania Hotel, Superior King	10000

The really high values from \$10,000 to \$99,999 indicate that either the properties are very exclusive or placeholders set by the hosts to block calendars. However, certain values are located in some of SF's most affluent, high-elevation neighbourhoods, such as Pacific Heights and Castro/Upper Market.

Question #2: How many Airbnb listings are available in Los Angeles, San Diego, and San Francisco?

```
1  SELECT
2      c.city_name,
3      COUNT(l.listing_ID) AS total_listings
4  FROM City c
5  JOIN Neighbourhood n
6      ON c.city_ID = n.city_ID
7  JOIN Listing l
8      ON n.neighbourhood_id = l.neighbourhood_id
9  GROUP BY c.city_ID, c.city_name
10 ORDER BY total_listings DESC;
```

100% 30:10

Result Grid Filter Rows: Search Export:

	city_name	total_listin...	
	Los Angeles	43932	
	San Diego	13273	
	San Francisco	7422	

While this might seem like a very basic query, it was run to make sure that the data was process and imported correctly. In addition, the values might be less than the original csv files since our Python file also cleaned up any possible duplicate id numbers from the files. However, these values are the exact same as the original number of listings.

Question #3: How many properties across all 3 cities have at least 1300 reviews?

```
1 SELECT l.listing_ID, l.property_name
2 FROM Listing l
3 WHERE EXISTS (
4     SELECT 1
5     FROM Review r
6     JOIN Listing l2 ON l2.listing_ID = r.listing_ID
7     WHERE l2.listing_ID = l.listing_ID
8     GROUP BY l2.listing_ID
9     HAVING COUNT(r.review_ID) >= 1300
10 );
```

100% 3:10

Result Grid Filter Rows: Search Export:

	listing_ID	property_name	
	1990543	Historic Bungalow	
	4464347	Female 4 Bed Dormitory at Social SF Hostel	
	6527658	Private Loft In Hollywood Hills (by Universal)	
	18278425	One bedroom Guest Home- Private Entrance, Near LAX	
	18278857	Two bedroom Guest Home- Private Entrance, Near LAX	
	21234077	5 min to LAX, Private Entrance, Studio Apartment	
	22215734	Guest Suite, Private Ent., 5 min LAX, Westchester	
	35642179	Grant Plaza Hotel, Standard Double	
	42409434	The Burlington Hotel	
	561489475078914207	Stay in the heart of SF! Free parking. KN	
	808033005728294337	At Mine Gaslamp suite in San Diego	
	808798275080007348	At Mine Spacious Suite in the Gaslamp Quarter	
	808814447273523115	At Mine Central Suite in the Gaslamp Quarter	
	1101502039846947341	The Biltmore Los Angeles, Deluxe king	
	1107987652230370005	STILE DTLA King Room with Pool Access	

This query will return listings with at least 1300 reviews. Extreme values indicate extreme emotions, so these properties can either be very popular and have exceptional hosts or be a terrible property and have negligent hosts.

Question #4: Identify hosts who have listings in San Francisco, but not in the Los Angeles or San Diego.

```
1 SELECT
2     h.host_ID,
3     h.host_name
4 FROM Host h
5 WHERE h.host_ID IN (
6     SELECT l.host_ID
7     FROM Listing l
8     JOIN Neighbourhood n ON l.neighbourhood_id = n.neighbourhood_id
9     WHERE n.city_ID = 3
10    AND l.host_ID IS NOT NULL
11 )
12 AND h.host_ID NOT IN (
13     SELECT l.host_ID
14     FROM Listing l
15     JOIN Neighbourhood n ON l.neighbourhood_id = n.neighbourhood_id
16     WHERE (n.city_ID = 1 OR n.city_ID = 2)
17    AND l.host_ID IS NOT NULL
18 )
19 ORDER BY h.host_ID;
```

100% 20:19

Result Grid Filter Rows: Search Export:

host_ID	host_name
1169	Holly
2766	Jenny
3874	Ben
8904	Philip Jonathon
10135	Jason
10569	Lisa
13116	Greg
16382	Mark

Host 31 Read Only

Action Output

	Time	Action	Response	Duration / Fetch Time
54	16:37:50	SELECT h.host_ID, h.host_name FROM Host h WHERE h.host_ID IN (SELECT l.host_ID FROM Listing l JOIN Neighbourhood n ON l.neighbourhood_id = n.neighbourhood_id WHERE n.city_ID = 3 AND l.host_ID IS NOT NULL) AND h.host_ID NOT IN (SELECT l.host_ID FROM Listing l JOIN Neighbourhood n ON l.neighbourhood_id = n.neighbourhood_id WHERE (n.city_ID = 1 OR n.city_ID = 2) AND l.host_ID IS NOT NULL) ORDER BY h.host_ID;	3423 row(s) returned	0.165 sec / 0.0012 sec

It is very common for hosts to own multiple properties across the world, but even more common for them to own multiple properties within the same state or geographic region. Based on this query, we can understand that out of 30,338 hosts (`SELECT * FROM group_project.Host;`), only 3,423 of them have properties only in San Francisco, and haven't expanded their reach into Los Angeles or San Diego.