

Console output сборки:

```
Started by user admin
Obtained Jenkinsfile from git https://github.com/pavsta2/WebAuto\_Otus
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/WebOtus
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
The recommended git tool is: git
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/WebOtus/.git #
timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/pavsta2/WebAuto\_Otus #
timeout=10
Fetching upstream changes from https://github.com/pavsta2/WebAuto\_Otus
> git --version # timeout=10
> git --version # 'git version 2.39.5'
> git fetch --tags --force --progress -- https://github.com/pavsta2/WebAuto\_Otus
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/homework_jenkins^{commit} # timeout=10
Checking out Revision d3bdbb44dfce6abcbca9a4dbda786f27d7048cd1
(refs/remotes/origin/homework_jenkins)
> git config core.sparsecheckout # timeout=10
> git checkout -f d3bdbb44dfce6abcbca9a4dbda786f27d7048cd1 # timeout=10
Commit message: "homework Jenkins commit success 11"
> git rev-list --no-walk fl3cc130f517dfc9c702ab2bcf5670f2b10817a # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Prepare .env)
[Pipeline] withCredentials
Masking supported pattern matches of $ENV_FILE
[Pipeline] {
[Pipeline] sh
+ cp **** .env
+ chmod 600 .env
+ cat .env
OPENCART_USERNAME=user
OPENCART_PASSWORD=bitnami
LOCAL_IP=10.0.2.15
OPENCART_PORT=8081
PHPADMIN_PORT=8888
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Checkout from GitHub)
[Pipeline] git
The recommended git tool is: git
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/WebOtus/.git #
timeout=10
Fetching changes from the remote Git repository
```

```

> git config remote.origin.url https://github.com/pavsta2/WebAuto\_Otus.git #
timeout=10
Fetching upstream changes from https://github.com/pavsta2/WebAuto\_Otus.git
> git --version # timeout=10
> git --version # 'git version 2.39.5'
> git fetch --tags --force --progress --
https://github.com/pavsta2/WebAuto\_Otus.git +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git rev-parse refs/remotes/origin/homework_jenkins^{commit} # timeout=10
Checking out Revision d3bdbb44dfce6abcbca9a4dbda786f27d7048cd1
(refs/remotes/origin/homework_jenkins)
> git config core.sparsecheckout # timeout=10
> git checkout -f d3bdbb44dfce6abcbca9a4dbda786f27d7048cd1 # timeout=10
> git branch -a -v --no-abbrev # timeout=10
> git branch -D homework_jenkins # timeout=10
> git checkout -b homework_jenkins d3bdbb44dfce6abcbca9a4dbda786f27d7048cd1 #
timeout=10
Commit message: "homework Jenkins commit success 11"
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build Test Image with Fresh Code)
[Pipeline] sh
+ echo Сборка образа с тестами
Сборка образа с тестами
+ /usr/bin/docker build -t autotests:latest .
#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 391B done
#1 DONE 0.1s

#2 [internal] load metadata for docker.io/library/python:3.11.13-alpine3.22
#2 DONE 1.4s

#3 [internal] load .dockerignore
#3 transferring context: 2B done
#3 DONE 0.0s

#4 [1/8] FROM docker.io/library/python:3.11.13-alpine3.22@sha256:8d8c6d3808243160605925c2a7ab2dc5c72d0e75651699b0639143613e0855b8
#4 DONE 0.0s

#5 [internal] load build context
#5 transferring context: 4.69MB 0.3s done
#5 DONE 0.3s

#6 [2/8] RUN mkdir -p /root/WebAuto_Otus
#6 CACHED

#7 [3/8] WORKDIR /root/WebAuto_Otus
#7 CACHED

#8 [4/8] COPY . /root/WebAuto_Otus
#8 DONE 2.1s

#9 [5/8] RUN mkdir -p /root/WebAuto_Otus/Logs
#9 DONE 0.9s

#10 [6/8] RUN pip install --no-cache uv &&      uv venv &&      uv pip install -r
requirements.txt
#10 12.25 Collecting uv
#10 12.56   Downloading uv-0.8.13-py3-none-musllinux_1_1_x86_64.whl.metadata (11
kB)

```

```
#10 12.63 Downloading uv-0.8.13-py3-none-musllinux_1_1_x86_64.whl (19.6 MB)
#10 16.28 

---


19.6/19.6 MB 5.7 MB/s eta 0:00:00
#10 16.57 Installing collected packages: uv
#10 18.56 Successfully installed uv-0.8.13
#10 18.56 WARNING: Running pip as the 'root' user can result in broken permissions
and conflicting behaviour with the system package manager. It is recommended to use
a virtual environment instead: https://pip.pypa.io/warnings/venv
#10 19.28
#10 19.28 [notice] A new release of pip is available: 24.0 -> 25.2
#10 19.28 [notice] To update, run: pip install --upgrade pip
#10 20.17 Using CPython 3.11.13 interpreter at: /usr/local/bin/python
#10 20.18 Creating virtual environment at: .venv
#10 21.59 Resolved 32 packages in 1.09s
#10 21.74 Downloading selenium (8.9MiB)
#10 25.35 Downloading selenium
#10 25.35 Prepared 32 packages in 3.75s
#10 25.74 Installed 32 packages in 383ms
#10 25.74 + allure-pytest==2.14.2
#10 25.74 + allure-python-commons==2.14.2
#10 25.74 + astroid==3.3.9
#10 25.74 + attrs==25.3.0
#10 25.74 + certifi==2025.1.31
#10 25.74 + dill==0.4.0
#10 25.74 + dotenv==0.9.9
#10 25.74 + execnet==2.1.1
#10 25.74 + h11==0.14.0
#10 25.74 + idna==3.10
#10 25.74 + iniconfig==2.1.0
#10 25.74 + isort==6.0.1
#10 25.74 + mccabe==0.7.0
#10 25.76 + outcome==1.3.0.post0
#10 25.76 + packaging==24.2
#10 25.76 + platformdirs==4.3.7
#10 25.76 + pluggy==1.5.0
#10 25.76 + pylint==3.3.6
#10 25.76 + pysocks==1.7.1
#10 25.76 + pytest==8.3.5
#10 25.76 + pytest-xdist==3.6.1
#10 25.76 + python-dotenv==1.1.0
#10 25.76 + selenium==4.31.0
#10 25.76 + sniffio==1.3.1
#10 25.76 + sortedcontainers==2.4.0
#10 25.76 + tomli==0.13.2
#10 25.76 + trio==0.29.0
#10 25.76 + trio-websocket==0.12.2
#10 25.76 + typing-extensions==4.13.2
#10 25.76 + urllib3==2.4.0
#10 25.76 + websocket-client==1.8.0
#10 25.76 + wsproto==1.2.0
#10 DONE 26.5s

#11 [7/8] COPY entrypoint.sh /entrypoint.sh
#11 DONE 0.2s

#12 [8/8] RUN chmod +x /entrypoint.sh
#12 DONE 0.9s

#13 exporting to image
#13 exporting layers
#13 exporting layers 4.9s done
#13 writing image
sha256:bdb54c223bd3f401108c9a08bb187b5a50692602f0add08b909ff044abe9d61f
```

```

#13 writing image
sha256:bdb54c223bd3f401108c9a08bb187b5a50692602f0add08b909ff044abe9d61f done
#13 naming to docker.io/library/autotests:latest 0.0s done
#13 DONE 5.0s
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Start Infrastructure: OpenCart & Selenoid)
[Pipeline] sh
+ echo Запуск OpenCart, БД, Selenoid и UI
Запуск OpenCart, БД, Selenoid и UI
+ docker compose -f compose.yml up -d
Container webotus-selenoid3-1 Running
Container webotus-selenoid_ui-1 Running
Container webotus-phpadmin-1 Running
Container webotus-mariadb-1 Running
Container webotus-opencart-1 Running
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Run UI Tests with Parameters)
[Pipeline] catchError
[Pipeline] {
[Pipeline] sh
+ echo === Запуск автотестов с параметрами ===
=== Запуск автотестов с параметрами ===
+ echo BROWSER: chrome
BROWSER: chrome
+ echo BROWSER VER: 128.0
BROWSER_VER: 128.0
+ echo REMOTE_URL: http://selenoid3:4444/wd/hub
REMOTE_URL: http://selenoid3:4444/wd/hub
+ mkdir -p /var/jenkins_home/workspace/WebOtus/allure-results
+ chmod -R 777 /var/jenkins_home/workspace/WebOtus/allure-results
+ docker run --rm -e BROWSER=chrome -e BROWSER_VER=128.0 -e
REMOTE_URL=http://selenoid3:4444/wd/hub -e XDIST=6 -e APP_URL=null -e
LOG_LEVEL=INFO -e ALLURE_RESULTS=/root/WebAuto_Otus/allure-results --network
selenoid3 -v jenkins_results:/root/WebAuto_Otus/allure-results autotests:latest
=== Пишем результаты в: /root/WebAuto_Otus/allure-results ===
===== test session starts =====
platform linux -- Python 3.11.13, pytest-8.3.5, pluggy-1.5.0 --
/root/WebAuto_Otus/.venv/bin/python3
cachedir: .pytest_cache
rootdir: /root/WebAuto_Otus
configfile: pytest.ini
plugins: allure-pytest-2.14.2, xdist-3.6.1
created: 6/6 workers
6 workers [54 items]

```

scheduling tests via LoadScheduling

```

tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_username_fld
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_username_fld_title
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_window_title
tests/test_cases.py::TestLoginLogoutAdministration::test_login
tests/test_cases.py::TestCurrChange::test_curr_usd_main_page
tests/test_cases.py::TestAddToCart::test_add_to_cart
[gw4] PASSED
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_username_fld_title
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_pass_fld_title
[gw5] FAILED tests/test_cases.py::TestAddToCart::test_add_to_cart
tests/test_cases.py::TestCurrChange::test_curr_euro_main_page
[gw1] PASSED
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_username_fld

```

```
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_pass_fld
[gw0] PASSED
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_window_title
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_title_auth
[gw3] PASSED tests/test_cases.py::TestCurrChange::test_curr_usd_main_page
tests/test_cases.py::TestCurrChange::test_curr_euro_catalog_page
[gw2] PASSED tests/test_cases.py::TestLoginLogoutAdministration::test_login
tests/test_cases.py::TestLoginLogoutAdministration::test_logout
[gw4] PASSED
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_pass_fld_title
tests/test_cases.py::TestCurrChange::test_curr_usd_catalog_page
[gw0] PASSED
tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_title_auth
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[password missing]
[gw1] PASSED tests/test_adm_login_page_elems.py::TestAdminLoginPage::test_pass_fld
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[lname missing]
[gw5] PASSED tests/test_cases.py::TestCurrChange::test_curr_euro_main_page
tests/test_cases.py::TestAdminSite::test_delete_product
[gw3] PASSED tests/test_cases.py::TestCurrChange::test_curr_euro_catalog_page
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[domain name missing
in email]
[gw2] PASSED tests/test_cases.py::TestLoginLogoutAdministration::test_logout
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[less than 4 char in
pass]
[gw4] PASSED tests/test_cases.py::TestCurrChange::test_curr_usd_catalog_page
tests/test_cases.py::TestAdminSite::test_add_new_product
[gw1] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[lname
missing]
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[email missing]
[gw0] PASSED
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[password missing]
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[@ missing in email]
[gw5] FAILED tests/test_cases.py::TestAdminSite::test_delete_product
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[fname missing]
[gw3] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[domain
name missing in email]
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more than 20 char in
pass]
[gw2] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[less
than 4 char in pass]
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more than 32 char in
fname]
[gw4] FAILED tests/test_cases.py::TestAdminSite::test_add_new_product
tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more than 32 char in
lname]
[gw1] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[email
missing]
tests/test_cases.py::TestRegUser::test_user_register_chbx_policy_unchecked_neg
[gw0] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[@
missing in email]
tests/test_cases.py::TestRegUser::test_user_register_same_email
[gw5] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[fname
missing]
tests/test_cases.py::TestRegUser::test_user_register_posit[fname = 1 char]
[gw2] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more
than 32 char in fname]
tests/test_cases.py::TestRegUser::test_user_register_posit[fname = 32 chars]
[gw3] FAILED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more
than 20 char in pass]
[gw4] PASSED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more
than 32 char in lname]
tests/test_cases.py::TestRegUser::test_user_register_posit[lname = 1 char]
tests/test_cases.py::TestRegUser::test_user_register_posit[lname = 32 chars]
```

```
[gw1] PASSED
tests/test_cases.py::TestRegUser::test_user_register_chbx_policy_unchecked_neg
tests/test_cases.py::TestRegUser::test_user_register_posit[password = 4 chars]
[gw5] FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[fname = 1
char]
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_window_title
[gw0] PASSED tests/test_cases.py::TestRegUser::test_user_register_same_email
tests/test_cases.py::TestRegUser::test_user_register_posit[password = 20 chars]
[gw2] FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[fname = 32
chars]
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_catalog_title
[gw5] PASSED
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_window_title
tests/test_main_page_elems.py::TestMainPage::test_window_title
[gw3] FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[lname = 1
char]
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_sort_select_field[val
id option list]
[gw5] PASSED tests/test_main_page_elems.py::TestMainPage::test_window_title
tests/test_main_page_elems.py::TestMainPage::test_header_cart_button
[gw2] PASSED
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_catalog_title
[gw4] FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[lname = 32
chars]
tests/test_main_page_elems.py::TestMainPage::test_search_field
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_show_limit_select_fie
ld[valid option list]
[gw1] FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[password =
4 chars]
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_breadcrumb_bar
[gw3] PASSED
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_sort_select_field[val
id option list]
tests/test_main_page_elems.py::TestMainPage::test_nav_bar[valid option list]
[gw0] FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[password =
20 chars]
tests/test_main_page_elems.py::TestMainPage::test_carousel_presence
[gw2] PASSED tests/test_main_page_elems.py::TestMainPage::test_search_field
tests/test_prod_card_elems.py::TestProductCard::test_like_button
[gw5] PASSED tests/test_main_page_elems.py::TestMainPage::test_header_cart_button
tests/test_prod_card_elems.py::TestProductCard::test_window_title
[gw4] PASSED
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_show_limit_select_fie
ld[valid option list]
tests/test_prod_card_elems.py::TestProductCard::test_textarea_field
[gw1] PASSED
tests/test_catal_page_elems.py::TestCatalogDesktopsPage::test_breadcrumb_bar
tests/test_prod_card_elems.py::TestProductCard::test_add_to_cart_btn
[gw3] FAILED tests/test_main_page_elems.py::TestMainPage::test_nav_bar[valid option
list]
tests/test_prod_card_elems.py::TestProductCard::test_tab_description
[gw0] PASSED tests/test_main_page_elems.py::TestMainPage::test_carousel_presence
tests/test_user_reg_page_elems.py::TestUserRegPage::test_window_title
[gw2] PASSED tests/test_prod_card_elems.py::TestProductCard::test_like_button
tests/test_user_reg_page_elems.py::TestUserRegPage::test_reg_page_title
[gw5] PASSED tests/test_prod_card_elems.py::TestProductCard::test_window_title
tests/test_user_reg_page_elems.py::TestUserRegPage::test_fname fld
[gw1] PASSED tests/test_prod_card_elems.py::TestProductCard::test_add_to_cart_btn
[gw4] FAILED tests/test_prod_card_elems.py::TestProductCard::test_textarea_field
tests/test_user_reg_page_elems.py::TestUserRegPage::test_lname fld
tests/test_user_reg_page_elems.py::TestUserRegPage::test_subscribe_chbx
[gw3] PASSED tests/test_prod_card_elems.py::TestProductCard::test_tab_description
tests/test_user_reg_page_elems.py::TestUserRegPage::test_continue_btn
```

```
[gw2] PASSED
tests/test_user_reg_page_elems.py::TestUserRegPage::test_reg_page_title
[gw0] PASSED tests/test_user_reg_page_elems.py::TestUserRegPage::test_window_title
[gw5] PASSED tests/test_user_reg_page_elems.py::TestUserRegPage::test_fname fld
[gw1] PASSED
tests/test_user_reg_page_elems.py::TestUserRegPage::test_subscribe_chbx
[gw4] PASSED tests/test_user_reg_page_elems.py::TestUserRegPage::test_lname fld
[gw3] PASSED tests/test_user_reg_page_elems.py::TestUserRegPage::test_continue_btn
```

===== FAILURES =====

TestAddToCart.test_add_to_cart
[gw5] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

```
self = <test_cases.TestAddToCart object at 0x7a54288e5b50>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="98fd213971d49bd1af6d09ad449763af")>
get_base_url = 'http://10.0.2.15:8081'
```

```
@allure.title("Проверка добавления товара в корзину")
def test_add_to_cart(self, browser, get_base_url):
    """Проверка добавления товара в корзину"""
    MainPage(browser).open(get_base_url)
    cards = MainPage(browser).get_elements(MainPage.ALL_PROD_CARDS)
> cards[-1].click()
```

tests/test_cases.py:50:

```
venv/lib/python3.11/site-packages/selenium/webdriver/remote/webelement.py:119: in
click
    self._execute(Command.CLICK_ELEMENT)
venv/lib/python3.11/site-packages/selenium/webdriver/remote/webelement.py:572: in
_execute
    return self._parent.execute(command, params)
venv/lib/python3.11/site-packages/selenium/webdriver/remote/webdriver.py:429: in
execute
    self.error_handler.check_response(response)
```

```
self = <selenium.webdriver.remote.errorhandler.ErrorHandler object at
0x7a5428883d50>
response = {'status': 400, 'value': '{"value":{"error":"element click
intercepted","message":"element click intercepted: Element is not clickable at
point (221, 1082)\n (Session info: chrome=128.0.6613.137)","stacktrace":"#0
0x60b1bf29b0ca \\u003Cunknown>\n#1 0x60b1bef672b0 \\u003Cunknown>\n#2
0x60b1befb7e6 \\u003Cunknown>\n#3 0x60b1befbb6ed \\u003Cunknown>\n#4
0x60b1befb9187 \\u003Cunknown>\n#5 0x60b1befb802c \\u003Cunknown>\n#6
0x60b1befab946 \\u003Cunknown>\n#7 0x60b1befdb902 \\u003Cunknown>\n#8
0x60b1befab2f9 \\u003Cunknown>\n#9 0x60b1befdbace \\u003Cunknown>\n#10
0x60b1beff9e26 \\u003Cunknown>\n#11 0x60b1befdb6a3 \\u003Cunknown>\n#12
0x60b1befa94f3 \\u003Cunknown>\n#13 0x60b1befaa4fe \\u003Cunknown>\n#14
0x60b1bf261d7b \\u003Cunknown>\n#15 0x60b1bf265d31 \\u003Cunknown>\n#16
0x60b1bf24dc85 \\u003Cunknown>\n#17 0x60b1bf2668a2 \\u003Cunknown>\n#18
0x60b1bf232e1f \\u003Cunknown>\n#19 0x60b1bf289e48 \\u003Cunknown>\n#20
0x60b1bf28a013 \\u003Cunknown>\n#21 0x60b1bf299ebc \\u003Cunknown>\n#22
0x7e2a5f8beac3 \\u003Cunknown>\n"}'}'}
```

```
def check_response(self, response: Dict[str, Any]) -> None:
    """Checks that a JSON response from the WebDriver does not have an
    error.
```

:Args:

- response - The JSON response from the WebDriver server as a dictionary object.

```

:Raises: If the response contains an error message.
"""
status = response.get("status", None)
if not status or status == ErrorCode.SUCCESS:
    return
value = None
message = response.get("message", "")
screen: str = response.get("screen", "")
stacktrace = None
if isinstance(status, int):
    value_json = response.get("value", None)
    if value_json and isinstance(value_json, str):
        import json

        try:
            value = json.loads(value_json)
            if len(value) == 1:
                value = value["value"]
            status = value.get("error", None)
            if not status:
                status = value.get("status", ErrorCode.UNKNOWN_ERROR)
                message = value.get("value") or value.get("message")
                if not isinstance(message, str):
                    value = message
                    message = message.get("message")
            else:
                message = value.get("message", None)
        except ValueError:
            pass

exception_class: Type[WebDriverException]
e = ErrorCode()
error_codes = [item for item in dir(e) if not item.startswith("__")]
for error_code in error_codes:
    error_info = getattr(ErrorCode, error_code)
    if isinstance(error_info, list) and status in error_info:
        exception_class = getattr(ExceptionMapping, error_code,
WebDriverException)
        break
else:
    exception_class = WebDriverException

if not value:
    value = response["value"]
if isinstance(value, str):
    raise exception_class(value)
if message == "" and "message" in value:
    message = value["message"]

screen = None # type: ignore[assignment]
if "screen" in value:
    screen = value["screen"]

stacktrace = None
st_value = value.get("stackTrace") or value.get("stacktrace")
if st_value:
    if isinstance(st_value, str):
        stacktrace = st_value.split("\n")
    else:
        stacktrace = []
        try:
            for frame in st_value:
                line = frame.get("lineNumber", "")
                file = frame.get("fileName", "<anonymous>")

```



```

        if line:
            file = f"{file}:{line}"
            meth = frame.get("methodName", "<anonymous>")
            if "className" in frame:
                meth = f"{frame['className']}.{meth}"
            msg = "    at %s (%s)"
            msg = msg % (meth, file)
            stacktrace.append(msg)
        except TypeError:
            pass
    if exception_class == UnexpectedAlertPresentException:
        alert_text = None
        if "data" in value:
            alert_text = value["data"].get("text")
        elif "alert" in value:
            alert_text = value["alert"].get("text")
        raise exception_class(message, screen, stacktrace, alert_text) # type: ignore[call-arg] # mypy is not smart enough here
> raise exception_class(message, screen, stacktrace)
E selenium.common.exceptions.ElementClickInterceptedException: Message:
element click intercepted: Element is not clickable at point (221, 1082)
E (Session info: chrome=128.0.6613.137)
E Stacktrace:
E #0 0x60b1bf29b0ca <unknown>
E #1 0x60b1bef672b0 <unknown>
E #2 0x60b1befbd7e6 <unknown>
E #3 0x60b1befbb6ed <unknown>
E #4 0x60b1befb9187 <unknown>
E #5 0x60b1befb802c <unknown>
E #6 0x60b1befab946 <unknown>
E #7 0x60b1befdb902 <unknown>
E #8 0x60b1befab2f9 <unknown>
E #9 0x60b1befdbace <unknown>
E #10 0x60b1beff9e26 <unknown>
E #11 0x60b1befdb6a3 <unknown>
E #12 0x60b1befa94f3 <unknown>
E #13 0x60b1befaa4fe <unknown>
E #14 0x60b1bf261d7b <unknown>
E #15 0x60b1bf265d31 <unknown>
E #16 0x60b1bf24dc85 <unknown>
E #17 0x60b1bf2668a2 <unknown>
E #18 0x60b1bf232e1f <unknown>
E #19 0x60b1bf289e48 <unknown>
E #20 0x60b1bf28a013 <unknown>
E #21 0x60b1bf299ebc <unknown>
E #22 0x7e2a5f8beac3 <unknown>

```

```

.venv/lib/python3.11/site-packages/selenium/webdriver/remote/errorhandler.py:232:
ElementClickInterceptedException

```

```

----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:40:48.068722
INFO      root:conftest.py:159 Browser chrome started for test test_add_to_cart
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:41:14.149214
TestAdminSite.test_delete_product
[gw5] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

```

```

self = <pages.admin_page.AdminPage object at 0x7a54285416d0>
locator = ('xpath', "//*[@class='collapse show']/*[2]")

```

```

    @allure.step("Получение объекта элемента {locator}")
    def get_element(self, locator: tuple):
        self.logger.debug('%s: Getting element %s' % (self.class_name,
str(locator)))

```

```

        try:
>         el = self.wait.until(EC.presence_of_element_located(locator),
                                message='No such element')

pages/base_page.py:27:
-----

self = <selenium.webdriver.support.wait.WebDriverWait
(session="6599c34368df6862df0bf7819f2c5b6b")>
method = <function presence_of_element_located.<locals>._predicate at
0x7a542870a200>
message = 'No such element'

def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
"") -> T:
    """Wait until the method returns a value that is not False.

    Calls the method provided with the driver as an argument until the
    return value does not evaluate to ``False``.

    Parameters:
    -----
    method: callable(WebDriver)
        - A callable object that takes a WebDriver instance as an argument.

    message: str
        - Optional message for :exc:`TimeoutException`

    Return:
    -----
    object: T
        - The result of the last call to `method`

    Raises:
    -----
    TimeoutException
        - If 'method' does not return a truthy value within the WebDriverWait
        object's timeout

    Example:
    -----
    >>> from selenium.webdriver.common.by import By
    >>> from selenium.webdriver.support.ui import WebDriverWait
    >>> from selenium.webdriver.support import expected_conditions as EC

    # Wait until an element is visible on the page
    >>> wait = WebDriverWait(driver, 10)
    >>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId"))
    >>> print(element.text)
    """
    screen = None
    stacktrace = None

    end_time = time.monotonic() + self._timeout
    while True:
        try:
            value = method(self._driver)
            if value:
                return value
        except self._ignored_exceptions as exc:
            screen = getattr(exc, "screen", None)
            stacktrace = getattr(exc, "stacktrace", None)
        if time.monotonic() > end_time:

```

```

        break
        time.sleep(self._poll)
> raise TimeoutException(message, screen, stacktrace)
E selenium.common.exceptions.TimeoutException: Message: No such element
E Stacktrace:
E #0 0x5f9f0d2240ca <unknown>
E #1 0x5f9f0cef02b0 <unknown>
E #2 0x5f9f0cf3fb22 <unknown>
E #3 0x5f9f0cf3fdcl <unknown>
E #4 0x5f9f0cf85994 <unknown>
E #5 0x5f9f0cf6492d <unknown>
E #6 0x5f9f0cf82e26 <unknown>
E #7 0x5f9f0cf646a3 <unknown>
E #8 0x5f9f0cf324f3 <unknown>
E #9 0x5f9f0cf334fe <unknown>
E #10 0x5f9f0dlead7b <unknown>
E #11 0x5f9f0dleed31 <unknown>
E #12 0x5f9f0dld6c85 <unknown>
E #13 0x5f9f0dlef8a2 <unknown>
E #14 0x5f9f0dlbbelf <unknown>
E #15 0x5f9f0d212e48 <unknown>
E #16 0x5f9f0d213013 <unknown>
E #17 0x5f9f0d222ebc <unknown>
E #18 0x7fc0dc393ac3 <unknown>

```

.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
TimeoutException

During handling of the above exception, another exception occurred:

```

self = <test_cases.TestAdminSite object at 0x7a54288f0690>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="6599c34368df6862df0bf7819f2c5b6b")>
get_auth_admin_url = 'http://10.0.2.15:8081/administration/'
get_base_url = 'http://10.0.2.15:8081'

    @allure.title("Проверка удаления продукта по имени через админку")
    def test_delete_product(self, browser, get_auth_admin_url, get_base_url):
        """Проверка удаления продукта по имени через админку - п.2.2 ДЗ №2"""
        AdmLoginPage(browser).open(get_auth_admin_url)
        AdmLoginPage(browser).login()
> AdminPage(browser).enter_products_page()

```

tests/test_cases.py:118:

```

-----
pages/admin_page.py:27: in enter_products_page
    self.click_elem(self.PRODUCTS_LINK)
pages/base_page.py:56: in click_elem
    el = self.get_element(locator)
-----

```

```

self = <pages.admin_page.AdminPage object at 0x7a54285416d0>
locator = ('xpath', "//*[@class='collapse show']/*[2]")

    @allure.step("Получение объекта элемента {locator}")
    def get_element(self, locator: tuple):
        self.logger.debug('%s: Getting element %s' % (self.class_name,
str(locator)))
        try:
            el = self.wait.until(EC.presence_of_element_located(locator),
                                message='No such element')
        except TimeoutException:
>         assert False, 'Элемент не найден'
E         AssertionError: Элемент не найден

```

```
pages/base_page.py:30: AssertionError
```

```
----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:41:57.694877
INFO      root:conftest.py:159 Browser chrome started for test test_delete_product
----- Captured log call -----
INFO      root:adm_login_page.py:23 AdmLoginPage: Login administration page
INFO      root:admin_page.py:25 AdminPage: Entering product page
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:42:37.955859
TestAdminSite.test_add_new_product
-----
[gw4] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3
```

```
self = <pages.admin_page.AdminPage object at 0x7e4652743610>
locator = ('xpath', "//*[@class='collapse show']/*[2]")
```

```
    @allure.step("Получение объекта элемента {locator}")
    def get_element(self, locator: tuple):
        self.logger.debug('%s: Getting element %s' % (self.class_name,
str(locator)))
        try:
>             el = self.wait.until(EC.presence_of_element_located(locator),
                           message='No such element')
```

```
pages/base_page.py:27:
```

```
-----
self = <selenium.webdriver.support.wait.WebDriverWait
(session="2eeb29a3c2b22778cb773e13fabalfb3")>
method = <function presence_of_element_located.<locals>._predicate at
0x7e4652513560>
message = 'No such element'
```

```
def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
"") -> T:
```

```
    """Wait until the method returns a value that is not False.
```

```
    Calls the method provided with the driver as an argument until the
    return value does not evaluate to ``False``.
```

```
    Parameters:
```

```
    -----
```

```
    method: callable(WebDriver)
```

```
        - A callable object that takes a WebDriver instance as an argument.
```

```
    message: str
```

```
        - Optional message for :exc:`TimeoutException`
```

```
    Return:
```

```
    -----
```

```
    object: T
```

```
        - The result of the last call to `method`
```

```
    Raises:
```

```
    -----
```

```
    TimeoutException
```

```
        - If 'method' does not return a truthy value within the WebDriverWait
        object's timeout
```

```
    Example:
```

```
    -----
```

```
>>> from selenium.webdriver.common.by import By
```

```
>>> from selenium.webdriver.support.ui import WebDriverWait
```

```
>>> from selenium.webdriver.support import expected_conditions as EC
```

```

# Wait until an element is visible on the page
>>> wait = WebDriverWait(driver, 10)
>>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId")))
>>> print(element.text)
"""
screen = None
stacktrace = None

end_time = time.monotonic() + self._timeout
while True:
    try:
        value = method(self._driver)
        if value:
            return value
    except self._ignored_exceptions as exc:
        screen = getattr(exc, "screen", None)
        stacktrace = getattr(exc, "stacktrace", None)
        if time.monotonic() > end_time:
            break
        time.sleep(self._poll)
    raise TimeoutException(message, screen, stacktrace)
E selenium.common.exceptions.TimeoutException: Message: No such element
E Stacktrace:
E #0 0x5799457960ca <unknown>
E #1 0x5799454622b0 <unknown>
E #2 0x5799454b1b22 <unknown>
E #3 0x5799454b1dc1 <unknown>
E #4 0x5799454f7994 <unknown>
E #5 0x5799454d692d <unknown>
E #6 0x5799454f4e26 <unknown>
E #7 0x5799454d66a3 <unknown>
E #8 0x5799454a44f3 <unknown>
E #9 0x5799454a54fe <unknown>
E #10 0x57994575cd7b <unknown>
E #11 0x579945760d31 <unknown>
E #12 0x579945748c85 <unknown>
E #13 0x5799457618a2 <unknown>
E #14 0x57994572de1f <unknown>
E #15 0x579945784e48 <unknown>
E #16 0x579945785013 <unknown>
E #17 0x579945794ebc <unknown>
E #18 0x763396c19ac3 <unknown>

```

```

.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
TimeoutException

```

During handling of the above exception, another exception occurred:

```

self = <test_cases.TestAdminSite object at 0x7e465250b510>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="2eeb29a3c2b22778cb773e13fabalfb3")>
get_auth_admin_url = 'http://10.0.2.15:8081/administration/'
get_base_url = 'http://10.0.2.15:8081'

@allure.title("Проверка добавления нового продукта через админку")
def test_add_new_product(self, browser, get_auth_admin_url, get_base_url):
    """Проверка добавления нового продукта через админку - п.2.1 ДЗ №2"""
    AdmLoginPage(browser).open(get_auth_admin_url)
    AdmLoginPage(browser).login()
> AdminPage(browser).enter_products_page()

tests/test_cases.py:101:

```

```

pages/admin_page.py:27: in enter_products_page
    self.click_elem(self.PRODUCTS_LINK)
pages/base_page.py:56: in click_elem
    el = self.get_element(locator)
-----

self = <pages.admin_page.AdminPage object at 0x7e4652743610>
locator = ('xpath', "//*[@class='collapse show']/*[2]")

    @allure.step("Получение объекта элемента {locator}")
    def get_element(self, locator: tuple):
        self.logger.debug('%s: Getting element %s' % (self.class_name,
str(locator)))
        try:
            el = self.wait.until(EC.presence_of_element_located(locator),
                                message='No such element')
        except TimeoutException:
>            assert False, 'Элемент не найден'
E            AssertionError: Элемент не найден

pages/base_page.py:30: AssertionError
----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:42:15.917949
INFO      root:conftest.py:159 Browser chrome started for test test_add_new_product
----- Captured log call -----
INFO      root:adm_login_page.py:23 AdmLoginPage: Login administration page
INFO      root:admin_page.py:25 AdminPage: Entering product page
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:42:53.755733
TestRegUser.test_user_register_valid_neg[more than 20 char in pass] _____
[gw3] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

self = <pages.usr_reg_page.UserRegPage object at 0x7e745780bc10>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
>            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')

pages/base_page.py:37:
-----

self = <selenium.webdriver.support.wait.WebDriverWait
(session="77b9ab7059ad88bce8f8837b735478e3")>
method = <function presence_of_all_elements_located.<locals>._predicate at
0x7e74577f7a60>
message = 'No such element'

    def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
    "") -> T:
        """Wait until the method returns a value that is not False.

        Calls the method provided with the driver as an argument until the
        return value does not evaluate to ``False``.

        Parameters:
        -----
        method: callable(WebDriver)
            - A callable object that takes a WebDriver instance as an argument.

```

```
message: str
    - Optional message for :exc:`TimeoutException`
```

```
Return:
```

```
-----
```

```
object: T
    - The result of the last call to `method`
```

```
Raises:
```

```
-----
```

```
TimeoutException
    - If 'method' does not return a truthy value within the WebDriverWait
      object's timeout
```

```
Example:
```

```
-----
```

```
>>> from selenium.webdriver.common.by import By
>>> from selenium.webdriver.support.ui import WebDriverWait
>>> from selenium.webdriver.support import expected_conditions as EC
```

```
# Wait until an element is visible on the page
```

```
>>> wait = WebDriverWait(driver, 10)
```

```
>>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId")))
```

```
>>> print(element.text)
```

```
"""
```

```
screen = None
```

```
stacktrace = None
```

```
end_time = time.monotonic() + self._timeout
```

```
while True:
```

```
    try:
```

```
        value = method(self._driver)
```

```
        if value:
```

```
            return value
```

```
    except self._ignored_exceptions as exc:
```

```
        screen = getattr(exc, "screen", None)
```

```
        stacktrace = getattr(exc, "stacktrace", None)
```

```
    if time.monotonic() > end_time:
```

```
        break
```

```
    time.sleep(self._poll)
```

```
> raise TimeoutException(message, screen, stacktrace)
```

```
E selenium.common.exceptions.TimeoutException: Message: No such element
```

```
.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
TimeoutException
```

During handling of the above exception, another exception occurred:

```
self = <test_cases.TestRegUser object at 0x7e74577df350>
```

```
browser = <selenium.webdriver.remote.webdriver.WebDriver
```

```
(session="77b9ab7059ad88bce8f8837b735478e3")>
```

```
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
```

```
params = ('test', 'test', 'mail733@test.ru', '123456789012345678901')
```

```
@allure.title("Негативные проверки с невалидными данными ({param_id})")
```

```
@pytest.mark.parametrize('params',
```

```
[
```

```
    ('', 'test',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=3))}@test.ru', '12345'),
```

```
    ('test', '',
```

```

k=3)))@test.ru', '12345'),
    f'mail{"".join(random.choices("123456789",
('test', 'test', '', '12345'),
('test', 'test',
    f'mail{"".join(random.choices("123456789",
k=3)))@test.ru', ''),
    ('test', 'test', 'mail', '12345'),
    ('test', 'test', 'mail@test', '12345'),
    ('test', 'test',
    f'mail{"".join(random.choices("123456789",
k=3)))@test.ru', '123'),
    ('test', 'test',
    f'mail{"".join(random.choices("123456789",
k=3)))@test.ru',
    '123456789012345678901'),
    ('testtesttesttesttesttesttesttesttesttest123',
    f'mail{"".join(random.choices("123456789",
k=3)))@test.ru', '12345'),
    ],
    ids=[
        'fname missing',
        'lname missing',
        'email missing',
        'password missing',
        '@ missing in email',
        'domain name missing in email',
        'less than 4 char in pass',
        'more than 20 char in pass',
        'more than 32 char in fname',
        'more than 32 char in lname',
    ])
def test_user_register_valid_neg(self, browser, get_user_reg_url, params):
    """Негативные проверки с невалидными данными"""
    UserRegPage(browser).open(get_user_reg_url)
    UserRegPage(browser).reg_user(
        params[0],
        params[1],
        params[2],
        params[3]
    )
    UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
> el = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)

tests/test_cases.py:184:
-----

self = <pages.usr_reg_page.UserRegPage object at 0x7e745780bc10>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')
        except TimeoutException:
>         assert False, 'Элемент не найден'
E         AssertionError: Элемент не найден

```



```

pages/base_page.py:40: AssertionError
----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:42:45.758775
INFO      root:conftest.py:159 Browser chrome started for test
test_user_register_valid_neg[more than 20 char in pass]
----- Captured log call -----
INFO      root:usr_reg_page.py:21 UserRegPage: Registrating user (first name: test,
last name: test)
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:43:44.708192
TestRegUser.test_user_register_posit[fname = 1 char]
[gw5] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

self = <test_cases.TestRegUser object at 0x7a54288f8410>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="e5a69aff76888060e338e398177c39b8")>
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
params = ('t', 'test', 'mail376963@test.ru', '12345')

    @allure.title("Позитивные проверки с валидными данными ({param_id})")
    @pytest.mark.parametrize('params',
        [
            ('t', 'test',
k=6)))@test.ru', '12345'),
            ('test', 't',
k=6)))@test.ru', '12345'),
            ('testtesttesttesttesttesttesttest', 'test',
k=6)))@test.ru', '12345'),
            ('test', 'testtesttesttesttesttesttesttesttest',
k=6)))@test.ru', '12345'),
            ('test', 'test',
k=6)))@test.ru', '1234'),
            ('test', 'test',
k=6)))@test.ru',
                '1234567890abcdefghijklmnopqrstuvwxyz'),
        ],
        ids=[
            'fname = 1 char',
            'lname = 1 char',
            'fname = 32 chars',
            'lname = 32 chars',
            'password = 4 chars',
            'password = 20 chars'
        ])
    def test_user_register_posit(self, browser, get_user_reg_url, params):
        """Позитивные проверки с валидными данными"""
        UserRegPage(browser).open(get_user_reg_url)
        UserRegPage(browser).reg_user(
            params[0],
            params[1],
            params[2],
            params[3]
        )
        UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
        els = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)
        > assert els[-1].text == 'Logout', 'Авторизация НЕ прошла с валидными
данными'

```

```
E      AssertionError: Авторизация НЕ прошла с валидными данными
E      assert 'Login' == 'Logout'
E
E      - Logout
E      + Login
```

```
tests/test_cases.py:260: AssertionError
```

```
----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:43:17.307912
INFO      root:conftest.py:159 Browser chrome started for test
test_user_register_posit[fname = 1 char]
----- Captured log call -----
INFO      root:usr_reg_page.py:21 UserRegPage: Registrating user (first name: t,
last name: test)
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:44:02.979858
TestRegUser.test_user_register_posit[fname = 32 chars]
[gw2] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3
```

```
self = <test_cases.TestRegUser object at 0x7c6357988ed0>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="45c51ee6863971a4959592cb0d679cf0")>
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
params = ('testtesttesttesttesttesttesttesttesttest', 'test', 'mail516481@test.ru',
'12345')
```

```
@allure.title("Позитивные проверки с валидными данными ({param_id})")
@pytest.mark.parametrize('params',
[
    ('t', 'test',
     f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
    ('test', 't',
     f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
    ('testtesttesttesttesttesttesttesttesttest', 'test',
     f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
    ('test', 'testtesttesttesttesttesttesttesttesttest',
     f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
    ('test', 'test',
     f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '1234'),
    ('test', 'test',
     f'mail{"".join(random.choices("123456789",
k=6))}@test.ru',
     '1234567890abcdefghijklmnopqrstuvwxyz'),
],
ids=[
    'fname = 1 char',
    'lname = 1 char',
    'fname = 32 chars',
    'lname = 32 chars',
    'password = 4 chars',
    'password = 20 chars'
])

def test_user_register_posit(self, browser, get_user_reg_url, params):
    """Позитивные проверки с валидными данными"""
    UserRegPage(browser).open(get_user_reg_url)
    UserRegPage(browser).reg_user(
        params[0],
        params[1],
        params[2],
```

```

        params[3]
    )
    UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
    els = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)
> assert els[-1].text == 'Logout', 'Авторизация НЕ прошла с валидными
данными'
E     AssertionError: Авторизация НЕ прошла с валидными данными
E     assert 'Login' == 'Logout'
E
E     - Logout
E     + Login

```

tests/test_cases.py:260: AssertionError

```

----- Captured log setup -----
INFO     root:conftest.py:127 Test is started at 2025-08-26 19:43:39.153630
INFO     root:conftest.py:159 Browser chrome started for test
test_user_register_posit[fname = 32 chars]
----- Captured log call -----
INFO     root:usr_reg_page.py:21 UserRegPage: Registrating user (first name:
testtesttesttesttesttesttesttest, last name: test)
----- Captured log teardown -----
INFO     root:conftest.py:163 Test is finished at 2025-08-26 19:44:20.613888
TestRegUser.test_user_register_posit[lname = 1 char]
[gw3] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

```

```

self = <pages.usr_reg_page.UserRegPage object at 0x7e74576bdbd0>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

```

```

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
>         els = self.wait.until(EC.presence_of_all_elements_located(locator),
            message='No such element')

```

pages/base_page.py:37:

```

-----
self = <selenium.webdriver.support.wait.WebDriverWait
(session="fb121b67ed910e22433959f1720f2c48")>
method = <function presence_of_all_elements_located.<locals>._predicate at
0x7e74575ea480>
message = 'No such element'

```

```

def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
"") -> T:
    """Wait until the method returns a value that is not False.

    Calls the method provided with the driver as an argument until the
    return value does not evaluate to ``False``.

    Parameters:
    -----
    method: callable(WebDriver)
        - A callable object that takes a WebDriver instance as an argument.

    message: str
        - Optional message for :exc:`TimeoutException`

    Return:
    -----
    object: T
        - The result of the last call to `method`

```

Raises:

TimeoutException

- If 'method' does not return a truthy value within the WebDriverWait object's timeout

Example:

```
>>> from selenium.webdriver.common.by import By
>>> from selenium.webdriver.support.ui import WebDriverWait
>>> from selenium.webdriver.support import expected_conditions as EC
```

```
# Wait until an element is visible on the page
```

```
>>> wait = WebDriverWait(driver, 10)
```

```
>>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId")))
```

```
>>> print(element.text)
```

```
"""
```

```
screen = None
```

```
stacktrace = None
```

```
end_time = time.monotonic() + self._timeout
```

```
while True:
```

```
    try:
```

```
        value = method(self._driver)
```

```
        if value:
```

```
            return value
```

```
    except self._ignored_exceptions as exc:
```

```
        screen = getattr(exc, "screen", None)
```

```
        stacktrace = getattr(exc, "stacktrace", None)
```

```
    if time.monotonic() > end_time:
```

```
        break
```

```
    time.sleep(self._poll)
```

```
> raise TimeoutException(message, screen, stacktrace)
```

```
E selenium.common.exceptions.TimeoutException: Message: No such element
```

```
.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
```

```
TimeoutException
```

During handling of the above exception, another exception occurred:

```
self = <test_cases.TestRegUser object at 0x7e74577e9d10>
```

```
browser = <selenium.webdriver.remote.webdriver.WebDriver
```

```
(session="fb121b67ed910e22433959f1720f2c48")>
```

```
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
```

```
params = ('test', 't', 'mail419614@test.ru', '12345')
```

```
@allure.title("Позитивные проверки с валидными данными ({param_id})")
```

```
@pytest.mark.parametrize('params',
```

```
[
```

```
    ('t', 'test',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('test', 't',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('testtesttesttesttesttesttesttesttest', 'test',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('test', 'testtesttesttesttesttesttesttesttest',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('test', 'test',
```

```

        f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '1234'),
        ('test', 'test',
        f'mail{"".join(random.choices("123456789",
k=6))}@test.ru',
        '1234567890abcdefghij'),
    ],
    ids=[
        'fname = 1 char',
        'lname = 1 char',
        'fname = 32 chars',
        'lname = 32 chars',
        'password = 4 chars',
        'password = 20 chars'
    ])
def test_user_register_posit(self, browser, get_user_reg_url, params):
    """Позитивные проверки с валидными данными"""
    UserRegPage(browser).open(get_user_reg_url)
    UserRegPage(browser).reg_user(
        params[0],
        params[1],
        params[2],
        params[3]
    )
    UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
>     els = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)

```

tests/test_cases.py:259:

```

-----
self = <pages.usr_reg_page.UserRegPage object at 0x7e74576bdbd0>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')
        except TimeoutException:
>             assert False, 'Элемент не найден'
E             AssertionError: Элемент не найден

```

pages/base_page.py:40: AssertionError

```

----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:43:45.668719
INFO      root:conftest.py:159 Browser chrome started for test
test_user_register_posit[lname = 1 char]
----- Captured log call -----
INFO      root:usr_reg_page.py:21 UserRegPage: Registrating user (first name: test,
last name: t)
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:44:31.709125
TestRegUser.test_user_register_posit[lname = 32 chars]
[gw4] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

```

```

self = <pages.usr_reg_page.UserRegPage object at 0x7e465254d6d0>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))

```

```

        try:
>         els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')

pages/base_page.py:37:
-----

self = <selenium.webdriver.support.wait.WebDriverWait
(session="79b75b5c53fe37f57c0367662d964174")>
method = <function presence_of_all_elements_located.<locals>._predicate at
0x7e4652510d60>
message = 'No such element'

def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
"") -> T:
    """Wait until the method returns a value that is not False.

    Calls the method provided with the driver as an argument until the
    return value does not evaluate to ``False``.

    Parameters:
    -----
    method: callable(WebDriver)
        - A callable object that takes a WebDriver instance as an argument.

    message: str
        - Optional message for :exc:`TimeoutException`

    Return:
    -----
    object: T
        - The result of the last call to `method`

    Raises:
    -----
    TimeoutException
        - If 'method' does not return a truthy value within the WebDriverWait
        object's timeout

    Example:
    -----
    >>> from selenium.webdriver.common.by import By
    >>> from selenium.webdriver.support.ui import WebDriverWait
    >>> from selenium.webdriver.support import expected_conditions as EC

    # Wait until an element is visible on the page
    >>> wait = WebDriverWait(driver, 10)
    >>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId"))
    >>> print(element.text)
    """
    screen = None
    stacktrace = None

    end_time = time.monotonic() + self._timeout
    while True:
        try:
            value = method(self._driver)
            if value:
                return value
        except self._ignored_exceptions as exc:
            screen = getattr(exc, "screen", None)
            stacktrace = getattr(exc, "stacktrace", None)
        if time.monotonic() > end_time:

```

```

        break
        time.sleep(self._poll)
>         raise TimeoutException(message, screen, stacktrace)
E         selenium.common.exceptions.TimeoutException: Message: No such element

.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
TimeoutException

```

During handling of the above exception, another exception occurred:

```

self = <test_cases.TestRegUser object at 0x7e4652741590>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="79b75b5c53fe37f57c0367662d964174")>
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
params = ('test', 'testtesttesttesttesttesttesttest', 'mail879683@test.ru',
'12345')

    @allure.title("Позитивные проверки с валидными данными ({param_id})")
    @pytest.mark.parametrize('params',
        [
            ('t', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('test', 't',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('testtesttesttesttesttesttesttesttest', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('test', 'testtesttesttesttesttesttesttesttest',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('test', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '1234'),
            ('test', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru',
             '1234567890abcdefghijklmnopqrstuvwxyz'),
        ],
        ids=[
            'fname = 1 char',
            'lname = 1 char',
            'fname = 32 chars',
            'lname = 32 chars',
            'password = 4 chars',
            'password = 20 chars'
        ])
    def test_user_register_posit(self, browser, get_user_reg_url, params):
        """Позитивные проверки с валидными данными"""
        UserRegPage(browser).open(get_user_reg_url)
        UserRegPage(browser).reg_user(
            params[0],
            params[1],
            params[2],
            params[3]
        )
        UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
>         els = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)

```

tests/test_cases.py:259:

```

-----
self = <pages.usr_reg_page.UserRegPage object at 0x7e465254d6d0>

```

```

locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')
        except TimeoutException:
>         assert False, 'Элемент не найден'
E         AssertionError: Элемент не найден

pages/base_page.py:40: AssertionError
----- Captured log setup -----
INFO     root:conftest.py:127 Test is started at 2025-08-26 19:43:46.055480
INFO     root:conftest.py:159 Browser chrome started for test
test_user_register_posit[lname = 32 chars]
----- Captured log call -----
INFO     root:usr_reg_page.py:21 UserRegPage: Registrating user (first name: test,
last name: testtesttesttesttesttesttesttest)
----- Captured log teardown -----
INFO     root:conftest.py:163 Test is finished at 2025-08-26 19:44:36.225063
TestRegUser.test_user_register_posit[password = 4 chars]
[gw1] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

self = <pages.usr_reg_page.UserRegPage object at 0x76bcd46e6f50>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
>         els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')

pages/base_page.py:37:
-----

self = <selenium.webdriver.support.wait.WebDriverWait
(session="779a887bef761c489783924b879155c6")>
method = <function presence_of_all_elements_located.<locals>._predicate at
0x76bcd48f63e0>
message = 'No such element'

    def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
"") -> T:
        """Wait until the method returns a value that is not False.

        Calls the method provided with the driver as an argument until the
        return value does not evaluate to ``False``.

        Parameters:
        -----
        method: callable(WebDriver)
            - A callable object that takes a WebDriver instance as an argument.

        message: str
            - Optional message for :exc:`TimeoutException`

        Return:
        -----
        object: T

```


- The result of the last call to `method`

Raises:

TimeoutException

- If 'method' does not return a truthy value within the WebDriverWait object's timeout

Example:

```
>>> from selenium.webdriver.common.by import By
>>> from selenium.webdriver.support.ui import WebDriverWait
>>> from selenium.webdriver.support import expected_conditions as EC
```

```
# Wait until an element is visible on the page
```

```
>>> wait = WebDriverWait(driver, 10)
```

```
>>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId")))
```

```
>>> print(element.text)
```

```
"""
```

```
screen = None
```

```
stacktrace = None
```

```
end_time = time.monotonic() + self._timeout
```

```
while True:
```

```
    try:
```

```
        value = method(self._driver)
```

```
        if value:
```

```
            return value
```

```
    except self._ignored_exceptions as exc:
```

```
        screen = getattr(exc, "screen", None)
```

```
        stacktrace = getattr(exc, "stacktrace", None)
```

```
    if time.monotonic() > end_time:
```

```
        break
```

```
    time.sleep(self._poll)
```

```
> raise TimeoutException(message, screen, stacktrace)
```

```
E selenium.common.exceptions.TimeoutException: Message: No such element
```

```
.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
```

```
TimeoutException
```

During handling of the above exception, another exception occurred:

```
self = <test_cases.TestRegUser object at 0x76bcd48e0e90>
```

```
browser = <selenium.webdriver.remote.webdriver.WebDriver
```

```
(session="779a887bef761c489783924b879155c6")>
```

```
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
```

```
params = ('test', 'test', 'mail399455@test.ru', '1234')
```

```
@allure.title("Позитивные проверки с валидными данными ({param_id})")
```

```
@pytest.mark.parametrize('params',
```

```
[
```

```
    ('t', 'test',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('test', 't',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('testtesttesttesttesttesttesttesttesttest', 'test',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```
    ('test', 'testtesttesttesttesttesttesttesttesttest',
```

```
     f'mail{"".join(random.choices("123456789",
```

```
k=6))}@test.ru', '12345'),
```

```

('test', 'test',
 f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '1234'),
('test', 'test',
 f'mail{"".join(random.choices("123456789",
k=6))}@test.ru',
 '1234567890abcdefghijklmnopqrstuvwxyz'),
],
ids=[
    'fname = 1 char',
    'lname = 1 char',
    'fname = 32 chars',
    'lname = 32 chars',
    'password = 4 chars',
    'password = 20 chars'
])
def test_user_register_posit(self, browser, get_user_reg_url, params):
    """Позитивные проверки с валидными данными"""
    UserRegPage(browser).open(get_user_reg_url)
    UserRegPage(browser).reg_user(
        params[0],
        params[1],
        params[2],
        params[3]
    )
    UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
>     els = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)

```

tests/test_cases.py:259:

```

-----
self = <pages.usr_reg_page.UserRegPage object at 0x76bcd46e6f50>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')
        except TimeoutException:
>         assert False, 'Элемент не найден'
E         AssertionError: Элемент не найден

```

pages/base_page.py:40: AssertionError

```

----- Captured log setup -----
INFO     root:confstest.py:127 Test is started at 2025-08-26 19:43:49.206190
INFO     root:confstest.py:159 Browser chrome started for test
test_user_register_posit[password = 4 chars]
----- Captured log call -----
INFO     root:usr_reg_page.py:21 UserRegPage: Registrating user (first name: test,
last name: test)
----- Captured log teardown -----
INFO     root:confstest.py:163 Test is finished at 2025-08-26 19:44:38.172606
TestRegUser.test_user_register_posit[password = 20 chars]
[gw0] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

```

```

self = <pages.usr_reg_page.UserRegPage object at 0x75a2e9bd4d90>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):

```

```

        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
>            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                message='No such element')

```

pages/base_page.py:37:

```

-----

self = <selenium.webdriver.support.wait.WebDriverWait
(session="33178289dc0alec287c7466ad9695d10")>
method = <function presence_of_all_elements_located.<locals>._predicate at
0x75a2e9c10540>
message = 'No such element'

def until(self, method: Callable[[D], Union[Literal[False], T]], message: str =
"") -> T:
    """Wait until the method returns a value that is not False.

    Calls the method provided with the driver as an argument until the
    return value does not evaluate to ``False``.

    Parameters:
    -----
    method: callable(WebDriver)
        - A callable object that takes a WebDriver instance as an argument.

    message: str
        - Optional message for :exc:`TimeoutException`

    Return:
    -----
    object: T
        - The result of the last call to `method`

    Raises:
    -----
    TimeoutException
        - If 'method' does not return a truthy value within the WebDriverWait
        object's timeout

    Example:
    -----
    >>> from selenium.webdriver.common.by import By
    >>> from selenium.webdriver.support.ui import WebDriverWait
    >>> from selenium.webdriver.support import expected_conditions as EC

    # Wait until an element is visible on the page
    >>> wait = WebDriverWait(driver, 10)
    >>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId"))))
    >>> print(element.text)
    """
    screen = None
    stacktrace = None

    end_time = time.monotonic() + self._timeout
    while True:
        try:
            value = method(self._driver)
            if value:
                return value
        except self._ignored_exceptions as exc:
            screen = getattr(exc, "screen", None)

```

```

        stacktrace = getattr(exc, "stacktrace", None)
        if time.monotonic() > end_time:
            break
        time.sleep(self._poll)
    > raise TimeoutException(message, screen, stacktrace)
E selenium.common.exceptions.TimeoutException: Message: No such element

```

.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
TimeoutException

During handling of the above exception, another exception occurred:

```

self = <test_cases.TestRegUser object at 0x75a2e9dee090>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="33178289dc0alec287c7466ad9695d10")>
get_user_reg_url = 'http://10.0.2.15:8081/index.php?route=account/register'
params = ('test', 'test', 'mail766279@test.ru', '1234567890abcdefghij')

    @allure.title("Позитивные проверки с валидными данными ({param_id})")
    @pytest.mark.parametrize('params',
        [
            ('t', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('test', 't',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('testtesttesttesttesttesttesttesttesttest', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('test', 'testtesttesttesttesttesttesttesttesttest',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '12345'),
            ('test', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru', '1234'),
            ('test', 'test',
             f'mail{"".join(random.choices("123456789",
k=6))}@test.ru',
             '1234567890abcdefghij'),
        ],
        ids=[
            'fname = 1 char',
            'lname = 1 char',
            'fname = 32 chars',
            'lname = 32 chars',
            'password = 4 chars',
            'password = 20 chars'
        ])
    def test_user_register_posit(self, browser, get_user_reg_url, params):
        """Позитивные проверки с валидными данными"""
        UserRegPage(browser).open(get_user_reg_url)
        UserRegPage(browser).reg_user(
            params[0],
            params[1],
            params[2],
            params[3]
        )
        UserRegPage(browser).click_elem(UserRegPage.MY_ACCOUNT_BTN)
    > els = UserRegPage(browser).get_elements(UserRegPage.MY_ACCOUNT_OPTIONS)

```

tests/test_cases.py:259:

```

self = <pages.usr_reg_page.UserRegPage object at 0x75a2e9bd4d90>
locator = ('xpath', '//*[@class = "dropdown-menu dropdown-menu-right show"]/*')

    @allure.step("Получение списка объектов элементов {locator}")
    def get_elements(self, locator: tuple):
        self.logger.debug('%s: Getting elements %s' % (self.class_name,
str(locator)))
        try:
            els = self.wait.until(EC.presence_of_all_elements_located(locator),
                                message='No such element')
        except TimeoutException:
>         assert False, 'Элемент не найден'
E         AssertionError: Элемент не найден

pages/base_page.py:40: AssertionError
----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:44:05.433359
INFO      root:conftest.py:159 Browser chrome started for test
test_user_register_posit[password = 20 chars]
----- Captured log call -----
INFO      root:usr_reg_page.py:21 UserRegPage: Registrating user (first name: test,
last name: test)
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:44:50.175008
TestMainPage.test_nav_bar[valid option list]
[gw3] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

self = <test_main_page_elems.TestMainPage object at 0x7e74577f8390>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="bffff153c87e9a4069bf04a7ef4761a8d")>
get_base_url = 'http://10.0.2.15:8081'
test_button_list = ['Desktops', 'Laptops & Notebooks', 'Components', 'Tablets',
'Software', 'Phones & PDAs', ...]

    @allure.title("Проверка наличия панели с кнопками каталога и наименований этих
кнопок ({param_id})")
    @pytest.mark.parametrize('test_button_list',
                             [['Desktops',
                              'Laptops & Notebooks',
                              'Components',
                              'Tablets',
                              'Software',
                              'Phones & PDAs',
                              'Cameras',
                              'MP3 Players']],
                             ids=['valid option list'])
    def test_nav_bar(self, browser, get_base_url, test_button_list):
        """Проверка наличия панели с кнопками каталога и наименований этих
кнопок"""
        MainPage(browser).open(get_base_url)
        els = MainPage(browser).get_elements(MainPage.NAV_PANEL)
        tabs_list = []
        for i in els:
            tabs_list.append(i.text)
>         assert tabs_list == test_button_list
E         AssertionError: assert ['', '', '', '', '', '', '', ''] == ['Desktops',
'Laptops & Notebooks', 'Components', 'Tablets', 'Software', 'Phones & PDAs',
'Cameras', 'MP3 Players']
E
E         At index 0 diff: '' != 'Desktops'
E
E         Full diff:
E         [
E         -     'Desktops',

```

```

E         - 'Laptops & Notebooks',
E         - 'Components',
E         - 'Tablets',
E         - 'Software',
E         - 'Phones & PDAs',
E         - 'Cameras',
E         - 'MP3 Players',
E         + '',
E         + '',
E         + '',
E         + '',
E         + '',
E         + '',
E         + ''
E     ]

```

tests/test_main_page_elems.py:57: AssertionError

----- Captured log setup -----

INFO root:conftest.py:127 Test is started at 2025-08-26 19:44:48.302342

INFO root:conftest.py:159 Browser chrome started for test test_nav_bar[valid option list]

----- Captured log teardown -----

INFO root:conftest.py:163 Test is finished at 2025-08-26 19:45:04.681123

TestProductCard.test_textarea_field

[gw4] linux -- Python 3.11.13 /root/WebAuto_Otus/.venv/bin/python3

self = <pages.prod_card_page.ProdCardPage object at 0x7e46523fadd0>

locator = ('xpath', "//*[@name='option[209]']")

@allure.step("Получение объекта элемента {locator}")

def get_element(self, locator: tuple):

self.logger.debug('%s: Getting element %s' % (self.class_name, str(locator)))

try:

> el = self.wait.until(EC.presence_of_element_located(locator), message='No such element')

pages/base_page.py:27:

self = <selenium.webdriver.support.wait.WebDriverWait

(session="3e408dd49d133b52e6cdd8998cd8e55b")>

method = <function presence_of_element_located.<locals>._predicate at 0x7e465253b380>

message = 'No such element'

def until(self, method: Callable[[D], Union[Literal[False], T]], message: str = "") -> T:

"""Wait until the method returns a value that is not False.

Calls the method provided with the driver as an argument until the return value does not evaluate to ``False``.

Parameters:

method: callable(WebDriver)

- A callable object that takes a WebDriver instance as an argument.

message: str

- Optional message for :exc:`TimeoutException`

Return:

```
object: T
    - The result of the last call to `method`
```

Raises:

TimeoutException

- If 'method' does not return a truthy value within the WebDriverWait object's timeout

Example:

```
>>> from selenium.webdriver.common.by import By
>>> from selenium.webdriver.support.ui import WebDriverWait
>>> from selenium.webdriver.support import expected_conditions as EC
```

```
# Wait until an element is visible on the page
```

```
>>> wait = WebDriverWait(driver, 10)
```

```
>>> element = wait.until(EC.visibility_of_element_located((By.ID,
"exampleId")))
```

```
>>> print(element.text)
```

```
"""
```

```
screen = None
```

```
stacktrace = None
```

```
end_time = time.monotonic() + self._timeout
```

```
while True:
```

```
    try:
```

```
        value = method(self._driver)
```

```
        if value:
```

```
            return value
```

```
    except self._ignored_exceptions as exc:
```

```
        screen = getattr(exc, "screen", None)
```

```
        stacktrace = getattr(exc, "stacktrace", None)
```

```
    if time.monotonic() > end_time:
```

```
        break
```

```
    time.sleep(self._poll)
```

```
> raise TimeoutException(message, screen, stacktrace)
```

```
E selenium.common.exceptions.TimeoutException: Message: No such element
```

```
E Stacktrace:
```

```
E #0 0x593f6e7260ca <unknown>
```

```
E #1 0x593f6e3f22b0 <unknown>
```

```
E #2 0x593f6e441b22 <unknown>
```

```
E #3 0x593f6e441dc1 <unknown>
```

```
E #4 0x593f6e487994 <unknown>
```

```
E #5 0x593f6e46692d <unknown>
```

```
E #6 0x593f6e484e26 <unknown>
```

```
E #7 0x593f6e4666a3 <unknown>
```

```
E #8 0x593f6e4344f3 <unknown>
```

```
E #9 0x593f6e4354fe <unknown>
```

```
E #10 0x593f6e6ecd7b <unknown>
```

```
E #11 0x593f6e6f0d31 <unknown>
```

```
E #12 0x593f6e6d8c85 <unknown>
```

```
E #13 0x593f6e6f18a2 <unknown>
```

```
E #14 0x593f6e6bdelf <unknown>
```

```
E #15 0x593f6e714e48 <unknown>
```

```
E #16 0x593f6e715013 <unknown>
```

```
E #17 0x593f6e724ebc <unknown>
```

```
E #18 0x797c972c2ac3 <unknown>
```

```
.venv/lib/python3.11/site-packages/selenium/webdriver/support/wait.py:146:
```

```
TimeoutException
```

During handling of the above exception, another exception occurred:

```

self = <test_prod_card_elems.TestProductCard object at 0x7e4652738250>
browser = <selenium.webdriver.remote.webdriver.WebDriver
(session="3e408dd49d133b52e6cdd8998cd8e55b")>
get_macbook_card_url = 'http://10.0.2.15:8081/en-gb/product/desktops/macbook'

    @allure.title("Проверка наличия текстового поля с плейсхолдером Textarea")
    def test_textarea_field(self, browser, get_macbook_card_url):
        """Проверка наличия текстового поля с плейсхолдером Textarea"""
        ProdCardPage(browser).open(get_macbook_card_url)
>         el = ProdCardPage(browser).get_element(ProdCardPage.TEXTAREA_FLD)

```

tests/test_prod_card_elems.py:27:

```

-----

self = <pages.prod_card_page.ProdCardPage object at 0x7e46523fadd0>
locator = ('xpath', "//*[@name='option[209]']")

    @allure.step("Получение объекта элемента {locator}")
    def get_element(self, locator: tuple):
        self.logger.debug('%s: Getting element %s' % (self.class_name,
str(locator)))
        try:
            el = self.wait.until(EC.presence_of_element_located(locator),
                                message='No such element')
        except TimeoutException:
>         assert False, 'Элемент не найден'
E         AssertionError: Элемент не найден

```

pages/base_page.py:30: AssertionError

```

----- Captured log setup -----
INFO      root:conftest.py:127 Test is started at 2025-08-26 19:44:55.026632
INFO      root:conftest.py:159 Browser chrome started for test test_textarea_field
----- Captured log teardown -----
INFO      root:conftest.py:163 Test is finished at 2025-08-26 19:45:16.757952
===== short test summary info =====
FAILED tests/test_cases.py::TestAddToCart::test_add_to_cart -
selenium.common.exceptions.ElementClickInterceptedException: Message: element click
intercepted: Element is not clickable at point (221, 1082)
(Session info: chrome=128.0.6613.137)
Stacktrace:
#0 0x60b1bf29b0ca <unknown>
#1 0x60b1bef672b0 <unknown>
#2 0x60b1befbd7e6 <unknown>
#3 0x60b1befbb6ed <unknown>
#4 0x60b1befb9187 <unknown>
#5 0x60b1befb802c <unknown>
#6 0x60b1befab946 <unknown>
#7 0x60b1befdb902 <unknown>
#8 0x60b1befab2f9 <unknown>
#9 0x60b1befdbace <unknown>
#10 0x60b1beff9e26 <unknown>
#11 0x60b1befdb6a3 <unknown>
#12 0x60b1befa94f3 <unknown>
#13 0x60b1befaa4fe <unknown>
#14 0x60b1bf261d7b <unknown>
#15 0x60b1bf265d31 <unknown>
#16 0x60b1bf24dc85 <unknown>
#17 0x60b1bf2668a2 <unknown>
#18 0x60b1bf232e1f <unknown>
#19 0x60b1bf289e48 <unknown>
#20 0x60b1bf28a013 <unknown>
#21 0x60b1bf299ebc <unknown>
#22 0x7e2a5f8beac3 <unknown>

```



```

FAILED tests/test_cases.py::TestAdminSite::test_delete_product - AssertionError:
Элемент не найден
FAILED tests/test_cases.py::TestAdminSite::test_add_new_product - AssertionError:
Элемент не найден
FAILED tests/test_cases.py::TestRegUser::test_user_register_valid_neg[more than 20
char in pass] - AssertionError: Элемент не найден
FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[fname = 1 char] -
AssertionError: Авторизация НЕ прошла с валидными данными
assert 'Login' == 'Logout'

- Logout
+ Login
FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[fname = 32 chars]
- AssertionError: Авторизация НЕ прошла с валидными данными
assert 'Login' == 'Logout'

- Logout
+ Login
FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[lname = 1 char] -
AssertionError: Элемент не найден
FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[lname = 32 chars]
- AssertionError: Элемент не найден
FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[password = 4
chars] - AssertionError: Элемент не найден
FAILED tests/test_cases.py::TestRegUser::test_user_register_posit[password = 20
chars] - AssertionError: Элемент не найден
FAILED tests/test_main_page_elems.py::TestMainPage::test_nav_bar[valid option list]
- AssertionError: assert ['', '', '', '', '', '', '', ''] == ['Desktops', 'Laptops
& Notebooks', 'Components', 'Tablets', 'Software', 'Phones & PDAs', 'Cameras', 'MP3
Players']

At index 0 diff: '' != 'Desktops'

Full diff:
[
-     'Desktops',
-     'Laptops & Notebooks',
-     'Components',
-     'Tablets',
-     'Software',
-     'Phones & PDAs',
-     'Cameras',
-     'MP3 Players',
+     '',
+     '',
+     '',
+     '',
+     '',
+     '',
+     '',
+     '',
]
FAILED tests/test_prod_card_elems.py::TestProductCard::test_textarea_field -
AssertionError: Элемент не найден
===== 12 failed, 42 passed in 291.87s (0:04:51) =====
[Pipeline] }
[Pipeline] // catchError
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Fetch Allure Results)
[Pipeline] sh
+ set -e
+ mkdir -p /var/jenkins_home/workspace/WebOtus/allure-results

```

```
+ cd /var/jenkins_home/workspace/WebOtus/allure-results
+ echo ==теперь копируем в workspace==
==теперь копируем в workspace==
+ docker run --rm -v jenkins_results:/data alpine tar -c -f - -C /data .
+ tar -x -f -
+ chmod -R 777 .
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Generate Allure Report)
[Pipeline] script
[Pipeline] {
[Pipeline] allure
[WebOtus] $
/var/jenkins_home/tools/ru.yandex.qatools.allure.jenkins.tools.AllureCommandlineIns
tallation/allure/bin/allure generate /var/jenkins_home/workspace/WebOtus/allure-
results -c -o /var/jenkins_home/workspace/WebOtus/allure-report
Report successfully generated to /var/jenkins_home/workspace/WebOtus/allure-report
Allure report was successfully generated.
Creating artifact for the build.
Artifact was added to the build.
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: UNSTABLE
```