.06

SEO



400

# DETAILS

#### Name

POORNIMA C

Róll Number

TEMPBTech-CSE061

### **EXPERIMENT**

# Title

**NEAREST CORNER** 

#### Description

Bruce is a newly hired employee at a company. The Office Management Department has given him a desk number, which is stored in string S. He has also been handed a string array A. containing all the N office desk numbers.

Array A also includes the symbol"-", which stands for the gap in the sitting arrangement. Comer seats are those that are on either side of the gap. Your task is to help Bruce find and return an integer value, representing how far he is from the nearest corner seat. Return 0, if he is in the corner seat.

CSEO61 TEMPBTECH. CSEO61 TEMPBTECH. CSEO6 CSEO61 TEMPBTECH.

SEO61 TEMP BTECH. CSEO61 TEMP BTECH. CSEO61

#### Note:

There will always be at least one gap in the string array A

061

Desk number is always in a format of a number first followed by an English letter in uppercase

Assume 0 - based indexing

Input Specification:

A string S. representing Bruce's newly assigned desk number.

Second line containing space seperated strings showing the seat positions and gaps

### **Sample input:**

3C

506, IFW

1A 2B - 3C 4D

#### **Sample Output:**

0

# Source Code: CSEO61

TENDA TEMPRETECH. CSEDON TEMPRET https://practice.reinprep.com/student/get-report/a54e220c-7c2e-11ef-ae9a-0e411ed3c76b

```
seat=input()
a=input().split(" - ")
e=None
for i in a:
    if seat in i:
        e=i
        break
e=e.split(" ")
lc=e.index(seat)
rc=(len(e)-1)-e.index(seat)
if rc==0:
    rc=99999
print(min([lc,rc]))
```

## **RESULT**

5 / 5 Test Cases Passed | 100 %