Practical 4: Build Online Event Registration Portal using ASP.NET Controls & Validation.

Source code:

EventRegistration.aspx.cs:

```
using System;
using System.Drawing;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace EventRegistration
{
    public partial class EventRegistration : Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            if (!IsPostBack)
            {
                pnlSummary.Visible = false;
            }
        }


        protected void cvTerms_ServerValidate(
            object source,
            ServerValidateEventArgs args)
        {
            args.IsValid = chkTerms.Checked;
        }


        protected void btnRegister_Click(
            object sender,
            EventArgs e)
        {
            if (!Page.IsValid)
            {
                lblMessage.Text =
                    "Please correct the errors in the form.";

                lblMessage.ForeColor = Color.Red;

                pnlSummary.Visible = false;

                return;
            }
```

```
string gender = "Not Selected";

if (rbMale.Checked)
{
    gender = "Male";
}
else if (rbFemale.Checked)
{
    gender = "Female";
}
else if (rbOther.Checked)
{
    gender = "Other";
}


string skills = "";


if (chkJava.Checked)
{
    skills += "Java, ";
}


if (chkDotNet.Checked)
{
    skills += "ASP.NET, ";
}


if (chkPython.Checked)
{
    skills += "Python, ";
}


if (chkAI.Checked)
{
    skills += "AI / ML, ";
}


if (skills == "")
{
    skills = "No skills selected";
}
else
{
    skills = skills.TrimEnd(',', ' ');
}
```

```
        lblMessage.Text =
            "Registration Successful!";

        lblMessage.ForeColor =
            Color.Green;


        lblSummary.Text =
            "<h3>Registration Details</h3>" +

            "<b>Name:</b> " +
            Server.HtmlEncode(txtName.Text) +
            "<br/><br/>" +

            "<b>Email:</b> " +
            Server.HtmlEncode(txtEmail.Text) +
            "<br/><br/>" +

            "<b>Phone:</b> " +
            Server.HtmlEncode(txtPhone.Text) +
            "<br/><br/>" +

            "<b>Age:</b> " +
            Server.HtmlEncode(txtAge.Text) +
            "<br/><br/>" +

            "<b>Gender:</b> " +
            gender +
            "<br/><br/>" +

            "<b>Event:</b> " +
            Server.HtmlEncode(
                ddlEvent.SelectedItem.Text) +
            "<br/><br/>" +

            "<b>Event Date:</b> " +
            Server.HtmlEncode(txtDate.Text) +
            "<br/><br/>" +

            "<b>Technical Skills:</b> " +
            Server.HtmlEncode(skills) +
            "<br/><br/>" +

            "<b>Address:</b> " +
            Server.HtmlEncode(txtAddress.Text);


        pnlSummary.Visible = true;
    }
```

```
        protected void btnClear_Click(
            object sender,
            EventArgs e)
        {
            txtName.Text = "";
            txtEmail.Text = "";
            txtPhone.Text = "";
            txtAge.Text = "";
            txtDate.Text = "";
            txtAddress.Text = "";


            rbMale.Checked = false;
            rbFemale.Checked = false;
            rbOther.Checked = false;


            ddlEvent.SelectedIndex = 0;


            chkJava.Checked = false;
            chkDotNet.Checked = false;
            chkPython.Checked = false;
            chkAI.Checked = false;


            chkTerms.Checked = false;


            lblMessage.Text = "";

            pnlSummary.Visible = false;
        }
    }
}
```

EventRegistration.aspx

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="EventRegistration.aspx.cs"
    Inherits="EventRegistration.EventRegistration" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">

<head runat="server">

    <title>Event Registration Portal</title>

    <style>
```

```
* {
    box-sizing: border-box;
}

body {
    margin: 0;
    padding: 0;
    font-family: Arial, Helvetica, sans-serif;
    background: linear-gradient(135deg, #667eea, #764ba2);
    min-height: 100vh;
}

.container {
    width: 850px;
    max-width: 95%;
    margin: 40px auto;
}

.card {
    background: white;
    border-radius: 15px;
    padding: 35px 45px;
    box-shadow: 0 10px 30px rgba(0,0,0,0.25);
}

.header {
    text-align: center;
    margin-bottom: 30px;
}

.header h1 {
    margin: 0;
    color: #333;
    font-size: 32px;
}

.header p {
    color: #777;
    margin-top: 8px;
}

.section-title {
    font-size: 20px;
    font-weight: bold;
    color: #444;
    border-bottom: 2px solid #667eea;
    padding-bottom: 8px;
    margin-top: 25px;
    margin-bottom: 20px;
}
```

```
.form-row {
    display: flex;
    gap: 20px;
    margin-bottom: 18px;
}

.form-group {
    flex: 1;
}

.form-group-full {
    width: 100%;
    margin-bottom: 18px;
}

.label {
    display: block;
    font-weight: bold;
    color: #444;
    margin-bottom: 7px;
}

.input {
    width: 100%;
    padding: 11px;
    border: 1px solid #ccc;
    border-radius: 6px;
    font-size: 15px;
}

.input:focus {
    border-color: #667eea;
    outline: none;
}

textarea.input {
    resize: vertical;
}

.radio-group {
    padding-top: 10px;
}

.radio-group label {
    margin-right: 20px;
}

.checkbox-group {
    margin: 20px 0;
}

.validator {
```

```
        color: red;
        font-size: 13px;
        display: block;
        margin-top: 4px;
    }

    .buttons {
        text-align: center;
        margin-top: 25px;
    }

    .btn {
        border: none;
        padding: 12px 30px;
        border-radius: 6px;
        font-size: 16px;
        cursor: pointer;
        margin: 5px;
    }

    .btn-register {
        background: #667eea;
        color: white;
    }

    .btn-register:hover {
        background: #5568d8;
    }

    .btn-clear {
        background: #777;
        color: white;
    }

    .btn-clear:hover {
        background: #555;
    }

    .message {
        display: block;
        text-align: center;
        margin-top: 20px;
        font-size: 16px;
        font-weight: bold;
    }

    .summary {
        margin-top: 25px;
        padding: 20px;
        background: #f5f7ff;
        border-radius: 8px;
    }
```

```
        @media(max-width: 700px) {

            .form-row {
                display: block;
            }

            .form-group {
                margin-bottom: 18px;
            }

            .card {
                padding: 25px;
            }
        }

    </style>

</head>

<body>

<form id="form1" runat="server">

    <div class="container">

        <div class="card">

            <!-- HEADER -->

            <div class="header">

                <h1>Event Registration Portal</h1>

                <p>
                    Register for upcoming technical events
                </p>

            </div>


            <!-- PERSONAL INFORMATION -->

            <div class="section-title">
                Personal Information
            </div>


            <div class="form-row">

                <div class="form-group">
```

```
        <asp:Label
            ID="lblName"
            runat="server"
            Text="Full Name"
            CssClass="label" />

        <asp:TextBox
            ID="txtName"
            runat="server"
            CssClass="input"
            placeholder="Enter your full name">
        </asp:TextBox>

        <asp:RequiredFieldValidator
            ID="rfvName"
            runat="server"
            ControlToValidate="txtName"
            ErrorMessage="Name is required"
            CssClass="validator"
            Display="Dynamic">
        </asp:RequiredFieldValidator>

    </div>


    <div class="form-group">

        <asp:Label
            ID="lblEmail"
            runat="server"
            Text="Email Address"
            CssClass="label" />

        <asp:TextBox
            ID="txtEmail"
            runat="server"
            CssClass="input"
            placeholder="example@gmail.com">
        </asp:TextBox>

        <asp:RequiredFieldValidator
            ID="rfvEmail"
            runat="server"
            ControlToValidate="txtEmail"
            ErrorMessage="Email is required"
            CssClass="validator"
            Display="Dynamic">
        </asp:RequiredFieldValidator>

        <asp:RegularExpressionValidator
            ID="revEmail"
            runat="server"
```

```
                ControlToValidate="txtEmail"
                ValidationExpression="^[^@\s]+@[^@\s]+\.[^@\s]+$"
                ErrorMessage="Enter a valid email address"
                CssClass="validator"
                Display="Dynamic">
            </asp:RegularExpressionValidator>

        </div>

    </div>


    <div class="form-row">

        <div class="form-group">

            <asp:Label
                ID="lblPhone"
                runat="server"
                Text="Phone Number"
                CssClass="label" />

            <asp:TextBox
                ID="txtPhone"
                runat="server"
                CssClass="input"
                MaxLength="10"
                placeholder="10-digit mobile number">
            </asp:TextBox>

            <asp:RequiredFieldValidator
                ID="rfvPhone"
                runat="server"
                ControlToValidate="txtPhone"
                ErrorMessage="Phone number is required"
                CssClass="validator"
                Display="Dynamic">
            </asp:RequiredFieldValidator>

            <asp:RegularExpressionValidator
                ID="revPhone"
                runat="server"
                ControlToValidate="txtPhone"
                ValidationExpression="^[0-9]{10}$"
                ErrorMessage="Enter a valid 10-digit phone number"
                CssClass="validator"
                Display="Dynamic">
            </asp:RegularExpressionValidator>

        </div>
```

```
        <div class="form-group">

            <asp:Label
                ID="lblAge"
                runat="server"
                Text="Age"
                CssClass="label" />

            <asp:TextBox
                ID="txtAge"
                runat="server"
                CssClass="input"
                placeholder="Enter age">
            </asp:TextBox>

            <asp:RequiredFieldValidator
                ID="rfvAge"
                runat="server"
                ControlToValidate="txtAge"
                ErrorMessage="Age is required"
                CssClass="validator"
                Display="Dynamic">
            </asp:RequiredFieldValidator>

            <asp:RangeValidator
                ID="rvAge"
                runat="server"
                ControlToValidate="txtAge"
                MinimumValue="18"
                MaximumValue="60"
                Type="Integer"
                ErrorMessage="Age must be between 18 and 60"
                CssClass="validator"
                Display="Dynamic">
            </asp:RangeValidator>

        </div>

    </div>


    <!-- GENDER -->

    <div class="form-group-full">

        <asp:Label
            ID="lblGender"
            runat="server"
            Text="Gender"
            CssClass="label" />

        <div class="radio-group">
```

```
            <asp:RadioButton
                ID="rbMale"
                runat="server"
                Text="Male"
                GroupName="Gender" />

            <asp:RadioButton
                ID="rbFemale"
                runat="server"
                Text="Female"
                GroupName="Gender" />

            <asp:RadioButton
                ID="rbOther"
                runat="server"
                Text="Other"
                GroupName="Gender" />

        </div>

    </div>


    <!-- EVENT INFORMATION -->

    <div class="section-title">
        Event Information
    </div>


    <div class="form-row">

        <div class="form-group">

            <asp:Label
                ID="lblEvent"
                runat="server"
                Text="Select Event"
                CssClass="label" />

            <asp:DropDownList
                ID="ddlEvent"
                runat="server"
                CssClass="input">

                <asp:ListItem
                    Text="-- Select Event --"
                    Value="" />

                <asp:ListItem
                    Text="Web Development Workshop"
```

```
                Value="Web Development Workshop" />

            <asp:ListItem
                Text="Java Full Stack Workshop"
                Value="Java Full Stack Workshop" />

            <asp:ListItem
                Text="Artificial Intelligence Seminar"
                Value="Artificial Intelligence Seminar" />

            <asp:ListItem
                Text="Coding Contest"
                Value="Coding Contest" />

            <asp:ListItem
                Text="Hackathon"
                Value="Hackathon" />

        </asp:DropDownList>


        <asp:RequiredFieldValidator
            ID="rfvEvent"
            runat="server"
            ControlToValidate="ddlEvent"
            InitialValue=""
            ErrorMessage="Please select an event"
            CssClass="validator"
            Display="Dynamic">
        </asp:RequiredFieldValidator>

    </div>


    <div class="form-group">

        <asp:Label
            ID="lblDate"
            runat="server"
            Text="Event Date"
            CssClass="label" />

        <asp:TextBox
            ID="txtDate"
            runat="server"
            TextMode="Date"
            CssClass="input">
        </asp:TextBox>

        <asp:RequiredFieldValidator
            ID="rfvDate"
            runat="server"
```

```
                ControlToValidate="txtDate"
                ErrorMessage="Event date is required"
                CssClass="validator"
                Display="Dynamic">
            </asp:RequiredFieldValidator>

        </div>

    </div>


    <!-- SKILLS -->

    <div class="form-group-full">

        <asp:Label
            ID="lblSkills"
            runat="server"
            Text="Technical Skills"
            CssClass="label" />

        <asp:CheckBox
            ID="chkJava"
            runat="server"
            Text="Java" />

        <asp:CheckBox
            ID="chkDotNet"
            runat="server"
            Text="ASP.NET" />

        <asp:CheckBox
            ID="chkPython"
            runat="server"
            Text="Python" />

        <asp:CheckBox
            ID="chkAI"
            runat="server"
            Text="AI / ML" />

    </div>


    <!-- ADDRESS -->
```

```
<div class="form-group-full">

    <asp:Label
        ID="lblAddress"
        runat="server"
        Text="Address"
        CssClass="label" />

    <asp:TextBox
        ID="txtAddress"
        runat="server"
        TextMode="MultiLine"
        Rows="4"
        CssClass="input"
        placeholder="Enter your address">
    </asp:TextBox>

    <asp:RequiredFieldValidator
        ID="rfvAddress"
        runat="server"
        ControlToValidate="txtAddress"
        ErrorMessage="Address is required"
        CssClass="validator"
        Display="Dynamic">
    </asp:RequiredFieldValidator>

</div>


<!-- TERMS -->

<div class="checkbox-group">

    <asp:CheckBox
        ID="chkTerms"
        runat="server"
        Text="I agree to the terms and conditions" />

    <asp:CustomValidator
        ID="cvTerms"
        runat="server"
        ErrorMessage="Please accept the terms and conditions"
        CssClass="validator"
        OnServerValidate="cvTerms_ServerValidate">
    </asp:CustomValidator>

</div>


<!-- BUTTONS -->

<div class="buttons">
```

```
                <asp:Button
                    ID="btnRegister"
                    runat="server"
                    Text="Register Now"
                    CssClass="btn btn-register"
                    OnClick="btnRegister_Click" />

                <asp:Button
                    ID="btnClear"
                    runat="server"
                    Text="Clear"
                    CssClass="btn btn-clear"
                    CausesValidation="false"
                    OnClick="btnClear_Click" />

            </div>


            <!-- MESSAGE -->

            <asp:Label
                ID="lblMessage"
                runat="server"
                CssClass="message">
            </asp:Label>


            <!-- REGISTRATION SUMMARY -->

            <asp:Panel
                ID="pnlSummary"
                runat="server"
                CssClass="summary"
                Visible="false">

                <asp:Label
                    ID="lblSummary"
                    runat="server">
                </asp:Label>

            </asp:Panel>

        </div>


    </div>

</form>

</body>

</html>
```

Output:


Event Registration Portal
Register for upcoming technical events
Personal Information
Full Name
Enter your full name
Email Address
example@gmail.com
Phone Number
10-digit mobile number
Age
Enter age
Gender
Male
Female
Other
Event Information
Select Event
-- Select Event --
Event Date
dd-mm-yyyy
Technical Skills
Java
ASP.NET
Python
AI / ML
Address
Enter your address
I agree to the terms and conditions
Register Now
Clear

10-digit mobile number
Phone number is required

Enter age
Age is required

Gender

Male Female Other

Event Information

Select Event
-- Select Event --
Please select an event

Event Date
dd-mm-yyyy
Event date is required

Technical Skills

Java ASP.NET Python AI / ML

Address

Enter your address
Address is required

I agree to the terms and conditions

Register Now Clear

Registration Details

Name: PAVAN KUMAR

Email: janapalapavankumar.143127@marwadiuniversity.ac.in

Phone: 8328627459

Age: 20

Gender: Not Selected

Event: Java Full Stack Workshop

Event Date: 2026-08-25

Technical Skills: ASP.NET

Address: Rajkot

Github url: