

Cucumber Report

22-May-2023, 8:53:14 pm

Start : May 22, 8:52:59.088 pm

End : May 22, 8:53:11.642 pm

Duration : 12.554 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 3
SKIPPED - 0


PASSED - 48
FAILED - 3
SKIPPED - 1




| Feature | | Scenario | | | | Step | | | |
|---------------------------------------|----------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Create repositories</u> | 7.501 s | 3 | 0 | 3 | 0 | 17 | 13 | 3 | 1 |
| <u>List organization repositories</u> | 5.022 s | 8 | 8 | 0 | 0 | 35 | 35 | 0 | 0 |

| # | Feature Name | Scenario Name |
|---|----------------------------|---|
| 1 | <u>Create repositories</u> | <u>Valid org [path param] valid name, valid token</u> |
| 2 | | <u>Validating negative scenarios</u> |
| 3 | | <u>Validating negative scenarios</u> |


| TAG | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @current | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @smoke | 3 | 3 | 0 | 0 | 1 | 1 | 0 | 0 |
| @p1 | 6 | 6 | 0 | 0 | 1 | 1 | 0 | 0 |



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------|---|---|---|---|----------|
| 1 | Create repositories | 3 | 0 | 3 | 0 | 7.501 s |
| 2 | List organization repositories | 8 | 8 | 0 | 0 | 5.022 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------------------------|--|---|---|---|---|----------|
| 1 | <u>Create repositories</u> | <u>Valid org [path param] valid name, valid token</u> | 5 | 4 | 1 | 0 | 5.193 s |
| 2 | | <u>Validating negative scenarios</u> | 6 | 5 | 1 | 0 | 1.647 s |
| 3 | | <u>Validating negative scenarios</u> | 6 | 4 | 1 | 1 | 0.529 s |
| 4 | <u>List organization repositories</u> | <u>Valid org in path param</u> | 3 | 3 | 0 | 0 | 1.176 s |
| 5 | | <u>Invalid org in path param</u> | 3 | 3 | 0 | 0 | 0.550 s |
| 6 | | <u>Valid org in path param with per_page query param</u> | 4 | 4 | 0 | 0 | 0.548 s |
| 7 | | <u>Valid org in path param with type query param and token</u> | 5 | 5 | 0 | 0 | 0.533 s |
| 8 | | <u>Valid org in path param with type query param and token</u> | 5 | 5 | 0 | 0 | 0.471 s |
| 9 | | <u>List org repo scenarios</u> | 5 | 5 | 0 | 0 | 0.692 s |
| 10 | | <u>List org repo scenarios</u> | 5 | 5 | 0 | 0 | 0.450 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------------------------|-------------------------|---|---|---|---|----------|
| 11 | List organization repositories | List org repo scenarios | 5 | 5 | 0 | 0 | 0.543 s |

Create repositories

| | | | | | |
|--------------------------------------|---------------------------|-----------|---|------------|---|
| FAILED | DURATION - 7.501 s | Scenarios |  | Steps |  |
| / 8:52:59.088 pm // 8:53:06.589 pm / | | Total - 3 | | Total - 17 | |
| | | Pass - 0 | | Pass - 13 | |
| | | Fail - 3 | | Fail - 3 | |
| | | Skip - 0 | | Skip - 1 | |

Valid org [path param] valid name, valid token

| | | | | |
|---|--|---|--|--|
| <div><div>FAILED</div><div>DURATION - 5.193 s</div></div> | | <div></div> | <div><div>Steps</div><div>Total - 5</div><div>Pass - 4</div><div>Fail - 1</div><div>Skip - 0</div></div> | <div></div> |
| / 8:52:59.108 pm // 8:53:04.301 pm / | | | | |
| Create repositories | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivalidation" | PASSED | 0.026 s |
| 2 | And header "Authorization" with value "Bearer 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" | PASSED | 0.149 s |
| 3 | And body from file "githubcreaterepo.json" | PASSED | 0.039 s |
| 4 | When I do POST request with url "https://api.github.com/orgs/{org}/repos" | PASSED | 4.220 s |
| 5 | Then validate status code is 201 java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | FAILED | 0.371 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$1.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.StepDefinition.validateStatusCodes(StepDefinition.java:89) at ?.validate status code is 201(file:///D:/Workspace/PK_API_Framework/PK_API_Framework/src/test/resources/features/GitHubCreateRepo.feature:9) * Not displayable characters are replaced by '?'. </pre> | | |



Validating negative scenarios

| | | | | |
|---|--|--|--|--|
| FAILED DURATION - 1.647 s / 8:53:04.385 pm // 8:53:06.032 pm / Create repositories @current | | | Steps Total - 6 Pass - 5 Fail - 1 Skip - 0 | |
|---|--|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "pkg1" | PASSED | 0.009 s |
| 2 | And header "Authorization" with value "Bearer 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" | PASSED | 0.008 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 3 | And body "name,description,private" with value "repo_api_May16_00,Testing is in progress,false" | PASSED | 0.955 s |
| 4 | When I do POST request with url "https://api.github.com/orgs/{org}/repos" | PASSED | 0.486 s |
| 5 | Then validate status code is 404 | PASSED | 0.006 s |
| 6 | And validate "name,description" with value "repo_api_May16_00,Testing is in progress" | FAILED | 0.155 s |
| | <pre>java.lang.AssertionError: Expected: "repo_api_May16_00" but: was null at org.hamcrest.MatcherAssert.assertThat(MatcherAssert.java:18) at org.hamcrest.MatcherAssert.assertThat(MatcherAssert.java:6) at utils.CommonUtils.validateCreateResponsePOJO(CommonUtils.java:48) at stepdefinitions.StepDefinition.validateWithValue(StepDefinition.java:79) at ?.validate "name,description" with value "repo_api_May16_00,Testing is in progress"(file:///D:/Workspace/PK_API_Framework/PK_API_Framework/src/test/resources/features/GitHubCreateRepo.feature:18) * Not displayable characters are replaced by '?'. </pre> | | |



Validating negative scenarios

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.529 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 8:53:06.060 pm // 8:53:06.589 pm /</div> | | | | |
| <div>Create repositories</div> | | | | |
| <div>@current</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivalidation" | PASSED | 0.006 s |
| 2 | And header "Authorization" with value "Bearer ghp_N5a6ikoQdRP8eN3bTZiFukwtZPaSun4Bu4ay" | PASSED | 0.002 s |
| 3 | And body "name,description,private" with value "repo_api_May17_10,Testing is in progress,true" | PASSED | 0.012 s |
| 4 | When I do POST request with url "https://api.github.com/orgs/{org}/repos" | PASSED | 0.490 s |
| 5 | Then validate status code is 201 | FAILED | 0.007 s |
| | <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <422>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepdefinitions.StepDefinition.validateStatusCodes(StepDefinition.java:89) at ?.validate status code is 201(file:///D:/Workspace/PK_API_Framework/PK_API_Framework/src/test/resources/features/GitHubCreateRepo.feature:17) * Not displayable characters are replaced by '?'. </pre> | | |
| 6 | And validate "name,description" with value "repo_api_May17_10,Testing is in progress" | SKIPPED | 0.002 s |

List organization repositories

| | | | | | |
|--------------------------------------|---------------------------|-----------|--|------------|--|
| PASSED | DURATION - 5.022 s | Scenarios |  | Steps |  |
| / 8:53:06.620 pm // 8:53:11.642 pm / | | Total - 8 | | Total - 35 | |
| | | Pass - 8 | 8 | Pass - 35 | 35 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Valid org in path param

| | | | | |
|--------------------------------------|---------------------------|--|---|--|
| PASSED | DURATION - 1.176 s | | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 | |
| / 8:53:06.620 pm // 8:53:07.796 pm / | | | | |
| List organization repositories | | | | |
| @smoke @p1 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivalidation" | PASSED | 0.001 s |
| 2 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.909 s |
| 3 | Then validate status code is 200 | PASSED | 0.254 s |

Invalid org in path param

| | | | | |
|--------------------------------------|---------------------------|--|---|--|
| PASSED | DURATION - 0.550 s | | Steps Total - 3 Pass - 3 Fail - 0 Skip - 0 | |
| / 8:53:07.801 pm // 8:53:08.351 pm / | | | | |
| List organization repositories | | | | |
| @p1 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "pkg1" | PASSED | 0.011 s |
| 2 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.527 s |
| 3 | Then validate status code is 404 | PASSED | 0.009 s |

Valid org in path param with per_page query param

| | | | | |
|--------------------------------------|---------------------------|--|---|--|
| PASSED | DURATION - 0.548 s | | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 | |
| / 8:53:08.360 pm // 8:53:08.908 pm / | | | | |
| List organization repositories | | | | |
| @smoke | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivaldation" | PASSED | 0.001 s |
| 2 | And query param "per_page" with value "1" | PASSED | 0.015 s |
| 3 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.508 s |
| 4 | Then validate status code is 200 | PASSED | 0.021 s |

Valid org in path param with type query param and token

| | | | | |
|--------------------------------------|---------------------------|--|---|--|
| PASSED | DURATION - 0.533 s | | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 | |
| / 8:53:08.917 pm // 8:53:09.450 pm / | | | | |
| List organization repositories | | | | |
| @smoke | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivaldation" | PASSED | 0.001 s |
| 2 | And query param "type" with value "private" | PASSED | 0.001 s |
| 3 | And header "Authorization" with value "Bearer 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" | PASSED | 0.001 s |
| 4 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.511 s |
| 5 | Then validate status code is 200 | PASSED | 0.009 s |

Valid org in path param with type query param and token

| | | | | |
|---|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 0.471 s</div> |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 8:53:09.463 pm // 8:53:09.934 pm /</div> | | | | |
| <div>List organization repositories</div> | | | | |
| <div>@p1</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivalidation" | PASSED | 0.003 s |
| 2 | And query param "type" with value "private" | PASSED | 0.000 s |
| 3 | And header "Authorization" with value "Bearer g1234" | PASSED | 0.001 s |
| 4 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.455 s |
| 5 | Then validate status code is 401 | PASSED | 0.002 s |

List org repo scenarios

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 0.692 s</div> |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 8:53:09.940 pm // 8:53:10.632 pm /</div> | | | |
| <div>List organization repositories</div> | | | |
| <div>@p1</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivalidation" | PASSED | 0.000 s |
| 2 | And query param "type" with value "public" | PASSED | 0.000 s |
| 3 | And header "Authorization" with value "" | PASSED | 0.000 s |
| 4 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.601 s |
| 5 | Then validate status code is 200 | PASSED | 0.080 s |

List org repo scenarios

| | | | | |
|--------------------------------------|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 0.450 s</div> |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 8:53:10.646 pm // 8:53:11.096 pm / | | | | |
| List organization repositories | | | | |
| @p1 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "pkgl" | PASSED | 0.001 s |
| 2 | And query param "type" with value "public" | PASSED | 0.002 s |
| 3 | And header "Authorization" with value "" | PASSED | 0.001 s |
| 4 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.432 s |
| 5 | Then validate status code is 404 | PASSED | 0.004 s |

List org repo scenarios

| | | | | |
|--------------------------------------|-------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 0.543 s</div> |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 8:53:11.099 pm // 8:53:11.642 pm / | | | | |
| List organization repositories | | | | |
| @p1 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given path param "org" with value "orgpawanapivalidation" | PASSED | 0.001 s |
| 2 | And query param "type" with value "private" | PASSED | 0.000 s |
| 3 | And header "Authorization" with value "Bearer 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" | PASSED | 0.001 s |
| 4 | When I do GET request with url "orgs/{org}/repos" | PASSED | 0.511 s |
| 5 | Then validate status code is 200 | PASSED | 0.026 s |